

मूर्ति विसर्जन के परिप्रेक्ष्य में
केब्दीय प्रदूषण नियंत्रण बोर्ड की गाईड लाइन
एवं
मानवीय एन.जी.टी. द्वारा दिये गये निर्देशों
के संबंध में
पालन प्रतिवेदन
वर्ष 2019, 2020 एवं 2021



मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड

पर्यावरण परिसर, ई-5, अरेया कालोनी, भोपाल- 462 016 (म.प्र.)

Tel: 0755-2464428, 2466191 Fax: 0755-2463742

गणेश एवं दुर्गा प्रतिमाओं के विसर्जन

गणेश, दुर्गा प्रतिमाओं के विसर्जन की अवधि वर्षाकृतु की समाप्ति पर होती है। इस समय जल ख्रोतों में पर्याप्त मात्रा में पानी होने के कारण मिटटी, लुगदी आदि बायोडिग्रेडेबल सामग्री से बनी मूर्ति एवं प्राकृतिक रंगों जल ख्रोत की गुणवत्ता को कम प्रभावित करते हैं, किन्तु प्लास्टर आफ पेरिस, प्लास्टिक, सीमेंट, सिब्यैटिक रंग जिनमें धातक रसायन मिले होते हैं, थर्मोकोल, क्ले इत्यादि से निर्मित मूर्तियों के विसर्जन करने से जलीय वनस्पतियाँ, जीव-जन्तुओं के अलावा मनुष्यों पर भी हानिकारक प्रभाव पड़ता है।

केढ़ीय प्रदूषण नियंत्रण बोर्ड की मूर्ति विसर्जन पर संशोधित मार्गदर्शिका मई वर्ष 2020 प्रभावी जनवरी, 2021 एवं माननीय राष्ट्रीय हरित अधिकरण द्वारा जारी आदेशों, निर्देशों व नियमों के म.प्र. प्रदूषण नियंत्रण बोर्ड द्वारा व्यापक प्रचार प्रसार के फलस्वरूप आम नागरिक सजग हुए हैं। अतः पूर्व वर्षों की तुलना में जल ख्रोतों का प्रदूषण भार कम हुआ है।

समस्त क्षेत्रीय कार्यालयों, म.प्र. प्रदूषण नियंत्रण बोर्ड द्वारा कार्यशालाओं के आयोजनों, प्रचार-प्रसार हेतु पोस्टर एवं बैनर और पेम्पलेट वितरण कार्यक्रम, समाचार पत्रों में प्रकाशन आदि तथा व्यक्तिगत संपर्क कर समझाइश दिए जाने से, विगत वर्षों में इको फेंडली मूर्ति एवं मध्यम व छोटी आकार की मूर्तियों की संख्या में वृद्धि परिलक्षित हुई है।

प्रतिमा विसर्जन किये जाने हेतु स्थानीय प्रशासन एवं नगर निगम तथा नगरपालिकाओं द्वारा मार्गदर्शिका के अनुसार सिब्यैटिक लाइनर लगाकर अरथाई कुण्ड तैयार किये गये। जिससे जल ख्रोतों की गुणवत्ता को प्रभावित होने से बचाया जा सका। अमरकंटक में नर्मदा नदी के किनारे स्थायी मूर्ति विसर्जन कुण्ड का निर्माण कर बड़ी संख्या में मूर्तियों का विसर्जन करवाया जा रहा है।

वर्ष दर वर्ष अपेक्षाकृत व्यवस्थाओं में सुधार हो रहा है। बोर्ड अधिक से अधिक क्षमता से स्थानीय शासन से सहयोग कर जल ख्रोतों को स्वच्छ एवं प्रदूषणरहित बनाये रखने हेतु प्रयासरत् है।

प्रतिमा विसर्जन स्थल से जल गुणवत्ता के ऑक्लन हेतु विसर्जन से पूर्व, दौरान तथा एक सप्ताह पश्चात् जल नमूना एकत्रित कर विश्लेषण किया। विगत 03 वर्षों के जल गुणवत्ता परिणाम एवं बोर्ड द्वारा किये गए कार्यों पर प्रतिवेदन फोटोग्राफ के साथ निम्नानुसार है :-

1. प्रदेश के विभिन्न स्थलों पर डिस्प्ले बोर्ड एवं पेम्पलेट के माध्यम से प्रसार-प्रचार कर मूर्ति निर्माण हेतु प्राकृतिक सामग्री का ही उपयोग करने की मूर्तिकारों से अपील की गई तथा मूर्तिकारों से व्यक्तिगत संपर्क कर समझाईश भी दी गई।



दिनांक 06.09.2021 को पीथमपुर स्थित स्थानीय मूर्तिकारों को केन्द्रीय प्रदूषण नियंत्रण बोर्ड की गाईडलाईन एवं माननीय एन.जी.टी. द्वारा दिए गए निर्देश के संबंध में अवगत एवं निर्देशित करते हुए।



एनजीटी न्यायालय, सीपीसीबी के दिशा निर्देशों को लेकर एक दिवसीय कार्यशाला का आयोजन

मिट्टी, प्राकृतिक रंगों से निर्मित प्रतिमाओं की ही करें स्थापना



कार्यशाला में जानकारी देते अधिकारी।

पत्रिका न्यूज नेटवर्क
patrika.com

कटनी, गणेशोदय, दुर्गा पूजा में स्थापित की जाने वाली प्रतिमाओं में मिट्टी से बनी और प्राकृतिक रंगों का उपयोग हो। इनसे निर्मित प्रतिमाओं की ही स्थापना करें ताकि पर्यावरण को बढ़ावा न हो।

यह बीत सीपीसीबी व एनजीटी न्यायालय के जारी दिशा निर्देशों के अनुरूप मूर्ति निर्माण व विसर्जन को करते समय मिट्टी व प्राकृतिक रंगों का उपयोग हो। पीओपी व खतरनाक रथयात्रों के उपयोग से बनी प्रतिमाएं स्थापित न हों और

अधिकारी एचके तिवारी ने कही। कार्यक्रम में आशीर्वाद के रूप में नगर निगम के स्वास्थ्य विभाग के एमएल निगम मीडियू थे। मुख्य रसायनज डॉ. एसपी बोलीया ने कहा कि प्राचीन काल से मूर्ति पूजा व आस्था का महत्व हिन्दू समाज में है। उसको ध्यान में रखते हुए जारी दिशा निर्देशों के पालन में प्रतिमाओं का निर्माण करते समय मिट्टी व प्राकृतिक रंगों का उपयोग हो।

प्रतिमाओं का विसर्जन स्थानीय निकायों द्वारा चिह्नित स्थानों पर ही किया जाए। सहायक आयुक्त नगर पालिक निगम ने खतरनाक रंगों व पीओपी से बनी प्रतिमाओं से जलस्रोतों को होने वाले नुकसान की जानकारी दी। क्षेत्रीय प्रदूषण अधिकारी ने कहा कि निर्देशों का पालन न करने पर नियमानुसार कार्रवाई का भी प्रावधान भी रखा है। इस दौरान मूर्तिकार, समितियों के सदस्य, अधिकारी, कर्मचारी व आयोजित कार्यशाला में क्षेत्रीय बनी प्रतिमाएं स्थापित न हों और आमजन मौजूद थे।

सजने लगे गणपति के दरबार, मूर्तियों को आकार दे रहे कलाकार

नगर में धूमधाम से मनाया जाएगा गणेशोदय, तैयारी में जुटे भक्तगण

स्तीमनाबाद, गणेश उत्सव का दस दिवसीय पर्व का आगमन एक सप्ताह बाद आने वाला है। इसकी तैयारियां शुरू हो गई हैं। मूर्तिकार सुटि के विज्ञहारों की प्रतिमा को आकार देने में जुटे हुए हैं। बच्चे व विभिन्न समिति के सदस्य भगवान के सामान एवं वस्त्र की कीमत बढ़ गई हैं। लकड़ी, बत्ता, बास के दाम भी आसमान छू रहे हैं। मूर्ति सजावट के सामान एवं वस्त्र की कीमत भी बढ़ गई हैं।

एक सप्ताह का समय शेष है जिसको लेकर मूर्तियों को अंतिम रूप देने का कार्य भी किया जा रहा है। कलाकारों के द्वारा चूहे सबार, गणेश जी का बाल्य रूप, पान के आकर्क व भव्य पंडाल बनाए जा रहे हैं। नगर में कलकत्ता के कलाकार व स्थानीय मूर्तिकार भगवान गणेश की प्रतिमा को रूपों में मूर्तियां बनाई गई हैं।


2. मूर्ति एवं पंडाल सज्जा हेतु थर्मोकोल, प्लास्टिक आदि से बनी हुई सज्जा सामग्री के उपयोग के स्थान पर प्राकृतिक सामग्री का ही उपयोग करने के लिए पोस्टर व पेम्पलेट के माध्यम से प्रसार-प्रचार किया गया।

मूर्तिकारों एवं आमजनों की जागरूकता हेतु पैम्फलेट वितरण –

क्षेत्रीय कार्यालय म.प्र. प्रदूषण नियंत्रण बोर्ड रीवा द्वारा लगभग एक माह पूर्व से ही मूर्तिकारों एवं आमजनों की जागरूकता हेतु पैम्फलेट वितरण का कार्य प्रारम्भ किया गया था। सम्बन्धित फोटोग्राफ्स निम्नवत हैं—



Jogipur North Tola, Madhya Pradesh, India
Siddhi - Amritav - Patpura Rd, Jogipur-North Tola,
Madhya Pradesh, 466661, India




Jogipur North Tola, Madhya Pradesh, India
Siddhi - Amritav - Patpura Rd, Jogipur-North Tola,
Madhya Pradesh, 466661, India



मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड के कर्मचारियों द्वारा पोस्टर व पेम्पलेट वितरण कर समझाइश देते हुए ।

3.पी.ओ.पी.से बनी हुई मूर्तियों को प्रतिबंधित करने हेतु स्थानीय प्रशासन के साथ आवश्यक कार्यवाही की गई एवं पोस्टर व पेम्पलेट के माध्यम से जन प्रचार भी किया गया ।





मूर्ति निर्माण में पीओपी व केमिकल युक्त रंग वर्जित

भास्कर न्यूज | काटनी

गणेश, दुर्गा उत्सव के दौरान मूर्ति निर्माण एवं मूर्ति विसर्जन के संबंध में एनजीटी न्यायालय एवं सीपीसीबी द्वारा जारी दिशा निर्देशों के अनुपालन में कार्यशाला का आयोजन किया गया। शहर के एक होटल में मप्र प्रदूषण नियंत्रण बोर्ड द्वारा एक कार्यशाला का आयोजन एवं तिवारी क्षेत्रीय अधिकारी के निर्देशन में कार्यशाला में शहर के गणमान्य नागरिक, मूर्तिकार, स्थानीय संस्थाओं के प्रतिनिधि, गणेश, दुर्गा उत्सव समितियों के प्रतिनिधि, सामाजिक संस्थाओं के प्रतिनिधि, उपयोग प्रतिनिधि एवं अधिकारी, कर्मचारी शामिल थे। सर्व प्रथम डॉ. एसपी बघौलिया मुख्य रसायनज्ञ द्वारा कहा गया कि प्राचीन काल से मूर्ति पूजा व आस्था का महत्व हिन्दू समाज में है। उसको ज्ञान में रखते हुए एनजीटी एवं सीपीसीबी के द्वारा जारी

मूर्तिकारों को संकेतात्मक देते प्रदृशण नियंत्रण बोर्ड के अधिकारी।

दिशा निर्देश के पालनार्थ गणेश/दुर्गा की मूर्तियों के निर्माण में मिट्टी एवं प्राकृतिक रंगों के उपयोग किये जाने एवं पीओपी तथा खतरनाक स्रावनों के उपयोग को पूर्णतः प्रतिबंधित किये जाने के संबंध में एवं छोटी मूर्तियों के निर्माण करने के साथ मूर्ति विसर्जन शासन एवं स्थानीय निकायों द्वारा चिन्हित स्थानों पर ही किया जाए। सीधे नदी, तालाब में मूर्ति विसर्जन करने की बजाय अस्थायी अन्ड में करने की विस्तृत जानकारी दी गई कार्यक्रम में

गई कि हम प्राकृति रंगों एवं मिट्टी के साथ छोटी मूर्तियों का ही निर्माण करें। साथ ही आम जनों से अपील की गई कि गणेश/दुर्गा उत्सव के दौरान मूर्ति विसर्जन को कार्यवाही एनजीटी एवं सीपीसीबी द्वारा जारी दिशा-निर्देशों के पालनार्थ चिह्नित स्थलों पर अस्थायी कुण्ड को सियेटिक लाइनिंग कर मूर्ति विसर्जन किये जाने के लिए स्थल नेटीफाइब किया जाकर विसर्जन की कार्यवाही की जाएगी। साथ ही इस संबंध में आम जनता को जागरूकता के लिए विशेष अभियान चलाया जाएगा। मूर्तियों की स्थापना धर्मिक आस्था को ध्यान में रखते हुए इकाइ-डली मूर्तियों का निर्माण करने व शासन द्वारा जारी दिशा निर्देशों के पालन के लिए अधिक कड़वा की आवश्यकता पर जोर दिया गया। इस अवसर पर मुख्य अतिथि के रूप में एम.एल. निगम स्वास्थ्य अधिकारी थे।

4. स्थानीय प्रशासन के माध्यम से मूर्ति विसर्जन हेतु अधिक से अधिक अस्थाई कुण्डों की व्यवस्था की गई। विसर्जन स्थल पर बोर्ड के कर्मचारियों

द्वारा आमजन को अरथाई कुण्ड में मूर्ति विसर्जन करने की जानकारी दी गई।




दिनांक 19.09.2021 को मूर्ति विसर्जन के दौरान नगर पालिका परिषद्, पीथमपुर द्वारा अस्थायी निर्मित कुण्ड से लिए गए जल नमूने।





5. मूर्ति विसर्जन स्थल पर सुरक्षा हेतु स्थानीय प्रशासन द्वारा बड़ी मूर्तियों के विसर्जन के दौरान होने वाली दुर्घटना से बचाव के लिए केन एवं गोताखोर का प्रबंध किया गया था। साथ ही जनता को नियंत्रित करने व सुचालू रूप से विसर्जन प्रक्रिया के संचालन के लिए पुलिस बल की व्यवस्था भी की गई।



दिनांक 19.09.2021 को मूर्ति विसर्जन के दौरान पूजन सामग्री नगर पालिका परिषद् पीथमपुर के स्टॉफ द्वारा नियत स्थान पर पहुंचाने हेतु एकत्रित करते हुए।



- बाबा घाट (बीहर नदी) के किनारे नगर निगम रीवा द्वारा बनाया गया अल्पकालिक कुण्ड एवं फूल माला तथा ठोस अपशिष्ट निपटान हेतु पृथक से रखा गया कंटेनर।
6. जन-सामान्य को छोटी मूर्तियों के विसर्जन हेतु अस्थाई कुण्डों एवं घर पर बाल्टी का उपयोग करने की समझाइश देने हेतु स्थानीय समाचार पत्रों, पोस्टर, पेम्पलेट का उपयोग किया गया।



क्षेत्रीय कार्यालय
म.प्र. प्रदूषण नियंत्रण बोर्ड दीवा

अपील

इमारा देश आरथा/प्रदा से ओप्रेट है, शहरानुसार प्रतिवर्ष आयोजित विभिन्न उत्सवों व त्योहारों के दौरान बड़ी संख्या में मूर्तियाँ/जूजन सामग्री आदि जल स्तोत्रों में विसर्जित की जाती है। विसर्जित सामग्री में कैमिकल, रंग, पेन्ट, यानीश, चवर, पौधार्थिन, धर्मशोल, फूट-मालाएँ इत्यादि होते हैं, जो नदी, तालाब, डैम, कुएँ आदि के जल में मिलकर उसकी गुणवत्ता को प्रोपालित करते हैं, तभी इससे पानी में धुलित और्जाजन की नाजा का हो जाता है। यह सामग्री रहती है, जिससे जलीय जीवन प्रभावित होता है। केंद्रीय प्रदूषण नियंत्रण बोर्ड नई वित्ती द्वारा इनकी एवं विसर्जन के सम्बन्ध में नवीन मार्गदर्शिका बोर्ड की गई है तथा माननीय राष्ट्रीय हारिकाणा (एन.जी.टी.) द्वारा भी दिशा निर्देश जारी किये गये हैं जिसमें प्रदूषण नियंत्रण बोर्ड के साथ-साथ नगरीय निकायों तथा जिला प्रशासन को पृथक-पृथक जिम्मेदारिया सीधी गई है।

अतः नल स्रोतों की स्तरकर्ता नियंत्रण के लिए सभी नागरिकों से अनुरोध है कि:-

- घरों में पर्यावरण को तुकान न पहुंचाने वाली इनकी फैलती मूर्तियों का ही ऊपरोक्त करें।
- घरों में बड़ी मूर्तियों की त्यापना न करके छोटे आकार की प्राकृतिक पदार्थों से निर्मित मूर्तिया त्यापित करें। विसर्जन मूर्ति को पर पर ही विसर्जित करने में आत्मानी हो।
- प्राकृतिक पदार्थ जैसे- मिट्टी, लकड़ी, कागज आदि से निर्मित इनकी फैलती मूर्तियों का ही ऊपरोक्त करें उत्तराधार द्वारा विस्तृत, व्यापक उपयोग करें।
- मूर्तियों को रंगने के लिए कैमिकल पदार्थों जैसे-राताशालिक रंग, पेन्ट, यानीश आदि का ऊपरोक्त न करें बल्कि प्राकृतिक रंग (बोलन कलर, पर्फूमों आदि) से निर्मित का ऊपरोक्त करें।
- कैमिकल रंगों से पूर्ण मूर्तियों के विसर्जन से नदी, तालाब, डैम, आदि का जल प्रदूषित होता है। जो मानव स्वास्थ्य पर विपरीत प्रभाव डालते हैं।
- मूर्तियों को विसर्जन से पूर्ण छूल, पत्ती, माला, बस्तर आदि को पृथक करने एवं अलग से इनका निपटान करें।
- नारीय निकायों द्वारा नियारित किए गये मूर्ति विसर्जन त्यापन/अस्थायी कुञ्जी पर ही मूर्तियों का विसर्जन करें।
- जहाँ तक सम्भव हो मूर्तियों का विसर्जन घर पर ही करके जल और विसर्जन सामग्री को गमलों/घर के गार्डन में ही प्रशान्ति करें।
- घड़ालों में त्यापित की जाने वाली मूर्तिया यथासम्भव छोटी साइज की त्यापित करें।

सहयोग की अपेक्षा मे -
क्षेत्रीय अधिकारी
म.प्र. प्रदूषण नियंत्रण बोर्ड दीवा

तालीन दीवा, मीन रोड

मूर्ति विसर्जन
पर्यावरणीय प्रभाव एवं नियंत्रण

प्राचीन काल से मूर्ति पूजा मानव आरथा का प्रतीक है। मूर्ति पूजा के लिये प्राकृतिक वस्तुओं जैसे दूध, दही, पी, नारियल, बुन्देरी आदि का उपयोग किया जाता रहा है। मूर्ति निर्माण भी मिट्टी के डारा प्राकृतिक रंगों जैसे हल्दी आदि का उपयोग कर किया जाता रहा है। इन सबके उपयोग से हमारा पर्यावरण पूर्णतः संरक्षित रहा है तथा विसीन प्रकार का विसर्जन प्रभाव पर्यावरण पर नहीं पड़ा।

वर्तमान समय में मूर्तियों के निर्माण में धातुओं, आधुनिक आभूषणों, तेलीय पदार्थों, नियेटिक व पर्यावरणीय रंगों का उपयोग मूर्तियों को पर्यावरण करने एवं साजसज्जा हेतु किया जा रहा है। मूर्तियों के निर्माण में मिट्टी के स्थान पर प्लास्टिक ऑफ पर्स का उपयोग किया जा रहा है। विसर्जन उपरोक्त इन सब का विसर्जन प्रभाव सारांश प्राकृतिक जल स्तोत्रों एवं पर्यावरण पर पड़ रहा है।

- मूर्ति विसर्जन से पर्यावरण पर पड़ने वाले विपरीत प्रभाव -

- 1) मूर्तियों में उपयोगित रासायनिक रंगों में कई प्रकार की भारी धातुओं होती हैं। जो प्राकृतिक जल स्तोत्रों को प्रदूषित करती है।
- 2) मूर्तियों में उपयोगित साजसज्जा सामग्री पूल, पत्ते आदि के विसर्जन से प्राकृतिक जल स्तोत्र प्रदूषित होते हैं।
- 3) प्लास्टिक ऑफ पर्स से निर्मित मूर्तियों का उपयोग नहीं है।

मूर्ति विसर्जन हेतु केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी विश्वास निर्देश

- 1) मूर्ति विसर्जन शासन द्वारा विस्तृत स्थान पर ही किया जाये।
- 2) विसर्जन के पूर्ण घूल, पत्ते, छुलिंग आभूषणों आदि की मूर्ति से अलग कर दिया जाये।
- 3) प्लास्टिक ऑफ पर्स के स्थान पर निर्दोष से बड़ी मूर्तियों का उपयोग किया जाये।
- 4) मूर्ति निर्माण में रासायनिक रंगों का उपयोग किया जाये।

गणेशोत्सव एवं दुर्गापूजा को पूर्ण अद्वारा एवं आरथा के साथ मनाते हुये पर्यावरण संरक्षण के इस पावन कार्य में आपका सहयोग अपेक्षित है।

क्षेत्रीय कार्यालय - म. प्र. प्रदूषण नियंत्रण बोर्ड
प्लाट नं. 455/456, विजय नगर, जबलपुर (म. प्र.)
मुद्रक - मुकुल विट्टर्स, प्रेम मंदिर, राष्ट्र टाउन, जबलपुर (म. प्र.) 09/03/2022-12/261

7. अधिक से अधिक पर्यावरण के अनुकूल मूर्तियाँ तैयार किये जाने हेतु बोर्ड के क्षेत्रीय कार्यालयों द्वारा कार्यशालाओं का आयोजन कर, इको फेन्डली मूर्ति निर्माण का प्रशिक्षण दिया गया। स्थानीय समाचार-पत्रों एवं डिस्प्ले बोर्ड के

माध्यम से आम जनता से इको फेन्डली मूर्ति का उपयोग करने की अपील की गई।



कार्यशाला मे पधारे रीवा के विभिन्न स्कूल कालेज के विद्यार्थियों को इको फेन्डली मूर्तियां बनाने कला सिखाते हुए स्थानीय मूर्तिकार श्री हुब्लाल जी एवं उनके सहयोगी।



गणगान्य नागरीकों से पर्यावरण संरक्षण हेतु सहयोग की विनाम अपील

हमें ज्ञात है कि "जल है तो जीवन है" जल प्रकृति का एक प्रमुख घटक है। जिसको शुद्ध ऐसे अच्छा बनाये रखना प्रधान नागरीक का एस करता है। जल को शुद्ध रखकर प्रकृति के संतुलन को बनाने में हम महत्वात्मक योगदान दें सकते हैं अतः म.प्र. प्रद्युम्न नियंत्रण बोर्ड आगामी गणगान्य चतुर्थ एवं द्वारा नियंत्रित मानविकास के अनुसार पूजन सामग्री, मूर्तियों के नियंत्रण एवं उनके विसर्जन के लिए विनाम अपील करता है।

- मूर्तियों का नियंत्रण पूजाओं में उल्लेखानुसार प्राकृतिक पदार्थों के उपयोग जैसे मिट्टी आदि से बने।
- मूर्ति नियंत्रण में पहले हुई मिट्टी, लास्टर औंड लैटिंग (पी.ओ.पी.) का उपयोग नहीं करें।
- मूर्तियों का करतर पेटिंग का कार्य केमिकल युक्त द्वारा नहीं करें। जिससे खलनाका भारी धार्तु जैसे क्रोमियन, लैड आदि होता है तथा यही गोंद की गुणवत्ता एवं वास्तविक पर दुष्प्रभाव होता है।
- मूर्तियों के पेटिंग हेतु जल में घुलनशील गोंद की विकास ना हो, प्राकृतिक गोंद का उपयोग में लायें।
- मूर्तियों के पूजन हेतु उपयोग में लाये गए पुष्प, काढ़े तथा मूर्ति से निकाली गई धातु युक्त आमूल्य आदि को मूर्ति विसर्जन के पूर्व अलग करें। इस प्रकार के जैव पदार्थ से नह होने वाली सामग्री एवं जैव पदार्थ से नह नहीं होने वाली सामग्री को पृथक-पृथक एकत्रित किया जाकर उपयोग विषय से विसर्जित करें।
- मूर्ति विसर्जन के पूर्व पृथक की गई जैव पदार्थ से नह होने वाली सामग्री यथा फूल, पत्ते आदि को अलग कर खाद्य नियंत्रण हेतु नियंत्रित अलग परिषट में डालें।
- मूर्ति विसर्जन के पूर्व पृथक की गई जैव पदार्थ से नह नहीं होने वाली सामग्री को अलग पिट में एकत्रित करें।

म.प्र. प्रद्युम्न नियंत्रण बोर्ड समर्पता नागरीकों से पुनः अपील करता है कि पर्यावरण के मुख्य घटक जल, धरा, गाय, वनस्पति में प्राकृतिक संतुलन बनाने के लिए पर्यावरण को शुद्ध रखें तथा मूर्तियों का विसर्जन नियंत्रण रख कर, अधिक शरीर वाले संयोजी तथा 40 माइक्रोग्राम से कम मोटाई की प्रतिवेशित पौधियों थेलियों का उपयोग नहीं करें तथा इको-फ्रैंजली ऊर्यादी के उपयोग को प्रोत्साहित कर पर्यावरण संरक्षण में अपना योगदान देकर प्रधान के पर्यावरण को और अधिक अच्छा बनाने में सहयोग प्रदान करें ताकि हम आगे आने वाली पीढ़ी को बेहतर पर्यावरण हाँप सकें।

संघर्षयाद

जनहित लें जारी: क्षेत्रीय कार्यालय, म.प्र. प्रद्युम्न नियंत्रण बोर्ड, 17 भरतपुरी, उज्जैन

क्षेत्रीय कार्यालय मध्यप्रदेश प्रद्युम्न नियंत्रण बोर्ड अपील

हमारा देश आस्था/धरा से ओत-प्रोत है, अद्वानुसार प्रतिवर्ध अव्योजित विक्रियन उत्सवों व त्यहारों के दीर्घान वर्षी संबंध्या में मूर्तियों/पूजन सामग्री जले रसोतों में विसर्जित की जाती है। विसर्जित सामग्री में क्लिकल रंग, धरा, वार्णिश रक्कम, पॉलीइंजन, धार्माकोल, फ्ल-पसिर्या, फ्ल-मालाई, सजावट सामग्री इत्यादि होते हैं, जो नदी, तालाब, डैम, कुर आदि के जल में विलक्षण उत्की गुणवत्ता को प्रभावित करते हैं। विसर्जित जलीय विसर्जन प्रभावित होता है। क्षेत्रीय प्रद्युम्न नियंत्रण जोड़ी वाला माननीय उच्च व्यायालय के विदेशानुसार इस सर्वकार्य में वर्ष 2010 में दिशा-निर्देश जारी किए गए हैं, जिसमें बोर्ड के साथ-साथ नगरीय विकासों तथा जिला प्रशासन को पृथक-पृथक विषयादारियों सीरीज गई है।

आप्त: जल स्रोतों की स्थायता बनाए रखने हेतु सभी नागरिकों से बोर्ड का अनुरोध है कि :-

- धरों में पर्यावरण को बुकरान न पहुंचाने वाली (ईको फ्रैंजली) मूर्तियों का ही उपयोग करें।
- धरों में बड़ी मूर्तियों की स्थायता न करके छोटे आकार व प्राकृतिक पदार्थों से विसर्जित मूर्तियों ही स्थापित करें, जिससे मृति को धर पर ही विसर्जित करें में आवश्यक होती है।
- प्राकृतिक पदार्थ जैसे मिट्टी, लकड़ी, कागज आदि से विसर्जित (ईको फ्रैंजली) मूर्तियों को ही उपयोग करें।
- क्लिकल पदार्थों जैसे रासायनिक रंग, धरा, वार्णिश आदि से बुकत मूर्तियों के विसर्जन से नदी, तालाब, डैम आदि में प्रद्युम्न की स्थायता होती है।
- रासायनिक रंग, धरा, वार्णिश आदि पार्दार्पणी की में विलक्षण पानी को प्रदूषित करते हैं, जो मानव स्वास्थ्य पर विपरीत प्रभाव डालते हैं।
- मूर्तियों विसर्जन के पूर्व फ्ल-पर्सी, माला, प्लास्टिक, धार्माकोल, पॉलीइंजन व वस्त्रादि को पृथक करें व इका विसर्जन नदी, तालाब, डैम आदि में न करें।
- नगरीय विकासों द्वारा नियारित किए गए मृति विसर्जन स्थलों पर मूर्तियों का विसर्जन करें।
- मूर्तियों का सिंजन धर पर ही करें जल और विसर्जित सामग्री को गमलों/धर के गाईन में प्रवाहित कर सकते हैं।
- पंडालों में स्थापित की जाने वाली मूर्तियों यथासंकेत छोटी स्थापित करें।
- पंडालों में स्थापित मूर्तियों का विसर्जन नगरीय विकासों द्वारा नियारित/चिन्हित स्थलों पर ही करें।

सहयोग की अपेक्षा में- क्षेत्रीय अधिकारी भोपाल नोट- दिशा-निर्देशों की विसर्जन जानकारी www.mppcb.nic.in पर देखी जा सकती है।

पर्यावरण परिसर, ई-5 सेक्टर, अरेश कालोनी, भोपाल (म.प्र.) पिन-462016
फोन नं. 0755-2466392, ई-मेल: romppcb_bp@rediffmail.com

कार्यशाला में इको फ्रैंडली मूर्ति के बताए गए फायदे

मानस स्कूल में प्रदर्शन कोई
जीर निवारण के संयुक्त उत्थापन
में हुआ आयोजन

जायगढ़, रीवा। ग्रौंग हारित अधिकारी
एवं अवासन और सारों कार्य संबोधन
के विदेशी निवारण 'नवार्ड' द्वारा गोपन
पूजा उत्थापन' में इकोफ्रैंडली मूर्ति
निर्माण प्रतिक्रिया कार्यशाला का
आयोजन जैव एवं नात योग्यक नियम
के संयुक्त उत्थापनमें आयोजित
किया गया। कार्यशाला में मूर्ति निर्माण
को जानकारी एवं उत्थापन किसें
किया जाना चाहिए कि विस्तृत
जानकारी सम्पन्न उत्थापन करने का दी
गई। कार्यशाला यहाँ एम्स कार्पोरेटी
द्वारा रोज़ा को सम्पन्न बैठावालक,
पर्यावरण की विभिन्न संख्याओं सम्बन्धित
किये जा रहे प्रोजेक्टों को जानकारी दी
गई एवं स्वयंचलन के सम्पर्क महावर्षी
विन्दु जल संज्ञें को प्रदूषण युक्त रूप
द्वारा निर्माण एवं गोपन पूजा में



सर्वानन्द पुस्तकों ने भारी संस्थान में
प्रतिशोध किया और इसके प्रिंटरों द्वारा
ज्ञानीय किया और संदेश दिया।
कार्यशाला में जू. योग प्रिया, नरेन्द्र
कमल एवं नेता विप्रवाल प्रदूषण
नियंत्रण योहं, जैसी सोमेट गोपा में
दृष्टिकोण अभिनवी, जैसी भूकृता
मैनेजर जैसी सोमेट नवा विचार मूर्ति
कलाकार, सम्पादक कार्यकर्ता एवं
प्रबुद्धन उपस्थित हो।

8. स्थानीय स्कूल/ कॉलेज में प्राकृतिक मृदा से मिट्टी से मूर्ति बनाने हेतु
कार्यशालाओं का आयोजन कर जन-जागृति कार्यक्रम किये गये। साथ ही पी.
ओ.पी. से बनी मूर्तियों का उपयोग नहीं किये जाने का अनुरोध किया गया।



बोर्ड कर्मचारियों की उपस्थिति में मिट्टी के गणपती मूर्ति निर्माण प्रशिक्षण निर्माण कार्यक्रम



विसर्जन स्थल से
मूर्ति विसर्जन पूर्व, विसर्जन के दौरान
एवं विसर्जन के पश्चात् एकत्रित
जल गुणवत्ता मापन परिणाम

वर्ष -2021

Ganesh Idol Immersion
Water Monitoring Report during Ganesha IDOL Immersion
Prempura Visarjan ghat, Bhopal.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	6.82	7.43	7.63
2	Total Solids	312	370	284
3	Dissolved Solids	264	258	228
4	suspended-solids	48	112	56
5	D.Oxygen	6.8	6.2	7.4
6	BOD	1.8	6.8	10
7	COD	19.6	29.04	48.4
8	Turbidity	12.3	17.3	34.9
9	Conductivity	363.3	422.5	394.5
10	Chromium	BDL	0.01	0.04
11	Lead	BDL	0.06	0.09
12	Zinc	0.01	0.06	0.1
13	Copper	BDL	0.266	0.31

Water Monitoring Report during Ganesha IDOL Immersion
Rani kamlapati,kamla park,murti visarjan kund,bhopal.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.38	7.33	7.93
2	Total Solids	320	430	442
3	Dissolved Solids	310	292	404
4	suspended-solids	10	138	38
5	D.Oxygen	5.2	2.6	15
6	BOD	3.6	11.2	11.6
7	COD	19.6	29.04	48.4
8	Turbidity	5.2	8.7	19.9
9	Conductivity	448.5	510.3	622
10	Chromium	BDL	0.03	0.04
11	Lead	BDL	0.04	0.1
12	Zinc	0.01	0.06	0.11
13	Copper	BDL	0.248	0.298

Water Monitoring Report during Ganesha IDOL Immersion
Murti visarjan ghat at shahpura lake,Bhopal.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.61	7.18	7.41
2	Total Solids	466	548	336
3	Dissolved Solids	450	386	322
4	suspended-solids	16	162	14
5	D.Oxygen	3.1	1.4	7.5
6	BOD	7	8.4	12
7	COD	29.4	29.04	48.4
8	Turbidity	8.6	11.2	3.3
9	Conductivity	606.7	615.6	452.9
10	Chromium	0.01	0.03	0.03

11	Lead	BDL	0.03	0.13
12	Zinc	0.01	0.05	0.14
13	Copper	BDL	0.118	0.15

**Water Monitoring Report during Ganesha IDOL Immersion
Janki kund near Charantirthghat, Vidisha.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.08	6.29	KUND
2	Total Solids	324	318	DISMANTELE D
3	Dissolved Solids	286	276	
4	suspended-solids	38	42	
5	D.Oxygen	6.9	7.1	
6	BOD	1.2	4.2	
7	COD	9.8	9.71	
8	Turbidity	1.7	6.7	
9	Conductivity	395.9	395.1	
10	Chromium	BDL	0.02	
11	Lead	BDL	0.04	
12	Zinc	0.05	0.04	
13	Copper	BDL	0.108	

**Water Monitoring Report during Ganesha IDOL Immersion
Khatlapura Visarjanghat, Bhopal.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	6.98	7.29	7.33
2	Total Solids	398	356	558
3	Dissolved Solids	342	298	328
4	suspended-solids	56	58	230
5	D.Oxygen	7.1	3	13.1
6	BOD	2	12	3.2
7	COD	294	38.72	19.36
8	Turbidity	3.2	2.6	103.3
9	Conductivity	470.4	550.1	519.5
10	Chromium	BDL	0.01	0.02
11	Lead	BDL	BDL	0.11
12	Zinc	BDL	0.04	0.13
13	Copper	BDL	0.119	0.154

**Water Monitoring Report during Ganesha IDOL Immersion
Bairagrah Visarjanghat, Bhopal.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.1	7.09	7.2
2	Total Solids	960	952	992
3	Dissolved Solids	896	868	962
4	suspended-solids	64	84	30
5	D.Oxygen	6.5	4.5	12
6	BOD	1.6	7.8	15.6
7	COD	29.4	29.12	48.4
8	Turbidity	2.8	9.7	12.6

9	Conductivity	-	1224	1264
10	Chromium	BDL	0.03	0.05
11	Lead	BDL	0.07	0.14
12	Zinc	0.01	0.4	0.13
13	Copper	BDL	0.165	0.175

**Water Monitoring Report during Ganesha IDOL Immersion
Hathaikheda visarjan kund,bhopal.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.87	6.5	7.24
2	Total Solids	410	466	484
3	Dissolved Solids	364	308	364
4	suspended-solids	46	58	120
5	D.Oxygen	8.5	6.8	1.6
6	BOD	3.7	5.6	18.8
7	COD	19.6	29.12	110
8	Turbidity	31	40.8	91.2
9	Conductivity	492.5	433.9	535.5
10	Chromium	BDL	0.01	0.04
11	Lead	BDL	0.02	0.15
12	Zinc	0.01	0.04	0.14
13	Copper	BDL	0.117	0.165

**Water Monitoring Report during Ganesha IDOL Immersion
Maalikhedi visarjan kund,bhopal.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.72	7.5	7.11
2	Total Solids	302	376	378
3	Dissolved Solids	280	328	360
4	suspended-solids	22	38	18
5	D.Oxygen	6.5	4	5.5
6	BOD	4.3	9.2	68
7	COD	19.6	48.54	20
8	Turbidity	10.9	29.5	5.6
9	Conductivity	391.6	466.5	472.5
10	Chromium	BDL	0.03	0.04
11	Lead	BDL	0.04	0.13
12	Zinc	BDL	0.67	0.13
13	Copper	BDL	0.288	0.318

**Water Monitoring Report during Ganesha IDOL Immersion
River Amanvi, at Lahedara naka, Sagar.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.38	6.76	7.46
2	Total Solids	326	402	348
3	Dissolved Solids	298	344	312
4	D.Oxygen	6.34	4.52	6.04
5	BOD	1.08	2.88	1.28
6	COD	3.72	11.18	3.72

7	Turbidity	18	54	16
8	Conductivity	447.2	516.2	468.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Dharam sagar talab,panna.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.23	7.32	7.41
2	Total Solids	168	408	284
3	Dissolved Solids	140	342	232
4	D.Oxygen	6.38	4.35	3.28
5	BOD	1.28	7.82	3.72
6	COD	7.45	18.64	11.18
7	Turbidity	22	62	36
8	Conductivity	209.8	513.6	346.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Futera Lake, Damoh.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.29	6.86	7.42
2	Total Solids	314	502	302
3	Dissolved Solids	294	440	268
4	D.Oxygen	6.22	4.66	5.26
5	BOD	3.82	8.92	4.92
6	COD	7.45	18.64	11.16
7	Turbidity	12	58	28
8	Conductivity	441.9	660.2	402.1
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Mahendra Sagar Lake, Tikamgarh.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.54	8.12	7.63
2	Total Solids	212	294	238
3	Dissolved Solids	184	218	204
4	D.Oxygen	6.68	3.42	3.52
5	BOD	1.32	9.92	8.68
6	COD	3.72	29.82	26.09
7	Turbidity	16	62	24

8	Conductivity	276.8	326.4	306.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Budha Bandh, Chhatarpur.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.69	7.87	7.58
2	Total Solids	186	268	206
3	Dissolved Solids	148	192	158
4	D.Oxygen	6.52	4.98	6.38
5	BOD	1.22	4.48	3.72
6	COD	7.45	14.91	11.18
7	Turbidity	24	68	32
8	Conductivity	222.7	288.2	236.8
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
At Satna River, Satna.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.7	6.1	7.5
2	Total Solids	845	1045	930
3	Dissolved Solids	798	960	870
4	D.Oxygen	7.1	6.3	6.8
5	BOD	2.1	2.4	2.3
6	COD	42	64	58

River Tomus at Madhavagardh.

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.7	5.9	7.2
2	Total Solids	720	859	746
3	Dissolved Solids	636	696	597
4	D.Oxygen	7.2	5.9	6.8
5	BOD	2.2	2.6	2.3
6	COD	43	60	54

Kund water of idol immersion,at Maheshwar ,khargone.

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.91	7.84	KUND
2	Total Solids	224	315	DISMANTELE D
3	Dissolved Solids	216	302	
4	D.Oxygen	7.5	6.9	
5	BOD	0.9	1.4	
6	COD	7.74	14.58	
7	Turbidity	7.6	14.6	

8	Conductivity	355	459.14	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

Water Monitoring Report during Ganesha IDOL Immersion

Kund water of idol immersion at Mandleshwar,khargone.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8.11	7.65
2	Total Solids	PREPARED	522	672
3	Dissolved Solids		500	641
4	D.Oxygen		7	4.6
5	BOD		1.3	3.2
6	COD		24.1	26.88
7	Turbidity		24.6	38
8	Conductivity		760.3	888
9	Chromium		ND	ND
10	Lead		ND	ND
11	Zinc		ND	ND
12	Copper		ND	ND

Water Monitoring Report during Ganesha IDOL Immersion

Padma kund of idol-immersion at khandwa.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.9	7.86
2	Total Solids	PREPARED	790	1331
3	Dissolved Solids		774	1303
4	D.Oxygen		6.1	0
5	BOD		1	8
6	COD		9.68	34.56
7	Turbidity		18.2	30
8	Conductivity		1214	1672.2
9	Chromium		ND	ND
10	Lead		ND	ND
11	Zinc		ND	ND
12	Copper		ND	ND

Water Monitoring Report during Ganesha IDOL Immersion

Kund water at rajghat ,Badwani.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.9	NOT
2	Total Solids	PREPARED	302	PREPARED
3	Dissolved Solids		290	
4	D.Oxygen		7.3	
5	BOD		1.2	
6	COD		10.64	
7	Turbidity		20.5	
8	Conductivity		441.59	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	

12	Copper	ND	
----	--------	----	--

**Water Monitoring Report during Ganesha IDOL Immersion
Kund water near river Kunda,khargone.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8	8.09	7.4
2	Total Solids	285	382	592
3	Dissolved Solids	276	366	565
4	D.Oxygen	7.4	7.2	3.3
5	BOD	1.1	1.4	3.2
6	COD	8.71	13.55	24
7	Turbidity	10.2	24.8	32
8	Conductivity	462	580.09	725
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Bawdi water of idol-immersion at Dharampuri.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.91	7.64
2	Total Solids	PREPARED	433	644
3	Dissolved Solids		—	619
4	D.Oxygen		5.4	3.6
5	BOD		1.8	3.8
6	COD		13.55	28.8
7	Turbidity		14	25.8
8	Conductivity		658.08	725
9	Chromium		ND	ND
10	Lead		ND	ND
11	Zinc		ND	ND
12	Copper		ND	ND

kund water of idol immersion near water filtration plant,Dhar.

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.4	7.37	6.6
2	Total Solids	254	364	467
3	Dissolved Solids	244	342	435
4	D.Oxygen	6.8	6	3.2
5	BOD	0.9	2.2	3
6	COD	7.74	13.55	21.12
7	Turbidity	3.4	8.2	18.4
8	Conductivity	401	518	668
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
River Bicchiya, near road bridge ,Rewa**

S.	Parameter	Pre Immersion	During Immersion	After one week
----	-----------	---------------	------------------	----------------

N o.		2021	2021	2021
1	pH	7.82	7.98	7.86
2	Total Solids	293	449	352
3	Dissolved Solids	249	355	314
4	Suspended solids	44	94	38
5	D.Oxygen	6.9	5.1	6.7
6	BOD	1.5	4	2
7	COD	13.92	33.64	19.72
8	Turbidity	16	38	12
9	Conductivity	299	454	365
10	Chromium	0.009	0.002	0.01
11	Lead	ND	ND	ND
12	Zinc	ND	ND	ND
13	Copper	0.002	0.067	0.013

**Water Monitoring Report during Ganesha IDOL Immersion
River Bihar at Babaghat, Rewa.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.82	8.05
2	Total Solids	276	456	313
3	Dissolved Solids	237	358	272
4	Suspended solids	39	98	41
5	D.Oxygen	7.3	5.8	7.1
6	BOD	1.3	6	1.8
7	COD	12.76	35.96	17.4
8	Turbidity	15	42	9
9	Conductivity	291	470	313
10	Chromium	ND	0.01	ND
11	Lead	ND	ND	ND
12	Zinc	ND	ND	ND
13	Copper	0.002	0.061	ND

**Water Monitoring Report during Ganesha IDOL Immersion
River Sone at Churhat, Distt. Sidhi.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.59	7.77	7.83
2	Total Solids	250	291	265
3	Dissolved Solids	217	249	230
4	Suspended solids	33	42	35
5	D.Oxygen	7.8	6.6	7.4
6	BOD	1	2.8	1.2
7	COD	8.12	15.08	10.44
8	Turbidity	10	15	50
9	Conductivity	268	310	280
10	Chromium	0.014	0.021	0.012
11	Lead	ND	ND	ND
12	Zinc	ND	ND	ND
13	Copper	0.017	0.079	0.005

**Water Monitoring Report during Ganesha IDOL Immersion
River Sone at Gaughat, Distt. Sidhi.**

S. N	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

O.				
1	pH	7.61	7.8	7.77
2	Total Solids	271	299	278
3	Dissolved Solids	230	232	239
4	Suspended solids	41	67	39
5	D.Oxygen	7.6	6	7
6	BOD	1.1	3	1.4
7	COD	9.28	20.08	11.6
8	Turbidity	12	22	7
9	Conductivity	281	315	298
10	Chromium	0.02	0.026	0.009
11	Lead	ND	ND	ND
12	Zinc	ND	ND	ND
13	Copper	0.011	0.071	0.03

River narmada at Puskar dam amarkantak ,dist.Dindori

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.69	7.71	7.7
2	Total Solids	249	293	218
3	Dissolved Solids	235	272	205
4	D.Oxygen	6.9	6.7	7.5
5	BOD	1.6	1.8	1.7
6	COD	5	7.5	10
7	Turbidity	17.8	20	8.4
8	Conductivity	361.8	397	312.5

Idol immersion Temporary pond Umaria dist. Umaria.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.87	KUND
2	Total Solids	PREPARED	469	DISMANTELE D
3	Dissolved Solids		408	
4	D.Oxygen		4.8	
5	BOD		2.6	
6	COD		17.5	
7	Turbidity		39	
8	Conductivity		697	

River umarar at Umariya dist. Umariya.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	7.85	7.86
2	Total Solids	321	415	249
3	Dissolved Solids	295	383	233
4	D.Oxygen	6.6	6.1	6.5
5	BOD	2.1	2.4	2.3
6	COD	10	12.5	12.5
7	Turbidity	29.4	35	14.3
8	Conductivity	491.5	512	469.5

Idol immersion pond Amarkantak distt.Anuppur

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	7.8	8.24
2	Total Solids	251	459	241
3	Dissolved Solids	236	380	229
4	D.Oxygen	6.7	4.5	6.5
5	BOD	1.2	3.1	2.7
6	COD	5	20	20
7	Turbidity	11.1	38.1	9.4
8	Conductivity	351.2	767.3	491.6

Water Monitoring Report during Ganesha IDOL Immersion

River sone at Diyapiper dist. Shahdol

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.78	7.7	7.69
2	Total Solids	305	319	212
3	Dissolved Solids	283	295	199
4	D.Oxygen	7	6.9	7.6
5	BOD	1.4	1.8	1.3
6	COD	10	12.5	5
7	Turbidity	16.4	21.3	9.4
8	Conductivity	418.5	426.5	326.2

Water Monitoring Report during Ganesha IDOL Immersion

Idol immersion pond dindori dist.dindori

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.9	KUND
2	Total Solids	PREPARED	463	DISMANTELE D
3	Dissolved Solids		411	
4	D.Oxygen		5.5	
5	BOD		2.4	
6	COD		15	
7	Turbidity		31.6	
8	Conductivity		761.4	

Water Monitoring Report during Ganesha IDOL Immersion

River narmada at dindori dist.dindori

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.7	7.79	7.79
2	Total Solids	229	267	209
3	Dissolved Solids	208	239	198
4	D.Oxygen	7.5	7.7	7.8
5	BOD	1.4	1.8	1.3
6	COD	5	7.5	5
7	Turbidity	22.2	28	8.2
8	Conductivity	372.7	397	351.8

Water Monitoring Report during Ganesha IDOL Immersion

Idol immersion pond Mudana dist.dindori

S. N.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

O.				
1	pH	NOT	7.8	KUND
2	Total Solids	PREPARED	459	DISMANTELE D
3	Dissolved Solids		380	
4	D.Oxygen		4.5	
5	BOD		3.1	
6	COD		20	
7	Turbidity		38.1	
8	Conductivity		767.3	

**Water Monitoring Report during Ganesha IDOL Immersion
River Narmada at Gwarighat, Jabalpur**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.13	8.2	8.26
2	Total Solids	280	284	276
3	Dissolved Solids	238	246	236
4	D.Oxygen	8.4	8.1	8.1
5	BOD	1.2	1.4	1.2
6	COD	10	10	10
7	Turbidity	6	6	6
8	Conductivity	269	289	278
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
River Narmada at Tilwaraghat, Jabalpur.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.06	8.08	8.21
2	Total Solids	286	294	282
3	Dissolved Solids	242	248	244
4	D.Oxygen	8.2	7.8	7.9
5	BOD	1.2	1.3	1.5
6	COD	10	10	10
7	Turbidity	6	7	6
8	Conductivity	270	272	263
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
River Narmada at raptaghat at Mandla**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.2	7.36	7.31
2	Total Solids	326	342	394
3	Dissolved Solids	282	270	322
4	D.Oxygen	7.7	7.6	7.4
5	BOD	1.2	1.6	1.7

6	COD	12	14	16
7	Turbidity	2	3	3
8	Conductivity	312	326	314
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
River Narmada at Chinkighat, Narsinghpur**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.33	7.61	7.33
2	Total Solids	243	242	239
3	Dissolved Solids	196	199	197
4	D.Oxygen	7.8	7.5	7.7
5	BOD	1.6	1.6	1.3
6	COD	12	19	16
7	Turbidity	8	3	3
8	Conductivity	244	247	248
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
Hanumantal, Jabalpur**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.68	7.89	7.76
2	Total Solids	764	982	688
3	Dissolved Solids	688	864	610
4	D.Oxygen	6.6	5.8	6.7
5	BOD	4.5	7	3.5
6	COD	48	88	48
7	Turbidity	10	22	12
8	Conductivity	722	930	648
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
Adhartal, Jabalpur**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.63	8.18	7.64
2	Total Solids	702	998	674
3	Dissolved Solids	622	884	602
4	D.Oxygen	6	5	6
5	BOD	4.4	6	3.8
6	COD	36	60	36
7	Turbidity	10	26	14

8	Conductivity	687	960	636
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
Gokalpurtal, Jabalpur**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.78	7.83	7.69
2	Total Solids	710	902	592
3	Dissolved Solids	634	792	522
4	D.Oxygen	6	4.5	8
5	BOD	4.2	7	4.6
6	COD	40	60	36
7	Turbidity	12	24	20
8	Conductivity	680	872	638
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Ganesha IDOL Immersion
Badokhar Talab, Morena.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.42	7.68	7.55
2	Total Solids	588	688	644
3	Dissolved Solids	540	628	602
4	D.Oxygen	6	4	4.2
5	BOD	2.4	2.8	2.7
6	COD	37.7	46.2	39.2
7	Turbidity	30	44	38
8	Conductivity	844	980	940
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Jaderua Dam Gwalior.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.48	7.84	7.78
2	Total Solids	1632	1812	1740
3	Dissolved Solids	1548	1714	1654
4	D.Oxygen	3.2	2.4	3
5	BOD	26	28	24
6	COD	112.8	166	148.14
7	Turbidity	120	180	140
8	Conductivity	2420	2680	2584
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND

12	Copper	ND	ND	ND
----	--------	----	----	----

**Water Monitoring Report during Ganesha IDOL Immersion
Gauri Sarover, Bhind.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.68	7.78	7.7
2	Total Solids	490	510	502
3	Dissolved Solids	446	460	454
4	D.Oxygen	6.8	6.2	6
5	BOD	2.4	2.8	2.6
6	COD	18	27.7	29.4
7	Turbidity	10	12	11.9
8	Conductivity	696	720	710
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Sagar Taal, Gwalior**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.9		
2	Total Solids	375	574	550
3	Dissolved Solids	382	520	510
4	D.Oxygen	5	4.4	4.6
5	BOD	2	2.6	2.2
6	COD	28.2	37.03	39.2
7	Turbidity	4	8	6
8	Conductivity	426	812	796
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Lala Ka Taal, Datia.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	9.9.21	17.9.21	24.9.21
2	Total Solids	454	474	464
3	Dissolved Solids	409	424	418
4	D.Oxygen	6.1	5.8	6
5	BOD	2.4	2.8	2.3
6	COD	36.64	46.29	39.2
7	Turbidity	20	38	34
8	Conductivity	640	662	654
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Sita Sagar, Datia.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.88	7.98	7.9
2	Total Solids	350	390	374
3	Dissolved Solids	308	343	332
4	D.Oxygen	6.9	6.2	6.4
5	BOD	1.9	2.1	2
6	COD	18.3	36.9	29
7	Turbidity	5.6	8.6	7.2
8	Conductivity	480	535	520
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Karan Sagar, Datia.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH			
2	Total Solids	496	542	502
3	Dissolved Solids	454	498	460
4	D.Oxygen	6.9	6.4	6.7
5	BOD	1.9	2.4	2
6	COD	18.8	36.96	29.4
7	Turbidity	10	14	12
8	Conductivity	708	780	720
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Chonda pool**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH			
2	Total Solids	520	542	532
3	Dissolved Solids	480	494	488
4	D.Oxygen	480	494	488
5	BOD	1.9	2.2	2
6	COD	18.8	18.2	29.4
7	Turbidity	1.2	2	1.9
8	Conductivity	750	772	764
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Ganesha IDOL Immersion

Pandit ghat ,sheopur.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.68	7.8	7.7
2	Total Solids	322	358	340
3	Dissolved Solids	282	314	300
4	D.Oxygen	6.6	6.4	6.5
5	BOD	1.9	2.4	2.2
6	COD	28.2	37.03	39.2
7	Turbidity	10	14	12
8	Conductivity	440	490	468
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Chambal river near khachroud road, chamunda mata mandir,Nagda.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.64	7.44	7.26
2	Total Solids	298	310	290
3	Dissolved Solids	282	286	266
4	D.Oxygen	7.2	7	7.4
5	BOD	2	2.4	2.2
6	COD	18	20	15
7	Turbidity	4.5	9.5	15.6
8	Conductivity	396	402	382
9	Chromium	ND	0.011	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.015	0.118	0.023

**Water Monitoring Report during Ganesha IDOL Immersion
River Kshipra at Kaliyadeh palace,Ujjain**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.84	7.66	8.1
2	Total Solids	288	312	480
3	Dissolved Solids	272	290	460
4	D.Oxygen	6.5	7.1	5
5	BOD	2.8	3.6	10
6	COD	16	20	20
7	Turbidity	6.4	11.8	3.1
8	Conductivity	392	412	560
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.013	0.085	0.018

**Water Monitoring Report during Ganesha IDOL Immersion
Parshukhedi Talab at Agar**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

1	pH	7.46	7.32	8
2	Total Solids	402	416	470
3	Dissolved Solids	388	396	458
4	D.Oxygen	7	7.1	6.9
5	BOD	3.2	3.6	4
6	COD	20	20	18
7	Turbidity	5.4	9.2	2.9
8	Conductivity	562	568	522
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.017	0.103	0.029

Water Monitoring Report during Ganesha IDOL Immersion

Shail Mining Multanpura,Mandsaur

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7	7.4	7.26
2	Total Solids	498	588	628
7	Dissolved Solids	458	570	612
4	D.Oxygen	6.4	7	5.9
5	BOD	6	5	7
6	COD	30	48	40
7	Turbidity	4.8	14	9.2
8	Conductivity	763	880	876
9	Chromium	ND	0.003	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	0.049	0.027

Water Monitoring Report during Ganesha IDOL Immersion

Pond water near Sanjeevni nallah,Neemuch.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.54	7.5	7.22
2	Total Solids	206	468	642
7	Dissolved Solids	196	450	624
4	D.Oxygen	7.6	6	5.8
5	BOD	2	4	3.6
6	COD	10	28	20
7	Turbidity	6.2	12.8	8.6
8	Conductivity	318	640	894
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.005	0.057	0.047

Water Monitoring Report during Ganesha IDOL Immersion

Pond water near Banjari sewavata by-pass road,Ratlam.

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.6	7.2	7.34
2	Total Solids	226	248	362
7	Dissolved Solids	208	238	340
4	D.Oxygen	7.5	6.9	7

5	BOD	2.8	3	3.2
6	COD	20	22	30
7	Turbidity	12	13.4	14.2
8	Conductivity	385	392	486
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.006	0.028	0.017

**Water Monitoring Report during Ganesha IDOL Immersion
River Maleni at road bridge,Jaora.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7	7.18	7.12
2	Total Solids	318	336	438
7	Dissolved Solids	300	304	424
4	D.Oxygen	7.8	7.1	7.5
5	BOD	2	2.2	2
6	COD	20	20	14
7	Turbidity	2.8	8.4	66
8	Conductivity	457	461	608
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.008	0.044	0.023

**Water Monitoring Report during Ganesha IDOL Immersion
Hira mill pond,ujjain.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.28	7.16	7
2	Total Solids	946	962	986
7	Dissolved Solids	926	936	962
4	D.Oxygen	6	6.8	6.4
5	BOD	4	5	6
6	COD	20	24	16
7	Turbidity	12.3	17.2	8.4
8	Conductivity	1326	1329	1256
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.012	0.034	0.023

**Water Monitoring Report during Ganesha IDOL Immersion
Pond Water at Kalukhedi Talab, Dewas.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.8	8.7	7.3
2	Total Solids	298	282	280
3	Dissolved Solids	258	244	242
4	D.Oxygen	6.8	6.5	6.5
5	BOD	2	2	2

6	COD	14	12	12
7	Turbidity	20	20.2	20
8	Conductivity	396	374	360
9	Chromium	ND	0.004	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.002	0.005	0.068

**Water Monitoring Report during Ganesha IDOL Immersion
Temporary kund near river lakhundar at village patoli,shajapur.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8	8.6	7.6
2	Total Solids	352	314	316
3	Dissolved Solids	304	264	280
4	D.Oxygen	6.6	6.8	6.5
5	BOD	3	2	2
6	COD	20	22	22
7	Turbidity	26.5	30	28
8	Conductivity	468	418	418
9	Chromium	0.012	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.131	0.129	0.132

**Water Monitoring Report during Ganesha IDOL Immersion
Temporary kund water Nemawar,distt. Dewas.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.6	8.6	8.3
2	Total Solids	252	254	510
3	Dissolved Solids	214	214	482
4	D.Oxygen	6.5	6.8	6.6
5	BOD	2	2	2
6	COD	10	12	12
7	Turbidity	20	18	14
8	Conductivity	334	336	660
9	Chromium	ND	0.032	0.038
10	Lead	ND	ND	ND
11	Zinc	ND	0.042	0.044
12	Copper	0.089	0.222	0.226

**Water Monitoring Report during Ganesha IDOL Immersion
Temporary pond water near Mitha Talab,Dewas.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8.5	KUND
2	Total Solids	PREPARED	238	DISMENTELED
3	Dissolved Solids		196	
4	D.Oxygen		6.5	
5	BOD		2.2	
6	COD		12	
7	Turbidity		22	
8	Conductivity		316	

9	Chromium		NA	
10	Lead		NA	
11	Zinc		NA	
12	Copper		0.58	

**Water Monitoring Report during Ganesha IDOL Immersion
Singwasa Lake at Guna**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.16	8.02	7.8
2	Total Solids	180	726	370
3	Dissolved Solids	130	635	320
4	D.Oxygen	7.2	7.5	6.2
5	BOD	2.3	1.9	2.6
6	COD	28.42	32	23
7	Turbidity	4.2	10.2	5.6
8	Conductivity	250	968	500
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.014	0.019	0.02
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Tulsi Sarover at Ashoknagar**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.8	7.28	7.62
2	Total Solids	250	330	400
3	Dissolved Solids	200	282	350
4	D.Oxygen	7	6.9	5.1
5	BOD	1.9	2	2.9
6	COD	20.6	47.6	35.7
7	Turbidity	2.3	9.6	3.4
8	Conductivity	312	437	546
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.001	0.007	0.005
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Gauri ganesh kund,shivpuri**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.6	7.8	7.45
2	Total Solids	430	622	480
3	Dissolved Solids	370	566	403
4	D.Oxygen	5.6	6.5	5.3
5	BOD	2.4	2.6	3.6
6	COD	30.33	40.23	45.44
7	Turbidity	11.3	12.5	16.4
8	Conductivity	578	884	629
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.009	0.019	0.013
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Pond near Neewaj River u/s. At Rajgarh.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.09	8.16	8
2	Total Solids	220	361	380
3	Dissolved Solids	180	300	340
4	D.Oxygen	7.6	7.3	6.2
5	BOD	2.3	2.9	2.8
6	COD	32.6	60.72	29
7	Turbidity	3.2	2.6	2.9
8	Conductivity	287	468	531
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.014	0.02	0.37
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha
IDOL Immersion
Pench river at Chhidwara ,near singori road bridge**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.81	8.21	7.14
2	Dissolved Solids	470	493	471
3	D.Oxygen	7.2	7	7.2
4	BOD	1.8	2	2
5	COD	8	16	24
6	Turbidity	2	6	6
7	Conductivity	744	813	819
8	Chromium	BDL	NA	NA
9	Lead	BDL	NA	NA
10	Zinc	BDL	NA	NA
11	Copper	BDL	NA	NA

**Water Monitoring Report during Ganesha
IDOL Immersion
River Kulbahra Chhindwara ,near nagpur road bridge**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.31	8.43	7.91
2	Dissolved Solids	473	498	482
3	D.Oxygen	7.2	7	7.1
4	BOD	1.6	2	2
5	COD	8	16	20
6	Turbidity	3	6	4
7	Conductivity	748	831	817
8	Chromium	BDL	NA	NA
9	Lead	BDL	NA	NA
10	Zinc	BDL	NA	NA
11	Copper	BDL	NA	NA

**Water Monitoring Report during Ganesha
IDOL Immersion
River MachnaNagpur naka ghat,Betul.**

S.	Parameter	Pre Immersion	During Immersion	After one week
----	-----------	---------------	------------------	----------------

N o.		2021	2021	2021
1	pH	8.14	8.49	7.74
2	Dissolved Solids	471	593	472
3	D.Oxygen	7.2	7	7.2
4	BOD	1.6	2	1.8
5	COD	8	20	16
6	Turbidity	2	6	3
7	Conductivity	718	811	813
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

**Water Monitoring Report during Ganesha
IDOL Immersion
Chhota Talab at Chhindwara,main road chhindwara**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.73	6.94	6.94
2	Dissolved Solids	452	894	513
3	D.Oxygen	7.1	6.9	6.9
4	BOD	2.6	3.8	4.2
5	COD	12	88	48
6	Turbidity	2	18	18
7	Conductivity	812	1194	1193
8	Chromium	BDL	NA	NA
9	Lead	BDL	NA	NA
10	Zinc	BDL	NA	NA
11	Copper	BDL	NA	NA

**Water Monitoring Report during Ganesha IDOL Immersion
River Machna Karbala ghat,Betul.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.14	8.94	7.43
2	Dissolved Solids	451	694	419
3	D.Oxygen	7.2	7	7.2
4	BOD	1.4	2	1.8
5	COD	8	20	12
6	Turbidity	2	6	3
7	Conductivity	816	898	813
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

**Water Monitoring Report during Ganesha IDOL Immersion
Mishr talab visarjan kund,raisen.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.6	7.74	7.95
2	Total Solids	550	665	700
3	Dissolved Solids	550	640	740

4	D.Oxygen	6.5	1.9	1
5	BOD	3	4.5	12
6	COD	22.54	26	34.3
7	Turbidity	1.3	10	25
8	Conductivity	830	984	1100
9	Chromium	0.01	0.03	0.03
10	Lead	BDL	0.09	0.014
11	Zinc	0.008	0.021	0.008
12	Copper	0.03	0.05	0.05

**Water Monitoring Report during Ganesha IDOL Immersion
Chopra talab visarjan kund,raisen**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.09	7.33	7.49
2	Total Solids	540	580	740
3	Dissolved Solids	530	560	680
4	D.Oxygen	6	5.7	3.6
5	BOD	2.2	3.1	8
6	COD	26.46	26	30
7	Turbidity	1.6	5.7	110
8	Conductivity	315	900	1040
9	Chromium	0.01	0.03	0.01
10	Lead	0.03	0.06	0.024
11	Zinc	0.012	BDL	0.006
12	Copper	0.02	0.08	0.02

**Water Monitoring Report during Ganesha IDOL Immersion
Herbal park visarjan kund, Hoshangabad.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.24	6.94	7.32
2	Total Solids	290	370	400
3	Dissolved Solids	269	340	350
4	D.Oxygen	5.5	NIL	NIL
5	BOD	3.1	6	17
6	COD	8.82	33	60
7	Turbidity	4.1	15	18
8	Conductivity	412	540	565
9	Chromium	BDL	0.03	0.04
10	Lead	BDL	0.09	0.023
11	Zinc	0.046	0.018	0.006
12	Copper	0.02	0.018	0.006

**Water Monitoring Report during Ganesha IDOL Immersion
Vivekanand ghat,Hoshangabad-**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.78	7.7	7.88
2	Total Solids	93	100	112
3	Dissolved Solids	86	99	101
4	D.Oxygen	7.4	7.2	7.6
5	BOD	2.1	2	1.7
6	COD	12.74	10	10
7	Turbidity	30	31	30

8	Conductivity	131	152	158
9	Chromium	BDL	0.03	—
10	Lead	BDL	0.02	—
11	Zinc	0.018	0.017	—
12	Copper	0.49	0.017	—

**Water Monitoring Report during Ganesha IDOL Immersion
River Ajnal,Harda,Mandideep.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.88	6.31	7.14
2	Total Solids	175	400	1390
3	Dissolved Solids	167	391	1309
4	D.Oxygen	6.9	2.1	NIL
5	BOD	2.2	6.4	50
6	COD	6.86	24	100
7	Turbidity	45	60	70
8	Conductivity	258	604	2000
9	Chromium	BDL	0.03	0.04
10	Lead	BDL	0.05	0.129
11	Zinc	0.025	0.027	0.031
12	Copper	0.02	0.3	0.03

**Water Monitoring Report during Ganesha IDOL Immersion
Ganesh visarjan kund Baba ghat,katni.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.4	KUND
2	Dissolved Solids	PREPARED	150	DISMENTELED
3	D.Oxygen	—	7	—
4	BOD	—	1.8	—
5	COD	—	24	—
6	Turbidity	—	2	—
7	Conductivity	—	240	—
8	Chromium	—	ND	—
9	Lead	—	ND	—
10	Zinc	—	ND	—
11	Copper	—	ND	—

**Water Monitoring Report during Ganesha IDOL Immersion
Ganesh visarjan kund Mohan ghat,katni.**

S. N. o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.6	KUND
2	Total Solids	PREPARED	240	DISMENTELED
3	Dissolved Solids	—	150	—
4	D.Oxygen	—	7.5	—
5	BOD	—	1.8	—
6	COD	—	24	—
7	Turbidity	—	2	—
8	Conductivity	—	290	—
9	Chromium	—	ND	—

10	Lead	-	ND	-
11	Zinc	-	ND	-
12	Copper	-	ND	-

**Water Monitoring Report during Ganesha IDOL Immersion
Ganesh visarjan kund Gatar ghat,katni.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.4	KUND
2	Total Solids	PREPARED	240	DISMENTELED
3	Dissolved Solids	-	170	-
4	D.Oxygen	-	7.2	-
5	BOD	-	1.7	-
6	COD	-	32	-
7	Turbidity	-	2	-
8	Conductivity	-	290	-
9	Chromium	-	ND	-
10	Lead	-	ND	-
11	Zinc	-	ND	-
12	Copper	-	ND	-

**Water Monitoring Report during Ganesha IDOL Immersion
Katni River Water at mohanghat**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.84	7.6	7.48
2	D.Oxygen	6.5	7.5	-
3	BOD	0.8	1.8	1.8
4	COD	22	24	16
5	Turbidity	7	2	4
6	Conductivity	347	290	352
7	Chromium	ND	ND	ND
8	Lead	ND	ND	ND
9	Zinc	ND	ND	ND
10	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Baba Ghat At Simrar River Katni.**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.31	7.4	7.89
2	D.Oxygen	7.7	7	7.8
3	BOD	2	1.8	2.6
4	COD	26	24	20
5	Turbidity	6	2	8
6	Conductivity	324	240	349
7	Chromium	ND	ND	ND
8	Lead	ND	ND	ND
9	Zinc	ND	ND	ND
10	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Gatar Ghat, Katni River**

S. N o.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

1	pH	7.89	7.4	-
2	D.Oxygen	7.4	7.2	7.1
3	BOD	2.2	1.7	1.7
4	COD	29	32	20
5	Turbidity	8	2	4
6	Conductivity	321	290	278
7	Chromium	ND	ND	ND
8	Lead	ND	ND	ND
9	Zinc	ND	ND	ND
10	Copper	ND	ND	ND

Durga IDOL Immersion
Water Monitoring Report during Durga IDOL Immersion
Charantirth Vidisha

S.No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	6.68	7.2	Kund closed by nagar
2	Total Solids	576	610	palika
3	Dissolved Solids	548	578	sampling not done.
4	D.Oxygen	10.2	9	
5	BOD	4	10	
6	COD	28.8	57.67	
7	Turbidity	6.3	9.2	
8	Conductivity	757.3	857.8	
9	Chromium	BDL	BDL	
10	Lead	0.08	0.13	
11	Zinc	0.17	0.02	
12	Copper	0.018	0.01	

Water Monitoring Report during Durga IDOL Immersion
Bairagarh Visarjanghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.32	7.59	7.57
2	Total Solids	1166	1262	1542
3	Dissolved Solids	1098	1216	1260
4	D.Oxygen	4.2	5.4	0
5	BOD	6.8	17	8
6	COD	48.06	115.34	80
7	Turbidity	6.2	13.9	42.6
8	Conductivity	1531	1649	1674
9	Chromium	0.03	0.06	0.03
10	Lead	0.08	0.42	0.093
11	Zinc	0.1	0.25	0.01
12	Copper	0.008	0.009	0.012

Water Monitoring Report during Durga IDOL Immersion
Hathaikheda dam (ghat),bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.21	7.32	8.69
2	Total Solids	444	500	488
3	Dissolved Solids	396	438	424
4	D.Oxygen	9.1	11.2	11.7
5	BOD	40	16	20
6	COD	57.67	57.67	100
7	Turbidity	11.2	17.8	45.5
8	Conductivity	444	592.4	577.7
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	0.16	BDL
11	Zinc	0.01	0.01	0.02
12	Copper	0.015	0.018	0.015

**Water Monitoring Report during Durga IDOL Immersion
Khatlapura visarjan ghat (Lower lake),Bhopal.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.51	7.36	7.73
2	Total Solids	434	446	554
3	Dissolved Solids	386	388	486
4	D.Oxygen	4.6	4.9	7.8
5	BOD	4.8	14	9
6	COD	38.45	76.89	70
7	Turbidity	5.7	7.6	5.9
8	Conductivity	519.9	520.8	641.1
9	Chromium	BDL	0.01	0.01
10	Lead	BDL	0.13	BDL
11	Zinc	0.08	0.16	BDL
12	Copper	BDL	0.01	BDL

**Water Monitoring Report during Durga IDOL Immersion
Prempura ghat, Bhopal.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	6.93	7.88	8.7
2	Total Solids	238	306	310
3	Dissolved Solids	222	282	268
4	D.Oxygen	10.4	12	8.9
5	BOD	6	11	16
6	COD	38.4	57.67	100
7	Turbidity	66	8.5	6
8	Conductivity	303.6	356.7	352.9
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	0.11	BDL
11	Zinc	0.17	0.18	0.01
12	Copper	0.008	0.007	0.009

**Water Monitoring Report during Durga IDOL Immersion
Shahpura Visarjan ghat, Bhopal.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.67	7.88	7.38
2	Total Solids	446	534	496
3	Dissolved Solids	412	486	448
4	D.Oxygen	6.3	13.3	5
5	BOD	14	22	18
6	COD	48	134.56	80
7	Turbidity	10.6	13.6	7
8	Conductivity	559.2	657.9	611.9
9	Chromium	BDL	BDL	BDL
10	Lead	0.02	0.17	0.029
11	Zinc	0.01	0.02	0.01
12	Copper	BDL	0.024	0.008

**Water Monitoring Report during Durga IDOL Immersion
Maalikhedi visarjan kund,bhopal.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.27	7.55	7.62
2	Total Solids	602	610	454

3	Dissolved Solids	578	582	418
4	D.Oxygen	7	4.8	6.1
5	BOD	5	12	9
6	COD	28.8	67.28	50
7	Turbidity	10.2	17.7	2.3
8	Conductivity	777.8	787.2	563.9
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	0.15	BDL
11	Zinc	0.09	0.02	0.01
12	Copper	BDL	0.014	0.008

**Water Monitoring Report during Durga IDOL Immersion
River Narmada at Gwarighat ,Jabalpur**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.26	7.28	7.26
2	Total Solids	250	388	298
3	Dissolved Solids	234	366	252
4	D.Oxygen	8.1	7.7	7.7
5	BOD	1.2	1.8	1.6
6	COD	10	10	10
7	Turbidity	2	3	2
8	Conductivity	272	352	286
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
River Narmada at Tilwaraghhat Jabalpur**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.61	7.8	7.83
2	Total Solids	275	287	278
3	Dissolved Solids	236	235	237
4	D.Oxygen	7.9	7.8	7.7
5	BOD	1.3	1.6	1.6
6	COD	10	23	18
7	Turbidity	2	2.3	2
8	Conductivity	284	294	288
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
Adhartal, Jabalpur.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.6	8.4	7.89
2	Total Solids	684	1018	972
3	Dissolved Solids	518	900	892
4	D.Oxygen	6	5.3	5.8
5	BOD	4.3	8	4.8
6	COD	40	64	60
7	Turbidity	10	24	18
8	Conductivity	642	980	930
9	Chromium	BDL	BDL	BDL

10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
Hanumantal, Jabalpur**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.8	8.22	8
2	Total Solids	758	1180	920
3	Dissolved Solids	688	1048	816
4	D.Oxygen	6	5.5	5.8
5	BOD	4.5	12	4.7
6	COD	60	120	72
7	Turbidity	8	20	16
8	Conductivity	722	1122	880
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
Gokalpurtal, Jabalpur**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.69	8.22	8.2
2	Total Solids	720	1174	820
3	Dissolved Solids	636	1058	724
4	D.Oxygen	6	5.9	6
5	BOD	4	5.8	4.8
6	COD	44	80	72
7	Turbidity	10	28	20
8	Conductivity	688	1120	740
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
River Narmada at Chinkighat, Narsinghpur**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.61	7.8	7.43
2	Total Solids	275	287	278
3	Dissolved Solids	236	235	237
4	D.Oxygen	7.9	7.8	7.7
5	BOD	1.3	1.6	1.6
6	COD	10	23	18
7	Turbidity	2	2.3	2
8	Conductivity	284	294	288
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
River Narmada at Mandla, near road bridge.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

1	pH	8.26	7.28	7.26
2	Total Solids	250	388	298
3	Dissolved Solids	234	336	252
4	D.Oxygen	8.1	7.7	7.7
5	BOD	1.2	1.8	1.6
6	COD	10	10	10
7	Turbidity	2	3	2
8	Conductivity	272	352	286
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during Durga IDOL Immersion
Katni river ,Gatar ghat**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.48	7.3	7.88
2	Total Solids	NA	220	312
3	Dissolved Solids	228	140	288
4	D.Oxygen	7.3	7.4	7.2
5	BOD	1.7	1.9	1.8
6	COD	23	24	20
7	Turbidity	2	1	2
8	Conductivity	278	240	342
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	ND	ND	ND
12	Chromium	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Katni at Mohanghat Katni. M.P.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.74	7.4	7.89
2	Total Solids	276	210	298
3	Dissolved Solids	242	130	282
4	D.Oxygen	7.3	7.5	7.5
5	BOD	1.7	1.9	1.6
6	COD	20	24	10
7	Turbidity	2	3	2
8	Conductivity	289	250	328
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	ND	ND	ND
12	Chromium	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Simrar at Babaghat Katni.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.81	7.2	7.87
2	Total Solids	-	280	292
3	Dissolved Solids	233	200	274
4	D.Oxygen	7.1	7.3	7.6
5	BOD	1.8	1.9	1.5
6	COD	20	32	10
7	Turbidity	3	3	2

8	Conductivity	284	290	321
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	ND	ND	ND
12	Chromium	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Visarjan kund Mohanhat,Katni.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.4	KUND
2	Total Solids	PREPARED	210	DISMANTELED
3	Dissolved Solids	-	130	-
4	D.Oxygen	-	7.5	-
5	BOD	-	1.9	-
6	COD	-	24	-
7	Turbidity	-	3	-
8	Conductivity	-	250	-
9	Lead	-	ND	-
10	Zinc	-	ND	-
11	Copper	-	ND	-
12	Chromium	-	ND	-

**Water Monitoring Report during Durga IDOL Immersion
Visarjan kund Gatarghat ,Katni.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.3	KUND
2	Total Solids	PREPARED	220	DISMANTELED
3	Dissolved Solids	-	150	-
4	D.Oxygen	-	7.4	-
5	BOD	-	1.9	-
6	COD	-	32	-
7	Turbidity	-	2	-
8	Conductivity	-	240	-
9	Lead	-	ND	-
10	Zinc	-	ND	-
11	Copper	-	ND	-
12	Chromium	-	ND	-

**Water Monitoring Report during Durga IDOL Immersion
Visarjan kund Babaghhat ,Katni.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.2	KUND
2	Total Solids	PREPARED	280	DISMANTELED
3	Dissolved Solids	-	200	-
4	D.Oxygen	-	7.3	-
5	BOD	-	1.9	-
6	COD	-	32	-
7	Turbidity	-	3	-
8	Conductivity	-	290	-
9	Lead	-	ND	-
10	Zinc	-	ND	-
11	Copper	-	ND	-
12	Chromium	-	ND	-

**Water Monitoring Report during Durga IDOL Immersion
Singwasa Pond at Guna**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.84	7.98	7.9
2	Total Solids	380	446	420
3	Dissolved Solids	334	382	366
4	D.Oxygen	6	5.4	5.2
5	BOD	2.4	3.8	2.6
6	COD	19.4	46.2	31
7	Turbidity	5.8	10.6	8.8
8	Conductivity	522	596	584
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.05	0.043	0.046
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Tulsi Pond at Ashoknagar**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.68	7.8	7.86
2	Total Solids	410	480	464
3	Dissolved Solids	362	426	406
4	D.Oxygen	5.6	6.4	6
5	BOD	2.8	2.9	2.6
6	COD	40	35.4	56.4
7	Turbidity	3.8	6.4	6
8	Conductivity	596	668	640
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.051	0.047	0.044
12	Copper	0.012	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Pond near Neewaj River, Rajgarh**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.86	8.9	8.78
2	Total Solids	386	370	408
3	Dissolved Solids	342	312	358
4	D.Oxygen	6.4	6	6.2
5	BOD	2.6	2.9	2.8
6	COD	40	55.55	48
7	Turbidity	4	8	6.8
8	Conductivity	534	578	560
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.05	0.043	0.04
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Shri Gauri Ganesh Kund near Jadshivpuri**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.6	7.86	7.82
2	Total Solids	486	540	528
3	Dissolved Solids	418	462	448
4	D.Oxygen	5.8	4.8	5.6
5	BOD	2.8	2.9	2.7

6	COD	27.6	36.8	41.5
7	Turbidity	18	24	28
8	Conductivity	654	720	700
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.043	0.05	0.045
12	Copper	0.008	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Kund water near Sanjay Jalashay, Pithampur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.03	7.82	KUND
2	Total Solids	306	379	DISMANTELED
3	Dissolved Solids	296	363	
4	D.Oxygen	7.6	6.9	
5	BOD	1.1	1.5	
6	COD	10.56	17.28	
7	Turbidity	6.2	14.6	
8	Conductivity	485	602	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

Satna river, Distt Satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8	9.2	7.6
2	Total Solids	603	670	550
3	Dissolved Solids	558	620	500
4	D.Oxygen	4.5	7.5	6.1
5	BOD	2	2.2	1.6
6	COD	40	80	30
7	Turbidity	5.5	14.2	15.3
8	Conductivity	693.4	668.2	795.5

River Tomus at Madhavgarh ,dist-satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.7	8.5	7.7
2	Total Solids	270	480	255
3	Dissolved Solids	240	390	220
4	D.Oxygen	7.5	11.5	7
5	BOD	1.6	1.2	1.3
6	COD	60	70	40
7	Turbidity	10.5	30	2.5
8	Conductivity	602.7	615.6	770.24

**River Bicchiya near,
Road bridge Rewa. near chaturiya ghat, Rewa.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.68	7.46
2	Total Solids	382	885	355
3	Dissolved Solids	356	788	327
4	D.Oxygen	7.2	4.8	7
5	BOD	1.8	5	2.5
6	COD	12.5	38.4	15.36

7	Turbidity	5	45	9
8	Conductivity	546	898	513
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.002	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Kund water near Sanjay Jalashay, Pithampur.

River Bihar at Baba Ghat (Designated site), Temporary Bund Rewa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.35	8.16	7.92
2	Total Solids	236	892	246
3	Dissolved Solids	207	784	215
4	D.Oxygen	7	5.2	7.2
5	BOD	1.7	7	2
6	COD	10.44	48	13.44
7	Turbidity	6	53	7
8	Conductivity	249	990	277
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	0.067	0.058
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

River Sone near Rd, Bridge at Churhat distt. Sidhi

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.16	7.6	7.53
2	Total Solids	257	680	263
3	Dissolved Solids	229	601	238
4	D.Oxygen	7.5	6.2	7.6
5	BOD	1.1	2.5	1.5
6	COD	6.96	16.32	9.6
7	Turbidity	3	19.5	4
8	Conductivity	282	744	295
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.063	0.06	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

River Sone at Gaughat vill. Patpara. Distt. Sidhi

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.24	7.73	7.67
2	Total Solids	268	717	271
3	Dissolved Solids	238	632	239
4	D.Oxygen	7.3	5.8	7.4
5	BOD	1	3.5	1.8
6	COD	8.12	21.2	10.56
7	Turbidity	3	24	5
8	Conductivity	270	744	301
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Kshipra at Kaliyadeh Palace, Ujjain.**

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.45	7.32	7.22
2	Total Solids	700	806	790
3	Dissolved Solids	686	788	774
4	D.Oxygen	7.1	7.2	7
5	BOD	8	10	12
6	COD	30	40	36
7	Turbidity	8.6	8.4	7.9
8	Conductivity	984	1124	1108
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Pond water near sanjeevani nallah,Neemuch.**

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.28	7.16	7.22
2	Total Solids	702	714	720
3	Dissolved Solids	682	690	698
4	D.Oxygen	6.2	5.6	6.4
5	BOD	4	6	8
6	COD	20	24	30
7	Turbidity	6.9	8.8	10.6
8	Conductivity	972	986	994
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Pond water near Banjari,sejawata by pass road,Ratlam**

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.32	7.24	7.38
2	Total Solids	326	338	328
3	Dissolved Solids	308	316	308
4	D.Oxygen	6.9	7	7.2
5	BOD	3	4	3.6
6	COD	16	20	16
7	Turbidity	10.6	12.6	9.8
8	Conductivity	443	452	439
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Parshukhedi talab at Agar-Malwa.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.32	7.18	7.24
2	Total Solids	392	400	402
3	Dissolved Solids	378	384	388

4	D.Oxygen	7	7.1	7.4
5	BOD	2.8	3	3
6	COD	20	22	18
7	Turbidity	6.6	8.4	7.2
8	Conductivity	545	549	556
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Shail Mining Multanpura,Mandsaur**

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.36	7.22	7.31
2	Total Solids	680	722	724
3	Dissolved Solids	654	692	698
4	D.Oxygen	6	6.4	5.4
5	BOD	8	10	10
6	COD	36	40	35
7	Turbidity	8.2	11.4	10.2
8	Conductivity	935	989	997
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Chambal near Khachrod road Chamundamata Mandir, Nagda.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.38	7.19	7.43
2	Total Solids	454	464	496
3	Dissolved Solids	442	448	482
4	D.Oxygen	7.1	7.2	7.4
5	BOD	3	4	3.4
6	COD	14	20	16
7	Turbidity	7.6	9.2	6.4
8	Conductivity	632	640	620
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Maleni at road bridge, jaora**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.48	7.34	7.2
2	Total Solids	486	500	484
3	Dissolved Solids	474	484	472
4	D.Oxygen	7.1	7	7.5
5	BOD	2	2	2
6	COD	16	20	15
7	Turbidity	5.2	6.4	7.6
8	Conductivity	676	690	672
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND

11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Hira Mill Pond , Ujjain.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.43	7.29	7.11
2	Total Solids	918	926	938
3	Dissolved Solids	898	904	918
4	D.Oxygen	6.2	5.4	5.2
5	BOD	5.2	6	8
6	COD	20	30	34
7	Turbidity	10.2	11.2	13.6
8	Conductivity	1286	1392	1312
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Temporary kund water nemawar,Dewas.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.2	8.1	8.2
2	Total Solids	490	480	450
3	Dissolved Solids	470	460	230
4	D.Oxygen	6.5	6.4	6.6
5	BOD	2	2	2
6	COD	10	14	12
7	Conductivity	650	640	320
8	Chromium	0.032	0.032	ND
9	Lead	ND	ND	ND
10	Zinc	0.038	0.038	ND
11	Copper	0.22	0.218	0.088

**Water Monitoring Report during Durga IDOL Immersion
Temporary kund water near river lakhundar at village-patoli,shajapur.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.64	7.6	7.5
2	Total Solids	320	308	300
3	Dissolved Solids	290	284	282
4	D.Oxygen	6.8	6.6	6.8
5	BOD	2	2	2
6	COD	16	14	13
7	Conductivity	424	418	410
8	Chromium	ND	ND	ND
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	0.138	0.132	0.124

Pond Water at Kalukhedi talab,Dewas

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.68	7.2	7.1
2	Total Solids	288	288	274
3	Dissolved Solids	248	260	250
4	D.Oxygen	6.7	6.8	6.6

5	BOD	2	2	2
6	COD	14	14	14
7	Conductivity	422	364	340
8	Chromium	ND	ND	0.009
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	0.068	0.072	0.202

Idol immersion temporary pond Umariya,disst.Umariya.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8.06	KUND
2	Total Solids	PREPARED	515	DISMANTELED
3	Dissolved Solids		420	
4	D.Oxygen		5.7	
5	BOD		3	
6	COD		40	
7	Turbidity		36.1	
8	Conductivity		678.3	

Idol immersion pond Dindori disst.Dindori.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8.14	KUND
2	Total Solids	PREPARED	497	DISMANTELED
3	Dissolved Solids		410	
4	D.Oxygen		5.1	
5	BOD		2.8	
6	COD		30	
7	Turbidity		29.7	
8	Conductivity		617.2	

Water Monitoring Report during Durga IDOL Immersion

**Idol immersion pond Amarkantak
disst.Auppur.**

isst.Annuppur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.8	8.01	7.98
2	Total Solids	231	497	241
3	Dissolved Solids	214	406	222
4	D.Oxygen	6.9	4.8	6.6
5	BOD	1.7	2.6	2.9
6	COD	19.2	30	40
7	Turbidity	5.4	27.9	6.8
8	Conductivity	346.2	631.5	426.1

Water Monitoring Report during Durga IDOL Immersion

River Umrar at umariya near khalesar ghat Distt. Umaria.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.01	8.14	8.1
2	Total Solids	269	328	248
3	Dissolved Solids	254	299	235
4	D.Oxygen	6.9	6.6	6.6
5	BOD	2.8	3.4	2.9
6	COD	28.8	40	30
7	Turbidity	9.5	12.6	8.7
8	Conductivity	415.8	548.2	397.8

Water Monitoring Report during Durga IDOL Immersion

**River Narmada at
Dindori
disstt.Dindori.**

at Dindori near road bridge,Distt.Dindori.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.81	7.79	7.71
2	Total Solids	192	219	207
3	Dissolved Solids	183	206	197
4	D.Oxygen	8	7.9	8.1
5	BOD	1.1	1.5	1.2
6	COD	9.6	20	10
7	Turbidity	3.4	4.3	3.7
8	Conductivity	229.1	263.4	247.5

Water Monitoring Report during Durga IDOL Immersion

River sone at Diyapeper near road bridge, dist.Shahdol.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.69	7.9	7.7
2	Total Solids	210	312	206
3	Dissolved Solids	199	277	196
4	D.Oxygen	7.7	7.1	7.8
5	BOD	1.2	1.8	1.4
6	COD	9.6	20	10
7	Turbidity	3.8	6.8	3.7
8	Conductivity	258.2	529.3	265.2

Water Monitoring Report during Durga IDOL Immersion

River Narmada at Amarkantak from Pushkar dam ,Distt. Shahdol.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.78	7.81	7.71
2	Total Solids	215	241	211
3	Dissolved Solids	203	223	198
4	D.Oxygen	7.3	6.8	7.1
5	BOD	1.6	1.9	1.7
6	COD	19.2	30	20
7	Turbidity	4.2	5.8	4
8	Conductivity	269.2	326.1	259.2

Water Monitoring Report during Durga IDOL Immersion

Sagar Tal. Gwalior.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.98	8.68	8.48
2	Total Solids	726	1120	964
3	Dissolved Solids	628	940	964
4	D.Oxygen	4	2	nil
5	BOD	4	16	20
6	COD	46.2	112.8	90.8
7	Turbidity	15.8	16.4	16
8	Conductivity	980	1460	1508
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Katora -tal,Gwalior.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.41	7.8	7.62
2	Total Solids	522	699	544
3	Dissolved Solids	462	621	474
4	D.Oxygen	6.8	3.2	3
5	BOD	1.3	3	4.8
6	COD	55.4	65.8	72.64
7	Turbidity	10	15	14
8	Conductivity	721	970	740

Badolker talab,Morena

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.2	8.98	8.88
2	Total Solids	922	1078	1046
3	Dissolved Solids	820	958	948
4	D.Oxygen	4	3.6	2
5	BOD	8	20	28
6	COD	74.07	94.33	90.8
7	Turbidity	48	56	58
8	Conductivity	1440	1684	1482
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Karan Sagar, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.27	8.65	7.58
2	Total Solids	586	724	674
3	Dissolved Solids	518	604	580
4	D.Oxygen	6	4	3.8
5	BOD	3.8	4	4
6	COD	55.44	103.4	90.8
7	Turbidity	12	18	15
8	Conductivity	810	944	906
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Sita Sagar, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.2	8.59	7.43
2	Total Solids	586	708	594
3	Dissolved Solids	498	588	496
4	D.Oxygen	5	2.2	2
5	BOD	3.8	14	20
6	COD	55.44	94	81.72
7	Turbidity	8	10	14
8	Conductivity	778	918	775
9	Chromium	ND	ND	ND

10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Lala Ka Tal, Datia.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.55	8.88	8.62
2	Total Solids	540	618	638
3	Dissolved Solids	492	538	576
4	D.Oxygen	4	3.8	2.1
5	BOD	2.8	3.2	3.6
6	COD	46.2	66.03	72.7
7	Turbidity	38	40	44
8	Conductivity	768	840	900
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Jaderua dam, Gwalior**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.98	8.62	8.6
2	Total Solids	1818	1960	1852
3	Dissolved Solids	1678	1740	1724
4	D.Oxygen	NIL	NIL	NIL
5	BOD	40	48	44
6	COD	185.18	225.6	227.27
7	Turbidity	148	160	162
8	Conductivity	2618	2720	2694
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Pandit ghat ,Sheopur.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.88	8.09	7.9
2	Total Solids	440	602	598
3	Dissolved Solids	372	502	500
4	D.Oxygen	6.2	5	5.4
5	BOD	2.6	2.8	2.3
6	COD	46.29	84.6	72.64
7	Turbidity	16	18	18
8	Conductivity	580	780	784
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Gauri Sarover, Bhind.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

1	pH	7.97	8.24	8.4
2	Total Solids	588	808	760
3	Dissolved Solids	528	680	670
4	D.Oxygen	6.2	4.8	4
5	BOD	2.4	3.2	2.8
6	COD	46.29	65.8	81.72
7	Turbidity	14	20	20
8	Conductivity	826	1062	1050
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Chonda pool .**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.7	8.02	7.76
2	Total Solids	570	862	610
3	Dissolved Solids	510	784	540
4	D.Oxygen	6	5	4.6
5	BOD	2.2	2.8	2.6
6	COD	37.03	47	45.4
7	Turbidity	2	2.2	1.9
8	Conductivity	796	1225	843
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Kund near renuka Jhil at Burhanpur.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.48	8.4	KUND
2	Total Solids	882	1125	DISMANTELED
3	Dissolved Solids	868	1106	
4	D.Oxygen	6.8	5.5	
5	BOD	1.3	1.5	
6	COD	19.2	25.92	
7	Turbidity	10.5	14.3	
8	Conductivity	1240.5	1846.8	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund near Narmada at Mortakka bridge,Barwah.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8.24	KUND
2	Total Solids	PREPARED	748	DISMANTELED
3	Dissolved Solids		721	
4	D.Oxygen		5	
5	BOD		1.5	
6	COD		15.36	
7	Turbidity		16.7	

8	Conductivity		1224	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	
12	Copper		ND	

**Water Monitoring Report during Durga IDOL Immersion
River Tapti at Hathnoor road bridge,Burhanpur.Kund water of idol immersion**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.3	8.22	KUND
2	Total Solids	271	282	DISMANTELED
3	Dissolved Solids	259	268	
4	D.Oxygen	7.4	7.3	
5	BOD	1	1.2	
6	COD	11.52	17.28	
7	Turbidity	14.3	17.3	
8	Conductivity	400	422	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Tapti river at Rajghat,Burhanpur .Kund water of idol immersion**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.3	8.36	KUND
2	Total Solids	261	270	DISMANTELED
3	Dissolved Solids	250	258	
4	D.Oxygen	7.4	7.4	
5	BOD	1.1	1.3	
6	COD	21.12	22.08	
7	Turbidity	11.5	14.7	
8	Conductivity	395	428.3	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund water of idol immersion Maheshwar,khargone.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.19	8.05	KUND
2	Total Solids	434	525	DISMANTELED
3	Dissolved Solids	426	512	
4	D.Oxygen	6.8	6.2	
5	BOD	0.8	1.3	
6	COD	10.5	15.36	
7	Turbidity	4.8	10.2	
8	Conductivity	688	812	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund water of idol immersion at Mandleshwar,khargone.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.6	8.54	KUND
2	Total Solids	355	413	DISMANTELED
3	Dissolved Solids	342	398	
4	D.Oxygen	7.1	6.6	
5	BOD	1.3	1.5	
6	COD	15.36	19.2	
7	Turbidity	12.6	18.6	
8	Conductivity	692	623.7	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund water of idol immersion near River Kunda at Khargone**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.2	8.39	KUND
2	Total Solids	394	521	DISMANTELED
3	Dissolved Solids	380	502	
4	D.Oxygen	4.5	0	
5	BOD	2.2	4	
6	COD	18.24	22.08	
7	Turbidity	18.4	22.9	
8	Conductivity	613	7.96	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund water sample of idol immersion at Rajghat,Badwani.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.03	7.92	KUND
2	Total Solids	238	292	DISMANTELED
3	Dissolved Solids	229	282	
4	D.Oxygen	7.2	6.9	
5	BOD	1.1	1.2	
6	COD	12.48	15.36	
7	Turbidity	7.6	14.2	
8	Conductivity	369.2	416.5	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
Idol immersion pond water at Jawaher tekrey,Indore.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.94	POND
2	Total Solids	PREPARED	462	DISMANTELED
3	Dissolved Solids		447	
4	D.Oxygen		6.6	
5	BOD		1.6	

6	COD		18.24	
7	Turbidity		9.3	
8	Conductivity		711	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	
12	Copper		ND	

**Water Monitoring Report during Durga IDOL Immersion
Padam kund of idol immersion at khandwa.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	8	KUND
2	Total Solids	PREPARED	1251	DISMANTELED
3	Dissolved Solids		1223	
4	D.Oxygen		0	
5	BOD		6	
6	COD		26.88	
7	Turbidity		39.6	
8	Conductivity		1849.3	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	
12	Copper		ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund near Narmada at Brahmpuri ghat,omkareshwar.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NOT	7.55	KUND
2	Total Solids	PREPARED	1002	DISMANTELED
3	Dissolved Solids		972	
4	D.Oxygen		6.1	
5	BOD		2.4	
6	COD		21.12	
7	Turbidity		27.8	
8	Conductivity		1474	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	
12	Copper		ND	

**Water Monitoring Report during Durga IDOL Immersion
Bavdi water sample of idol immersion at Dharmpuri,Dhar.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.88	7.8	
2	Total Solids	347	443	
3	Dissolved Solids	336	427	
4	D.Oxygen	6	4.6	
5	BOD	1.6	2.2	
6	COD	15.36	18.24	
7	Turbidity	10.4	17.2	
8	Conductivity	15.36	679.6	
9	Chromium	ND	ND	
10	Lead	ND	ND	
11	Zinc	ND	ND	
12	Copper	ND	ND	

**Water Monitoring Report during Durga IDOL Immersion
River Anas at kund , Jhabua Kund water of idol immersion**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	NO	8.84	KUND
2	Total Solids	SAMPLING	444	DISMANTELED
3	Dissolved Solids		426	
4	D.Oxygen		7	
5	BOD		1.3	
6	COD		15.36	
7	Turbidity		15.9	
8	Conductivity		818.4	
9	Chromium		ND	
10	Lead		ND	
11	Zinc		ND	
12	Copper		ND	

**Water Monitoring Report during Durga IDOL Immersion
Kund water of idol immersion near filtration plant,Dhar.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.42	8.38	6.6
2	Total Solids	280	352	467
3	Dissolved Solids	272	340	435
4	D.Oxygen	6.9	6.1	3.2
5	BOD	0.8	1.6	3
6	COD	9.6	11.5	21.12
7	Turbidity	6	9.6	18.4
8	Conductivity	439	544	668
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
River Machana karbala ghat,betul,near bhopal road
bridge,chhinwada.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.73	8.93	8.14
2	Dissolved Solids	466	493	477
3	D.Oxygen	7.2	7.1	7.6
4	BOD	1.8	2.4	1.8
5	COD	8	28	12
6	Turbidity	2	10	2
7	Conductivity	713	913	713
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

**Water Monitoring Report during Durga IDOL Immersion
River Kulbahara,near Nagpur road bridge,chhindwada.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021

1	pH	7.29	7.73	7.84
2	Dissolved Solids	461	493	577
3	D.Oxygen	7.2	7.1	7.4
4	BOD	1.2	1.8	1.8
5	COD	8	24	12
6	Turbidity	2	8	2
7	Conductivity	710	823	812
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

Water Monitoring Report during Durga IDOL Immersion

Chhota talab ,chhindwada,near railway station,road.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.73	8.19	7.81
2	Dissolved Solids	436	516	489
3	D.Oxygen	7.2	7	7.2
4	BOD	1.2	2.2	2.4
5	COD	4	24	16
6	Turbidity	2	8	3
7	Conductivity	NA	819	739
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

Water Monitoring Report during Durga IDOL Immersion

River Pench near singori road bridge,chhindwada.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.14	7.73	7.89
2	Dissolved Solids	519	510	489
3	D.Oxygen	7.2	7.1	7.2
4	BOD	1.2	1.8	1.8
5	COD	8	24	8
6	Turbidity	2	8	2
7	Conductivity	693	813	739
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA
10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

Water Monitoring Report during Durga IDOL Immersion

River Machana nagpur naka ghat ,Betul,Chhindwada.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.19	8.14	7.49
2	Dissolved Solids	463	488	481
3	D.Oxygen	7.2	7.1	7.2
4	BOD	1.4	2.4	1.8
5	COD	8	24	8
6	Turbidity	2	8	3
7	Conductivity	729	923	744
8	Chromium	NA	NA	NA
9	Lead	NA	NA	NA

10	Zinc	NA	NA	NA
11	Copper	NA	NA	NA

Water Monitoring Report during Durga IDOL Immersion
Futera lake,Damoh

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.89	6.34	7.49
2	Total Solids	332	530	472
3	Dissolved Solids	298	446	426
4	D.Oxygen	6.26	4.42	5.24
5	BOD	3.78	11.2	3.82
6	COD	12	48	16
7	Turbidity	16	66	36
8	Conductivity	447.2	669.6	638.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
Budha Bandh,Chhatarpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.58	7.86	7.48
2	Total Solids	196	298	216
3	Dissolved Solids	162	216	172
4	D.Oxygen	6.48	4.72	6.32
5	BOD	1.32	12	1.58
6	COD	8	56	12
7	Turbidity	12	72	18
8	Conductivity	243.6	324.4	258.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
River Amanvi,at Lahendra naka,sagar

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.42	6.68	7.38
2	Total Solids	366	532	382
3	Dissolved Solids	334	444	348
4	D.Oxygen	6.38	4.36	6.26
5	BOD	1.22	2.96	1.38
6	COD	4	8	4
7	Turbidity	18	68	22
8	Conductivity	498.2	666.1	522.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
River Bebus at road bridge ,Chitora,Sagar.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	8.22	6.19	8.26

2	Total Solids	266	426	282
3	Dissolved Solids	238	358	248
4	D.Oxygen	6.29	5.1	6.32
5	BOD	1.28	2.98	1.36
6	COD	4	12	4
7	Turbidity	22	42	28
8	Conductivity	357.5	537.2	372.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Kamla Bai Tal ,Panna.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.78	6.89	7.96
2	Total Solids	154	330	190
3	Dissolved Solids	126	258	158
4	D.Oxygen	6.44	4.28	6.24
5	BOD	1.82	15	2.18
6	COD	8	56	12
7	Turbidity	12	58	25
8	Conductivity	189.3	387.6	236.8
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Mishr talab visarjan kund,Raisen.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.52	7.67	7.9
2	Total Solids	400	412	408
3	Dissolved Solids	388	400	390
4	D.Oxygen	7	6.5	6.8
5	BOD	2.5	3	2.8
6	COD	20	22	22
7	Turbidity	3.8	8	5
8	Conductivity	604	670	650
9	Chromium	BDL	0.07	0.02
10	Lead	0.096	0.0127	BDL
11	Zinc	0.01	0.02	0.05
12	Copper	0.008	0.015	0.022

Water Monitoring Report during Durga IDOL Immersion

Chopra talab visarjan kund,raisen

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.12	7.39	7.4
2	Total Solids	412	418	415
3	Dissolved Solids	400	402	400
4	D.Oxygen	7	6.5	6.7
5	BOD	2.1	2.3	2.3
6	COD	22	24	24
7	Turbidity	1.9	5	4
8	Conductivity	610	640	615

9	Chromium	BDL	0.07	0.01
10	Lead	0.1	0.149	0.027
11	Zinc	0.01	0.01	BDL
12	Copper	0.008	0.012	BDL

Water Monitoring Report during Durga IDOL Immersion

Herbal park visarjan kund, Hoshangabad.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.28	7	KUND
2	Total Solids	350	400	DISMANTELED
3	Dissolved Solids	338	380	-
4	D.Oxygen	6.5	1.2	-
5	BOD	3.5	5.5	-
6	COD	12	30	-
7	Turbidity	4	18	-
8	Conductivity	497	512	-
9	Chromium	BDL	0.06	-
10	Lead	0.125	0.161	-
11	Zinc	0.01	0.02	-
12	Copper	0.014	0.018	-

Water Monitoring Report during Durga IDOL Immersion

Vivekanand ghat,Hoshangabad-

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.49	7.5	7.51
2	Total Solids	96	100	112
3	Dissolved Solids	80	96	100
4	D.Oxygen	7.9	7.5	7
5	BOD	1.9	1.8	2.8
6	COD	11	12	22
7	Turbidity	15	18	20
8	Conductivity	155	160	162
9	Chromium	0.06	0.001	BDL
10	Lead	0.12	0.165	BDL
11	Zinc	0.01	0.01	0.04
12	Copper	0.02	0.013	BDL

Water Monitoring Report during Durga IDOL Immersion

River Ajnal near kund ,Harda

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2021	2021	2021
1	pH	7.49	7	KUND
2	Total Solids	199	280	DISMANTELED
3	Dissolved Solids	180	260	-
4	D.Oxygen	6.5	2	-
5	BOD	2	5.4	-
6	COD	8	25	-
7	Turbidity	15	50	-
8	Conductivity	242	514	-
9	Chromium	0.02	0.03	-
10	Lead	0.128	0.184	-
11	Zinc	0.01	0.01	-
12	Copper	0.016	0.018	-

विसर्जन स्थल से
मूर्ति विसर्जन पूर्व, विसर्जन के दौरान
एवं विसर्जन के पश्चात् एकत्रित
जल गुणवत्ता मापन परिणाम
वर्ष – 2020

Ganesh Idol Immersion
Water Monitoring Report during Ganesha IDOL Immersion
River Betwa near Charantirthghat, Vidisha.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.43	7.59	7.61
2	Total Solids	266	414	266
3	Dissolved Solids	186	296	204
4	suspended-solids	80	118	62
5	D.Oxygen	8.5	8	8.8
6	BOD	2.3	3.5	1.9
7	COD	10	19.6	9.52
8	Turbidity	10	68.8	5.1
9	Conductivity	290.5	458.3	312.9
10	Chromium	BDL	BDL	BDL
11	Lead	BDL	BDL	BDL
12	Zinc	0.078	0.033	0.025
13	Copper	0.043	0.173	0.164

Khatlapura Visarjanghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.37	7.1	7.14
2	Total Solids	264	368	290
3	Dissolved Solids	242	290	252
4	suspended-solids	22	78	38
5	D.Oxygen	8.9	4.9	7.8
6	BOD	2.2	2.4	1.8
7	COD	20	28.56	19.04
8	Turbidity	1.1	5.4	1.9
9	Conductivity	152.9	186.7	155.4
10	Chromium	BDL	BDL	BDL
11	Lead	BDL	BDL	BDL
12	Zinc	0.02	0.029	0.033
13	Copper	0.127	0.156	0.19

Bairagrah Visarjanghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.62	7.69	7.63
2	Total Solids	614	784	582
3	Dissolved Solids	570	690	530
4	suspended-solids	44	94	52
5	D.Oxygen	9.5	4.1	8.2
6	BOD	1.9	2	1
7	COD	20	28.56	9.52
8	Turbidity	1.8	8.8	3.5
9	Conductivity	368.5	446.7	322.2
10	Chromium	BDL	BDL	BDL
11	Lead	BDL	BDL	BDL
12	Zinc	0.014	0.026	0.029
13	Copper	0.115	0.177	0.184

Prempura Visarjanghat, Bhopal.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	8.02	7.3	7.19

2	Total Solids	564	790	596
3	Dissolved Solids	516	694	542
4	suspended-solids	48	96	54
5	D.Oxygen	10.2	6.1	7.5
6	BOD	1.6	2.9	2.2
7	COD	20	38.08	19.04
8	Turbidity	4.7	10.6	8.7
9	Conductivity	370.6	448.1	370.6
10	Chromium	BDL	BDL	BDL
11	Lead	BDL	BDL	BDL
12	Zinc	0.26	0.026	0.025
13	Copper	0.169	0.153	0.135

At Satna River, Satna.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.7	8	7.9
2	Total Solids	930	1170	1040
3	Dissolved Solids	810	970	900
4	D.Oxygen	7.1	6.4	6.8
5	BOD	2.1	2.6	2.3
6	COD	40	72	60
7	Chromium	0.129	0.059	0.138
8	Lead	0.081	ND	ND
9	Zinc	0.044	0.014	ND
10	Copper	0.854	2.283	2.434

River Tomus at Madhavagardh.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	8.1	8
2	Total Solids	760	1065	910
3	Dissolved Solids	570	820	730
4	D.Oxygen	7.5	6.3	6.9
5	BOD	2.2	2.8	2.3
6	COD	44	66	54
7	Chromium	0.108	0.196	0.068
8	Lead	ND	ND	ND
9	Zinc	0.176	0.053	0.077
10	Copper	1.356	1.29	2.096

Jawahar Tekri Indore

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.36	8.23	8.4
2	Total Solids	284	296	286
3	Dissolved Solids	274	274	270
4	D.Oxygen	7.2	6.8	7.1
5	BOD	1	1.4	1.1
6	COD	8	14	10.64
7	Turbidity	7.3	28.8	19.6
8	Conductivity	427.73	457.65	408
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Mortakka

YEAR 2020

S.	Parameter	Pre Immersion	During Immersion	After one week
----	-----------	---------------	------------------	----------------

No.		2020	2020	2020
	pH	7.74	7.8	7.83
2	Total Solids	392	404	288
3	Dissolved Solids	280	285	271
4	D.Oxygen	7.2	6.8	7.4
5	BOD	0.7	0.8	0.6
6	COD	8.82	7.9	7.84
7	Turbidity	228	240	114
8	Conductivity	480	540	489
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Maheshwar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.54	7.82	7.6
2	Total Solids	302	304	215
3	Dissolved Solids	164	168	160
4	D.Oxygen	7.3	7.4	7.5
5	BOD	0.7	1.1	0.9
6	COD	8.07	7.9	7.74
7	Turbidity	140.5	148.4	64.8
8	Conductivity	288.12	296	269
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Kunda at khargone

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.89	7.86	7.8
2	Total Solids	368	389	326
3	Dissolved Solids	344	352	306
4	D.Oxygen	7.5	7.4	7.4
5	BOD	1.2	1.2	1.1
6	COD	12	11.85	14.52
7	Turbidity	16.8	20.2	17.2
8	Conductivity	483.77	562	462
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Yeshwant sagar talab

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.7	7.85	7.81
2	Total Solids	226	249	234
3	Dissolved Solids	210	230	217
4	D.Oxygen	6.9	6.8	7.2
5	BOD	0.9	1	0.9
6	COD	10	13.83	12.58
7	Turbidity	25.4	36.5	28.8
8	Conductivity	314	382	322
9	Chromium	ND	ND	ND

10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Sirpur talab

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.91	7.81	7.83
2	Total Solids	202	250	200
3	Dissolved Solids	191	236	188
4	D.Oxygen	6.8	6.7	6.9
5	BOD	1.1	1.2	1
6	COD	12	11.85	12
7	Turbidity	22	32.4	27.5
8	Conductivity	290	393	280
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Bilawali talab

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.16	7.94	7.82
2	Total Solids	242	269	243
3	Dissolved Solids	224	242	227
4	D.Oxygen	7.6	7.2	7.4
5	BOD	1.1	1	1
6	COD	15	16	16.45
7	Turbidity	38	35.2	33.8
8	Conductivity	387	396.74	373
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Nagchun talab at Khandwa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.68	7.6
2	Total Solids	174	181	184
3	Dissolved Solids	163	167	171
4	D.Oxygen	6.6	6.8	6.9
5	BOD	1.1	1.2	1.1
6	COD	10.78	11.85	10.78
7	Turbidity	10.1	14.2	12.2
8	Conductivity	272	291	298
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Badwani

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.73	7.82	8.05
2	Total Solids	287	280	202
3	Dissolved Solids	169	167	160
4	D.Oxygen	7.4	7.4	7.5

5	BOD	0.8	0.9	0.8
6	COD	8	9.88	6.2
7	Turbidity	222	238.4	59.4
8	Conductivity	274.73	388	266
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Ganesha IDOL Immersion
Tapti river burhanpur**

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.33	7.85	7.68
2	Total Solids	434	384	427
3	Dissolved Solids	357	368	366
4	D.Oxygen	6.4	6.2	6.9
5	BOD	1.2	1.2	1.1
6	COD	18	19.76	15.68
7	Turbidity	76.1	78.1	68.2
8	Conductivity	511.6	542	493
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River narmada at omkareshwar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.52	7.46	7.76
2	Total Solids	286	288	294
3	Dissolved Solids	158	162	276
4	D.Oxygen	6.7	6.8	7.3
5	BOD	1	0.9	0.9
6	COD	7.74	7.9	8.82
7	Turbidity	120	115	107.8
8	Conductivity	412	419	423
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pipliya pala talab ,Indore

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.7	7.35	7.76
2	Total Solids	278	289	282
3	Dissolved Solids	264	267	270
4	D.Oxygen	7	6.9	7.1
5	BOD	1	1	1.1
6	COD	19	19.76	17.42
7	Turbidity	24.1	31.3	26.2
8	Conductivity	382	392	384
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Renuka Jheel, Burhanpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.22	7.89	8.06
2	Total Solids	557	572	516
3	Dissolved Solids	526	534	491
4	D.Oxygen	7.5	6.8	7.4
5	BOD	3	3.8	2.2
6	COD	26.46	29.64	27.44
7	Turbidity	75.4	78.1	62
8	Conductivity	877.9	884	810.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Narmada at Dharampuri.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.56	7.62	7.7
2	Total Solids	272	284	208
3	Dissolved Solids	170	174	164
4	D.Oxygen	7.4	7.4	7.5
5	BOD	0.9	1	0.9
6	COD	7	7.9	8.71
7	Turbidity	138.5	142	72
8	Conductivity	279.83	360	270
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Anas at Jhabua.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	7.84	7.76
2	Total Solids	242	252	246
3	Dissolved Solids	224	231	230
4	D.Oxygen	7.2	7	7.3
5	BOD	1	1.1	1
6	COD	10.78	12.84	12.84
7	Turbidity	25.4	26.1	22.2
8	Conductivity	388.6	402	394
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Devi sagar talab at Dhar.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.93	7.68	7.8
2	Total Solids	178	188	182
3	Dissolved Solids	164	170	167
4	D.Oxygen	6.9	6.5	6.9
5	BOD	1.1	1.3	1.2
6	COD	8.82	10	9.68
7	Turbidity	15.3	18.3	17.5

8	Conductivity	275.4	284	270.6
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Chambal Ghatabillod,Dhar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.64	7.7	7.8
2	Total Solids	314	319	265
3	Dissolved Solids	234	230	210
4	D.Oxygen	6.9	6.8	7.2
5	BOD	1.1	1.2	1.1
6	COD	17.78	20.7	18.6
7	Turbidity	113	118	78.6
8	Conductivity	394	402	322
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Bagdoon talab,pithampur

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.72	8.01	7.8
2	Total Solids	832	882	839
3	Dissolved Solids	814	859	822
4	D.Oxygen	6.8	6.6	7.1
5	BOD	1.3	1.4	1.2
6	COD	16	18.77	17.42
7	Turbidity	19.4	22.5	20.2
8	Conductivity	1402	1500	1370
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Sanjay Jalashay, .Pithampur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.75	7.69	7.8
2	Total Solids	204	222	192
3	Dissolved Solids	182	196	172
4	D.Oxygen	6.8	6.6	7
5	BOD	1	1.1	1
6	COD	12	12.8	13.83
7	Turbidity	31.8	38.5	26.7
8	Conductivity	285.61	298	270
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Bicchiya, near road bridge ,Rewa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	8.19	7.92
2	Total Solids	496	783	503

3	Dissolved Solids	441	694	428
4	Suspended solids	55	89	75
5	D.Oxygen	7.7	6.9	7.5
6	BOD	2.8	3.8	3
7	COD	17.28	38.4	9.82
8	Turbidity	20	69	22
9	Conductivity	488	733	508
10	Chromium	0.022	0.03	0.025
11	Lead	ND	ND	ND
12	Zinc	ND	0.033	ND
13	Copper	0.963	0.976	0.85

River Bihar at Babaghat, Rewa.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	8.25	8.08
2	Total Solids	433	886	477
3	Dissolved Solids	387	784	411
4	Suspended solids	46	102	66
5	D.Oxygen	8.8	7.5	6.9
6	BOD	2	3.6	2
7	COD	8.64	48	5.76
8	Turbidity	18	72	20
9	Conductivity	410	728	428
10	Chromium	ND	0.045	0.017
11	Lead	ND	ND	ND
12	Zinc	ND	0.009	ND
13	Copper	0.869	1.005	0.756

Water Monitoring Report during Ganesha IDOL Immersion

River Sone at Churhat, Distt. Sidhi.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.73	8.15	7.88
2	Total Solids	488	592	540
3	Dissolved Solids	439	526	460
4	Suspended solids	49	66	80
5	D.Oxygen	8.2	7.3	7.5
6	BOD	1.5	2.3	1.2
7	COD	6.72	12.48	3.92
8	Turbidity	17	28	19
9	Conductivity	496	579	490
10	Chromium	0.019	0.024	0.011
11	Lead	ND	ND	ND
12	Zinc	ND	0.004	ND
13	Copper	0.736	0.912	0.352

River Sone at Gaughat, Distt. Sidhi.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.69	7.99	7.75
2	Total Solids	469	618	536
3	Dissolved Solids	416	545	465
4	Suspended solids	53	73	71
5	D.Oxygen	7.9	7	7.8
6	BOD	1.3	2.8	1.4
7	COD	4.8	13.44	4.91
8	Turbidity	15	31	18

9	Conductivity	488	606	...
10	Chromium	ND	0.031	0.009
11	Lead	ND	ND	ND
12	Zinc	ND	0.012	ND
13	Copper	0.677	0.796	0.298

River narmada at Puskar dam amarkantak ,dist.Dindori

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.56	7.95	7.72
2	Total Solids	215	279	231
3	Dissolved Solids	199	256	216
4	D.Oxygen	7.2	6.8	7.6
5	BOD	1.3	1.5	1.4
6	COD	4.8	9.6	9.6
7	Turbidity	15.2	22.6	12.5
8	Conductivity	328.9	411.3	389.6
9	Chromium	0.062	0.058	0.669
10	Lead	0.43	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Idol immersion Temporary pond Umaria dist. Umaria.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.95	KUND
2	Total Solids	PREPARED	429	DISMENTELED
3	Dissolved Solids	...	380	...
4	D.Oxygen	...	4.9	...
5	BOD	...	2.1	...
6	COD	...	19.2	...
7	Turbidity	...	32.2	...
8	Conductivity	...	798.2	...
9	Chromium	...	0.198	0.298
10	Lead	...	ND	ND
11	Zinc	...	ND	ND
12	Copper	...	ND	ND

River umarar at Umariya dist. Umariya.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.82	7.88	7.81
2	Total Solids	312	406	265
3	Dissolved Solids	281	378	244
4	D.Oxygen	6.7	6.4	6.7
5	BOD	2.3	2	2.1
6	COD	14.4	14.4	14.4
7	Turbidity	34.1	26.4	18.2
8	Conductivity	478.2	589.3	436.9
9	Chromium	0.034	0.303	0.497
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Idol immersion pond Amarkantak distt.Anuppur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.67	7.84	8.12
2	Total Solids	296	319	265

3	Dissolved Solids	278	280	254
4	D.Oxygen	6.8	6.6	6.6
5	BOD	1.4	2.1	2.3
6	COD	4.8	14.4	24
7	Turbidity	16.4	28.2	14.2
8	Conductivity	376.1	626.3	512.3
9	Chromium	...	0.241	0.494
10	Lead	...	0.041	ND
11	Zinc	...	ND	ND
12	Copper	...	ND	ND

River sone at Diyapiper dist. Shahdol

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.98	7.78	7.9
2	Total Solids	312	325	289
3	Dissolved Solids	286	299	270
4	D.Oxygen	7.5	7.4	7.7
5	BOD	1.5	1.6	1.2
6	COD	9.6	9.6	4.8
7	Turbidity	25.3	29.32	18.2
8	Conductivity	430.6	487.2	459.2
9	Chromium	ND	0.146	0.388
10	Lead	0.582	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Idol immersion pond dindori dist.dindori

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.86	8.12
2	Total Solids	PREPARED	413	271
3	Dissolved Solids	...	372	259
4	D.Oxygen	...	5.1	6.4
5	BOD	...	2.3	2.4
6	COD	...	19.2	28.8
7	Turbidity	...	29.3	13.1
8	Conductivity	...	726.3	497.6
9	Chromium	...	0.322	0.542
10	Lead	...	ND	ND
11	Zinc	...	ND	ND
12	Copper	...	ND	ND

River narmada at dindori dist.dindori

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.68	7.72	7.78
2	Total Solids	236	287	276
3	Dissolved Solids	209	251	257
4	D.Oxygen	7.7	7.6	7.7
5	BOD	1.5	1.7	1.3
6	COD	9.6	14.4	9.6
7	Turbidity	36.6	41.3	18.3
8	Conductivity	416.8	481.3	431.6
9	Chromium	0.223	0.402	0.573
10	Lead	0.02	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Gwarighat, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.86	7.21	7.83
2	Total Solids	438	346	282
3	Dissolved Solids	306	264	266
4	D.Oxygen	7.4	7.8	7.5
5	BOD	1.7	1.8	1.6
6	COD	12	12	12
7	Turbidity	6	8	3
8	Conductivity	542	371	270
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Tilwaraghhat, Jabalpur.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.84	7.88	7.71
2	Total Solids	452	284	284
3	Dissolved Solids	328	266	268
4	D.Oxygen	7.4	7	7.2
5	BOD	1.8	1.8	1.4
6	COD	12	32	24
7	Turbidity	6	3	2
8	Conductivity	526	270	270
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at raptaghat at Mandla

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.83	7.86	7.31
2	Total Solids	288	284	381
3	Dissolved Solids	272	266	322
4	D.Oxygen	7	7.2	7.8
5	BOD	1.8	1.8	1.2
6	COD	32	32	10
7	Turbidity	2	3	3
8	Conductivity	280	270	351
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Chinkighat, Narsinghpur

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.83	7.69	7.88
2	Total Solids	286	266	292
3	Dissolved Solids	264	22	268
4	D.Oxygen	7.2	7	7
5	BOD	1.5	1.5	1.8
6	COD	32	32	32
7	Turbidity	3	3	3

8	Conductivity	270	270	270
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Hanumantal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.89	7.82	7.9
2	Total Solids	456	626	659
3	Dissolved Solids	388	602	614
4	D.Oxygen	7	6.6	6
5	BOD	4	2.6	2.4
6	COD	36	20	23
7	Turbidity	16	10	9
8	Conductivity	710	752	771
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Adhartal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.83	7.72	7.43
2	Total Solids	368	596	629
3	Dissolved Solids	344	524	570
4	D.Oxygen	7	7	7.3
5	BOD	2	2.7	2.8
6	COD	40	20	23
7	Turbidity	3.5	8	8
8	Conductivity	350	742	713
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Gokalpurtal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.45	7.23	7.2
2	Total Solids	394	672	665
3	Dissolved Solids	328	592	617
4	D.Oxygen	6.8	6.2	6.3
5	BOD	3.8	2.5	2.8
6	COD	48	20	25
7	Turbidity	12	10	9
8	Conductivity	350	732	769
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Katni River Water at mohanghat

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.75	7.42	7.72
2	Total Solids	262	...	270

3	Dissolved Solids	228	368	232
4	D.Oxygen	7.8	7.9	...
5	BOD	1.7	1.7	1.8
6	COD	20	10	20
7	Turbidity	5	10	5
8	Conductivity	264	381	265
9	Chromium	...	ND	0.147
10	Lead	...	0.165	0.207
11	Zinc	...	0.068	0.008
12	Copper	...	ND	ND

Baba Ghat At Simrar River Katni.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.86	7.16	7.92
2	Total Solids	282
3	Dissolved Solids	224	324	238
4	D.Oxygen	7.6	7.7	7.6
5	BOD	1.8	1.9	1.8
6	COD	20	8	20
7	Conductivity	258	366	262
8	Chromium	...	ND	ND
9	Lead	...	0.302	0.212
10	Zinc	...	0.093	0.056
11	Copper	...	ND	ND

Gatar Ghat, Katni River

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	7.61	...
2	Total Solids	274
3	Dissolved Solids	...	342	232
4	D.Oxygen	7.6	7.7	7.6
5	BOD	1.7	1.5	1.8
6	COD	20	12	20
7	Turbidity	5	9	5
8	Conductivity	265	356	267
9	Chromium	...	ND	0.271
10	Lead	...	0.285	0.441
11	Zinc	...	0.065	ND
12	Copper	...	ND	ND

Jaderua Dam Gwalior.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.35	7.5	7.85
2	Total Solids	1485	1508	1588
3	Dissolved Solids	1400	1418	1482
4	D.Oxygen	3.5	3	3.1
5	BOD	16	20	24
6	COD	84	84.72	85.44
7	Turbidity	140	160	180
8	Conductivity	2320	2356	2482
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.033	ND	0.009
12	Copper	ND	ND	ND

Sagar Taal, Gwalior

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.1	7.28	7.27
2	Total Solids	375	390	380
3	Dissolved Solids	335	342	338
4	D.Oxygen	6.8	6	6.4
5	BOD	1.9	2	2.1
6	COD	16.8	25.41	25.63
7	Turbidity	1.8	2.4	2.2
8	Conductivity	523	534	520
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.003	0.042	ND
12	Copper	ND	...	ND

Badokhar Talab, Morena.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.02	7.72	7.41
2	Total Solids	625	696	630
3	Dissolved Solids	577	644	562
4	D.Oxygen	6.5	4.5	5.8
5	BOD	2	2.3	2.1
6	COD	25.2	33.88	34.17
7	Turbidity	18	19	17
8	Conductivity	976	1088	999
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	0.006
12	Copper	ND	ND	ND

Kwari River, Disst. Morena

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.82	7.2
2	Total Solids	406	502	530
3	Dissolved Solids	362	454	482
4	D.Oxygen	6.2	6	6.1
5	BOD	2	2.4	2.1
6	COD	33.6	42.36	34.1
7	Turbidity	25	29	28
8	Conductivity	634	708	831
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.012	0.028	ND
12	Copper	ND	ND	ND

Gauri Sarover, Bhind.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.77	7.6	7.86
2	Total Solids	616	636	626
3	Dissolved Solids	574	592	578
4	D.Oxygen	5.2	5.4	5.6
5	BOD	2	2.2	2.1
6	COD	16.8	25.41	25.6
7	Turbidity	2	3	4
8	Conductivity	896	965	902

9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.007	ND	ND
12	Copper	ND	ND	ND

Banjara Dam, Sheopur.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.42	7.55	7.68
2	Total Solids	502	545	540
3	Dissolved Solids	462	505	500
4	D.Oxygen	5.8	5.5	5.4
5	BOD	1.6	2	1.9
6	COD	25.2	33.88	25.63
7	Turbidity	8.5	10	9.2
8	Conductivity	784	790	840
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.225	ND	0.005
12	Copper	0.004	ND	ND

Lala Ka Taal, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.24	7.67	7.61
2	Total Solids	299	428	394
3	Dissolved Solids	255	380	348
4	D.Oxygen	5.6	5.2	5.4
5	BOD	1.8	2.2	2
6	COD	16.8	25.41	34.17
7	Turbidity	23	35	30
8	Conductivity	398	593	584
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.017	0.053	0.003
12	Copper	0.002	0.007	0.006

Sita Sagar, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.56	7.58
2	Total Solids	432	500	490
3	Dissolved Solids	390	456	443
4	D.Oxygen	5.5	4.1	5.2
5	BOD	1.9	2.2	2.1
6	COD	25.2	33.88	34.17
7	Turbidity	6	8	7.8
8	Conductivity	675	696	693
9	Chromium	ND	ND	...
10	Lead	ND	ND	ND
11	Zinc	0.015	0.005	0.075
12	Copper	0.007	0.01	0.009

Karan Sagar, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.08	7.58	7.58
2	Total Solids	438	444	440
3	Dissolved Solids	398	400	390

4	D.Oxygen	6	5	5.6
5	BOD	1.8	2	1.9
6	COD	16.8	25.4	34.17
7	Turbidity	6	13	18
8	Conductivity	621	683	756
9	Chromium	0.01	0.007	0.032
10	Lead	ND	ND	ND
11	Zinc	0.033	0.016	0.003
12	Copper	0.022	0.013	0.006

Chonda pool

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.02	7.36	7.38
2	Total Solids	601	771	708
3	Dissolved Solids	553	667	658
4	D.Oxygen	6.8	5.4	6.2
5	BOD	1.8	2.5	6.2
6	COD	16.8	25.41	25.6
7	Turbidity	1	2	1.8
8	Conductivity	864	1042	1029
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.057	ND	0.012
12	Copper	ND	ND	ND

pond water near khachrod road,bal hanuman mandir,nagda.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.42	7.42	7.38
2	Total Solids	290	290	270
3	Dissolved Solids	280	270	248
4	D.Oxygen	7.2	7.1	7
5	BOD	2.6	3	3
6	COD	20	22	12
7	Turbidity	0.9	1	4
8	Conductivity	406	403	350
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Kshipra at Kaliyadeh palace,Ujjain

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.94	7.86	7.38
2	Total Solids	436	446	660
3	Dissolved Solids	424	430	618
4	D.Oxygen	6.5	6.6	7.6
5	BOD	6	8	8
6	COD	20	30	16
7	Turbidity	11.2	12.8	14
8	Conductivity	603	614	880
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Parshukhedi Talab at Agar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.97	7.84	7.58
2	Total Solids	430	442	414
3	Dissolved Solids	410	418	400
4	D.Oxygen	6.5	6.9	7.2
5	BOD	2.4	3	2
6	COD	20	24	18
7	Turbidity	17.4	19.2	18.6
8	Conductivity	589	596	550
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Shail Mining Multanpura,Mandsaur

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.72	7.78	7.68
2	Total Solids	632	640	560
7	Dissolved Solids	616	620	546
4	D.Oxygen	7.1	7.2	6.6
5	BOD	4	5	3.8
6	COD	22	22	20
7	Turbidity	3.8	4	4.1
8	Conductivity	900	910	908
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond water near Sanjeevni nallah,Neemuch.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.3	7.3	7.34
2	Total Solids	720	730	598
7	Dissolved Solids	696	700	582
4	D.Oxygen	6.8	6.8	6.5
5	BOD	4.5	4	3.2
6	COD	24	22	20
7	Turbidity	6.8	6.6	6.6
8	Conductivity	780	990	832
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond water near Banjari sewavata by-pass road,Ratlam.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.3	7.6	7.36
2	Total Solids	660	698	672
7	Dissolved Solids	640	696	660
4	D.Oxygen	7.2	6.8	7.1
5	BOD	4	4.2	3.6
6	COD	20	22	16
7	Turbidity	3.8	6	3.4
8	Conductivity	340	990	348

9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Maleni at road bridge,Jaora.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.56	7.5	7.48
2	Total Solids	780	784	640
7	Dissolved Solids	750	744	636
4	D.Oxygen	6.5	6.8	7.2
5	BOD	6	6	2
6	COD	28	28	20
7	Turbidity	8.2	8	8.3
8	Conductivity	1040	1048	330
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond Water at Kalukhedi Talab, Dewas.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.58	7.6	7.5
2	Total Solids	238	240	234
3	Dissolved Solids	228	230	224
4	D.Oxygen	6.7	6.8	6.4
5	BOD	2	2	2
6	COD	12	13	13
7	Turbidity	11.2	11.4	10.4
8	Conductivity	330	334	334
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Idol immersion kund near district jail at shajapur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.82	7.64	7.8
2	Total Solids	192	218	194
3	Dissolved Solids	182	204	184
4	D.Oxygen	6.8	6.6	6.9
5	BOD	2.4	2.6	2.5
6	COD	10	16	11
7	Turbidity	6.4	7.9	6.8
8	Conductivity	258	296	260
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND
S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.5	7.5
2	Total Solids	263	273	257
3	Dissolved Solids	180	187	184
4	D.Oxygen	6.8	6.7	6.7

5	COD	35	38	36
6	Conductivity	270	280	280
7	Chromium	0.45	0.56	1.134
8	Lead	ND	ND	ND
9	Zinc	ND	0.053	0.033
10	Copper	ND	ND	ND

Mudawani Dam, Jayant

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.5	7.5
2	Total Solids	319	330	320
3	Dissolved Solids	241	247	245
4	D.Oxygen	6.9	6.8	6.8
4	COD	33	35	33
5	Conductivity	360	370	370
6	Chromium	0.299	0.671	1.033
7	Lead	0.012	ND	ND
8	Zinc	ND	0.118	0.025
9	Copper	ND	ND	ND

Mayar River near mayar road bridge Vill. Toasakhand.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.5	7.5	7.5
2	Total Solids	231	239	228
3	Dissolved Solids	149	151	149
4	D.Oxygen	7	6.9	6.9
5	COD	38	40	39
6	Conductivity	230	240	240
7	Chromium	0.21	0.628	0.961
8	Lead	0.048	ND	ND
9	Zinc	ND	ND	ND
10	Copper	ND	ND	ND

Pench river at Chhidwara ,near singori road bridge

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.34	7.9	8.21
2	Total Solids	611	713	519
3	Dissolved Solids	530	618	453
4	D.Oxygen	7.2	7	7.2
5	BOD	1.2	2.8	1.8
6	COD	12	20	16
7	Turbidity	4	14	8
8	Conductivity	791	817	712
9	Chromium	BDL	BDL	BDL
10	Lead	NA	NA	NA
11	Zinc	BDL	BDL	BDL
12	Copper	NA	NA	NA

River Kulbahra Chhindwara ,near nagpur road bridge

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.14	8.14	7.73
2	Total Solids	677	613	583
3	Dissolved Solids	588	499	487
4	D.Oxygen	7	7	7.2
5	BOD	1.8	2.8	1.8

6	COD	12	16	16
7	Turbidity	8	16	10
8	Conductivity	811	799	813
9	Chromium	BDL	BDL	BDL
10	Lead	NA	NA	NA
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

**Water Monitoring Report during
Ganesha IDOL Immersion Ganesh idol immersion
River Machna D/S,Betul,near Amrawati road bridge,Betul.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.43	8.14	7.43
2	Total Solids	711	710	519
3	Dissolved Solids	572	614	453
4	D.Oxygen	7.2	7	7.2
5	COD	16	16	12
6	Turbidity	12	8.1	4
7	Conductivity	816	744	743
8	Chromium	BDL	BDL	BDL
9	Lead	BDL	BDL	BDL
10	Zinc	BDL	BDL	BDL
11	Copper	BDL	BDL	BDL

Chhota Talab at Chhindwara,main road chhindwara

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.43	7.1	7.39
2	Total Solids	711	910	693
3	Dissolved Solids	572	687	563
4	D.Oxygen	7.2	7	7
5	COD	16	36	NA
6	Turbidity	12	24	10
7	Conductivity	816	916	791
8	Chromium	BDL	BDL	BDL
9	Lead	BDL	BDL	BDL
10	Zinc	BDL	BDL	BDL
11	Copper	BDL	BDL	BDL

Durga Idol Immersion
Water Monitoring Report during Durga IDOL Immersion
River Betwa at Charantirth, Vidisha YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.94	7.58	KUND
2	Total Solids	291	432	DISMANTELED
3	Dissolved Solids	236	338	...
4	D.Oxygen	9.6	6.3	...
5	BOD	5.6	7.6	...
6	COD	29.4	28.8	...
7	Turbidity	16.7	15.6	...
8	Conductivity	518.3	523.2	...
9	Lead	...	18.1	...
10	Zinc	...	24.5	...
11	Copper	...	49.7	...

Bairagarh Visarjanghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	7.06	6.83
2	Total Solids	946	969	872
3	Dissolved Solids	894	818	828
4	D.Oxygen	6.1	3.7	0.5
5	BOD	6	11.2	8.8
6	COD	19.6	28.8	27.72
7	Turbidity	14.1	10.1	6.7
8	Conductivity	1242	1012.6	1238
9	Chromium	BDL
10	Lead	...	10.2	4
11	Zinc	...	86.4	39
12	Copper	...	42.4	60.7

Khatalapura ghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.44	7.15	7.32
2	Total Solids	243	354	362
3	Dissolved Solids	208	292	288
4	D.Oxygen	14.5	5.7	11.2
5	BOD	8.2	7.2	6
6	COD	39.2	28.8	18.48
7	Turbidity	17.3	14.2	8.3
8	Conductivity	398.1	396.4	382.1
9	Lead	...	4	1
10	Zinc	...	9.2	BDL
11	Copper	...	99.8	83.4

Hathaikheda dam (ghat),bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.46	7.31	6.6
2	Total Solids	220	450	492
3	Dissolved Solids	190	330	298
4	D.Oxygen	10	8.5	16.7
5	BOD	4.8	8	44
6	COD	29.2	57.6	776.16
7	Turbidity	21.1	76.2	38.2
8	Conductivity	385.8	457.2	502.3
9	Lead	...	10.9	4
10	Zinc	...	22.2	41

11	Copper	...	52.8	33.9
----	--------	-----	------	------

Maleekheda ,Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.78	7.38	7.39
2	Total Solids	288	482	328
3	Dissolved Solids	216	290	272
4	D.Oxygen	6.1	FAIL	5.6
5	BOD	4.3	4.8	5.4
6	COD	19.6	19.2	27.72
7	Turbidity	34.5	34.2	8.3
8	Conductivity	430.9	496.6	409.4
9	Lead	...	10.9	1
10	Zinc	...	21.1	46
11	Copper	...	105.1	60.6

Kamlapati ghat (Lower lake),Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.3	7.1	6.97
2	Total Solids	215	327	350
3	Dissolved Solids	184	264	286
4	D.Oxygen	11.8	5.8	0.5
5	BOD	6.8	8.8	7
6	COD	29.4	38.4	27.72
7	Turbidity	14.8	9.2	8
8	Conductivity	408.4	394.6	393.9
9	Lead	...	22.8	BDL
10	Zinc	...	75.6	40
11	Copper	...	120.6	21.8

Prempura ghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.31	7.69	7.39
2	Total Solids	146	223	276
3	Dissolved Solids	118	138	186
4	D.Oxygen	9.1	10.3	0.7
5	BOD	4.6	10.8	3.6
6	COD	19.6	28.8	18.48
7	Turbidity	11.2	10.4	108.8
8	Conductivity	213.2	225.1	286
9	Lead	...	3.1	4
10	Zinc	...	5.6	26
11	Copper	...	64.4	31.8

Shahpura Visarjan ghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.36	6.89	6.98
2	Total Solids	341	489	454
3	Dissolved Solids	274	392	368
4	D.Oxygen	3.9	3.5	6.7
5	BOD	10.4	14.8	8.5
6	COD	39.2	48	27.72
7	Turbidity	24.4	74.2	17.1
8	Conductivity	545.8	519.4	578.8
9	Chromium	BDL
10	Lead	...	2.2	4
11	Zinc	...	52.2	16
12	Copper	...	48.2	18.9

Water Monitoring Report during Durga IDOL Immersion
River Narmada at Gwarighat ,Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	YEAR 2020 After one week
1	pH	7.4	7.5	8.18
2	Total Solids	272	270	324
3	Dissolved Solids	234	200	302
4	D.Oxygen	7.4	7.4	7.5
5	BOD	1.2	1.6	1.4
6	COD	12	24	10
7	Turbidity	2	2	3
8	Conductivity	256	310	356
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Tilwaraghata Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.42	8.23	7.71
2	Total Solids	292	292	286
3	Dissolved Solids	254	276	262
4	D.Oxygen	7.5	7.5	7
5	BOD	1.4	1.5	1.6
6	COD	8	10	32
7	Turbidity	2	2	3
8	Conductivity	280	324	270
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Adhartal, Jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.85	6.9	7.78
2	Total Solids	322	310	368
3	Dissolved Solids	294	220	346
4	D.Oxygen	7.4	7	7
5	BOD	2.3	2.6	1.6
6	COD	20	32	32
7	Turbidity	3	5	3
8	Conductivity	346	360	360
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Hanumantal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.89	7.6	7.82
2	Total Solids	686	280	356
3	Dissolved Solids	614	210	282
4	D.Oxygen	6.5	7.3	6.8
5	BOD	3	3.1	4
6	COD	40	32	16
7	Turbidity	10	4	9
8	Conductivity	635	350	378
9	Chromium	BDL	BDL	BDL

10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Gokalpurtal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.39	7.4	7.48
2	Total Solids	348	320	412
3	Dissolved Solids	306	240	350
4	D.Oxygen	7.1	7.4	6.7
5	BOD	3.6	2.5	4.2
6	COD	30	32	20
7	Turbidity	8	5	8
8	Conductivity	362	370	396
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Raptaghat Mandla

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.41	8.2	8.21
2	Total Solids	288	258	294
3	Dissolved Solids	252	246	276
4	D.Oxygen	7.4	7.6	7.6
5	BOD	1.3	1.1	1.2
6	COD	12	10	10
7	Turbidity	2	2	2
8	Conductivity	266	292	326
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Chinkighat, Narsinghpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.34	8.71	8.7
2	Total Solids	335	353	339
3	Dissolved Solids	297	306	300
4	D.Oxygen	8.7	8.6	8.3
5	BOD	1.2	1.6	1.4
6	COD	10	12	11
7	Turbidity	3	3	3
8	Conductivity	371	382	376
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Katni river ,Gatar ghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.21	7.68	7.88
2	Total Solids	294	316	396
3	Dissolved Solids	262	292	368
4	D.Oxygen	7.9	7	7.4
5	BOD	1.4	...	3.8
6	COD	7	32	30
7	Turbidity	2	3	4

8	Conductivity	279	310	436
9	Lead	...	ND	...
10	Zinc	...	ND	...
11	Copper	...	1.216	...
12	Chromium	...	0.225	...

River Katni at Mahanghat Katni. M.P.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.31	7.44	7.93
2	Total Solids	280	332	384
3	Dissolved Solids	242	360	360
4	D.Oxygen	7.7	7.3	7.5
5	BOD	1.4	1.9	1.5
6	COD	6	12	20
7	Turbidity	3	4	3
8	Conductivity	268	309	423
9	Lead	...	ND	...
10	Zinc	...	0.164	...
11	Copper	...	2.466	...
12	Chromium	...	0.072	...

River Simrar at Babaghat Katni.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.26	6.8	7.86
2	Total Solids	288	328	382
3	Dissolved Solids	362	276	364
4	D.Oxygen	7.8	7.4	7.2
5	BOD	1.6	1.9	1.6
6	COD	8	12	20
7	Turbidity	3	3	2
8	Conductivity	271	312	432
9	Lead	...	ND	...
10	Zinc	...	0.115	...
11	Copper	...	2.382	...
12	Chromium	...	0.061	...

Temporary pond ,Babaghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.88	KUND
2	Total Solids	PREPARED	438	DISMENTELED
3	Dissolved Solids	...	392	...
4	D.Oxygen	...	8.6	...
5	BOD	...	2.8	...
6	COD	...	40	...
7	Turbidity	...	5	...
8	Conductivity	...	410	...
9	Lead	...	ND	...
10	Zinc	...	0.162	...
11	Copper	...	9.872	...
12	Chromium	...	ND	...

Temporary pond Mohanghat Babaghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.4	KUND
2	Total Solids	PREPARED	462	DISMENTELED
3	Dissolved Solids	...	414	...
4	D.Oxygen	...	6.5	...
5	BOD	...	3.2	...

6	COD	...	48	...
7	Turbidity	...	6	...
8	Conductivity	...	450	...
9	Lead	...	ND	...
10	Zinc	...	ND	...
11	Copper	...	1.139	...
12	Chromium	...	ND	...

Temporary pond Gatarghat, Babaghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	NOT	7.43	KUND
2	Total Solids	PREPARED	478	DISMENTELED
3	Dissolved Solids	...	422	...
4	D.Oxygen	...	6.4	...
5	BOD	...	3.8	...
6	COD	...	56	...
7	Turbidity	...	8	...
8	Conductivity	...	460	...
9	Lead	...	ND	...
10	Zinc	...	ND	...
11	Copper	...	9.192	...
12	Chromium	...	0.405	...

Singwasa Pond at Guna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.84	7.94	7.84
2	Total Solids	194	204	188
3	Dissolved Solids	154	160	148
4	D.Oxygen	5.8	5	5.4
5	BOD	1.7	2.2	1.9
6	COD	26.78	42	31.5
7	Turbidity	10	18	14.2
8	Conductivity	240	320	306
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	0.004	ND
12	Copper	ND	ND	ND

Tulsi Pond at Ashoknagar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.94	7.98	7.68
2	Total Solids	194	273	256
3	Dissolved Solids	147	225	212
4	D.Oxygen	4.8	4	4.2
5	BOD	1.4	2	1.9
6	COD	17.85	37.03	28.5
7	Turbidity	12	16	14
8	Conductivity	230	428	400
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	0.009
12	Copper	ND	ND	ND

pond near neewaj river,rajgarh

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	7.12	7.34
2	Total Solids	210	382	377
3	Dissolved Solids	170	342	330

4	D.Oxygen	7	6.4	5.4
5	BOD	1.7	2.1	2
6	COD	26.7	37.38	27.72
7	Turbidity	14	20	18
8	Conductivity	328	598	590
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	0.006	0.004
12	Copper	ND	ND	ND

Shri Gauri Ganesh Kund near Jadshivpuri

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.78	7.86	7.68
2	Total Solids	458	594	473
3	Dissolved Solids	400	538	419
4	D.Oxygen	5.4	5.1	5
5	BOD	1.8	2.4	2.2
6	COD	17.8	44.7	36.9
7	Turbidity	11.8	20	18
8	Conductivity	712	840	740
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	0.012	0.006
12	Copper	ND	ND	ND

Semra Baba ,canal water,Baliyari,Singrauli.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.5	7.5	7.5
2	Total Solids	149	203	189
3	Dissolved Solids	101	120	113
4	D.Oxygen	6.7	6.6	6.7
5	COD	58	79	65
6	Conductivity	150	180	170
7	Chromium	0.035	0.077	0.237
8	Lead	ND	ND	ND
9	Zinc	0.182	0.045	ND
10	Copper	ND	0.9	3.733

Kachan river near village Hirwah.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.5	7.5	7.5
2	Total Solids	339	371	335
3	Dissolved Solids	254	274	261
4	D.Oxygen	6.9	6.8	6.9
5	COD	67	73	69
6	Conductivity	380	410	390
7	Chromium	ND	0.29	0.153
8	Lead	ND	ND	ND
9	Zinc	0.088	ND	ND
10	Copper	ND	3.739	6.894

Kachan river,near road bridge,Singrauli.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.5	7.5	7.5
2	Total Solids	263	263	312

3	Dissolved Solids	221	234	227
4	D.Oxygen	6.8	6.7	6.8
5	COD	63	71	59
6	Conductivity	330	350	340
7	Chromium	ND	0.101	0.447
8	Lead	ND	ND	ND
9	Zinc	ND	ND	ND
10	Copper	ND	1.553	4.652

Morwa stop dam near railway station,Singrauli.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.5	7.5	7.5
2	Total Solids	263	277	251
3	Dissolved Solids	147	174	160
4	D.Oxygen	6.7	6.6	6.7
5	COD	59	66	61
6	Conductivity	220	260	240
7	Chromium	0.158	ND	ND
8	Lead	ND	ND	ND
9	Zinc	0.09	ND	ND
10	Copper	ND	ND	ND

Kund water near Bagdun Talab, Pithampur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.8	7.74	7.8
2	Total Solids	679	684	682
3	Dissolved Solids	670	671	673
4	D.Oxygen	6.9	6.7	6.9
5	BOD	1.6	1.8	1.7
6	COD	21.74	25.69	23.23
7	Turbidity	17.8	19.9	18.8
8	Conductivity	1120	1240	1200
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund water near Sanjay Jalashay, Pithampur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.9	7.8	8
2	Total Solids	220	224	222
3	Dissolved Solids	216	217	216
4	D.Oxygen	7.3	7.2	7.4
5	BOD	0.8	1	1
6	COD	13.8	16.8	16.45
7	Turbidity	4.4	4.8	4.6
8	Conductivity	374	387	380
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Satna river, Distt Satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.4	8.1	7.6
2	Total Solids	740	1024	844

3	Dissolved Solids	585	805	664
4	D.Oxygen	6.8	5.9	6.6
5	BOD	2.2	2.5	2.1
6	COD	36	52	45
7	Chromium	ND	ND	ND
8	Lead	0.097	ND	ND
9	Zinc	ND	ND	ND
10	Copper	0.108	0.038	0.878

River Tomus at Madhavgarh ,dist-satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.6	8	7.7
2	Total Solids	625	978	756
3	Dissolved Solids	540	689	625
4	D.Oxygen	7.2	6.1	6.7
5	BOD	2.1	2.4	2.2
6	COD	40	56	46
7	Chromium	ND	ND	ND
8	Lead	0.089	ND	ND
9	Zinc	ND	ND	ND
10	Copper	1.259	0.681	ND

River Bicchiya near, Road bridge Rewa.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.1	8.33	8.36
2	Total Solids	404	740	422
3	Dissolved Solids	375	632	377
4	D.Oxygen	6.5	5.8	6.2
5	BOD	2.7	5	3
6	COD	13.44	48	17.28
7	Turbidity	9	72	15
8	Conductivity	413	795	429
9	Chromium	0.393	0.359	0.393
10	Lead	1.005	0.944	0.796
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Bihar at Baba Ghat (Designated site), Temporary Bund Rewa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.89	8.42	8.15
2	Total Solids	355	886	413
3	Dissolved Solids	348	760	373
4	D.Oxygen	7.1	6.3	6.7
5	BOD	1.8	6	2.3
6	COD	10.56	57.6	12.48
7	Turbidity	7	79	11
8	Conductivity	396	888	410
9	Chromium	0.252	0.538	0.658
10	Lead	1.015	0.184	0.786
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Sone near Rd, Bridge at Churhat distt. Sidhi

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.75	8.09	7.79
2	Total Solids	319	409	377
3	Dissolved Solids	295	340	342
4	D.Oxygen	6.8	6.5	6.9

5	BOD	1.3	3	1.8
6	COD	5.76	14.4	7.68
7	Turbidity	50	32	8
8	Conductivity	356	436	387
9	Chromium	0.476	0.45	0.684
10	Lead	1.308	0.642	0.364
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Sone at Gaughat vill. Patpara. Distt. Sidhi

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.64	8.13	7.91
2	Total Solids	307	606	359
3	Dissolved Solids	260	530	322
4	D.Oxygen	7.2	6.8	7
5	BOD	1.2	4	1.9
6	COD	4.8	16.32	8.64
7	Turbidity	4	35	9
8	Conductivity	340	616	376
9	Chromium	0.276	0.386	0.414
10	Lead	0.744	0.733	0.751
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Kshipra at Kaliyadeh Palace, Ujjain.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	7.64	7.79
2	Total Solids	568	586	608
3	Dissolved Solids	552	566	590
4	D.Oxygen	6.8	6.9	6.8
5	BOD	8	8	10
6	COD	18	20	16
7	Turbidity	14.6	17.2	15.8
8	Conductivity	791	812	846
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond water near sanjeevani nallah,Neemuch.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.78	7.6	7.72
2	Total Solids	718	720	750
3	Dissolved Solids	696	700	710
4	D.Oxygen	6.4	6.8	6.5
5	BOD	4.4	4.1	6.2
6	COD	23	20	24
7	Turbidity	4.8	6.2	7.4
8	Conductivity	990	996	1002
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Chambal river water near Banjari,sejawata by pass road,Ratlam

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.4	7.3	7.4
2	Total Solids	294	280	270

3	Dissolved Solids	286	258	244
4	D.Oxygen	7.2	7	6.8
5	BOD	2.5	4	4
6	COD	20	22	20
7	Turbidity	5	4	4
8	Conductivity	408	344	350
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Parshukhedi Talab at Agar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.98	7.74	7.68
2	Total Solids	340	358	350
3	Dissolved Solids	322	338	330
4	D.Oxygen	7.4	6.9	7.1
5	BOD	3.4	3.2	3
6	COD	10	14	12
7	Turbidity	9.6	12.4	10.2
8	Conductivity	460	482	452
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Shail mining multanpura,mandsaur

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.74	7.8	7.8
2	Total Solids	640	644	650
3	Dissolved Solids	622	624	628
4	D.Oxygen	6.5	6.8	6.4
5	BOD	4	4.2	5
6	COD	24	22	24
7	Turbidity	4	4.4	5
8	Conductivity	920	910	920
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Chambal near Khachrod road Chamundamata Mandir, Nagda.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.4	7.48	7.38
2	Total Solids	310	304	302
3	Dissolved Solids	300	294	290
4	D.Oxygen	8	6.8	6.4
5	BOD	3.6	4	3.4
6	COD	16	20	18
7	Turbidity	4.1	5.2	6.2
8	Conductivity	400	410	416
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River maleni at road bridge, jaora

S. No.	Parameter	Pre Immersion	During Immersion	After one week
--------	-----------	---------------	------------------	----------------

1	pH	7.4	7.4	7.6
2	Total Solids	268	270	286
3	Dissolved Solids	248	250	268
4	D.Oxygen	7.2	7.2	7.4
5	BOD	3.8	4	6
6	COD	22	22	30
7	Turbidity	4	4.2	3.8
8	Conductivity	350	360	384
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Narmada River at Nemawar,Dewas

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.84	7.76	7.74
3	Dissolved Solids	236	242	216
4	D.Oxygen	7.1	7	7.1
5	BOD	10	1.9	2
6	COD	10	12	14
7	Turbidity	6.8	7.4	7.3
8	Conductivity	336	347	—
9	Chromium	ND	...	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.001	ND	ND

Lakhundar river at Shajapur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.87	7.94	7.87
2	Dissolved Solids	332	342	340
3	D.Oxygen	6.9	6.7	6.9
4	BOD	2	2.4	2.2
5	COD	10	12	10
6	Turbidity	11.1	14.2	17.6
7	Conductivity	473	490	486
8	Chromium	ND	ND	ND
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	ND	ND	ND

Pond Water at Kalukhedi talab,Dewas

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.83	7.62	7.66
2	Total Solids	338		
3	Dissolved Solids	286	294	292
4	D.Oxygen	6.8	6.6	6.4
5	BOD	2.4	2.6	2.2
6	COD	16	20	12
7	Turbidity	42.4	67.4	36.2
8	Conductivity	416	422	419
9	Chromium	ND	0.002	ND
10	Lead	ND	ND	ND
11	Zinc	0.001	0.001	ND
12	Copper	0.001	0.001	ND

**Water Monitoring Report during Durga IDOL Immersion
Idol immersion kund at Nemawar**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.66	7.94	KUND
2	Dissolved Solids	300	298	DISMENTELED
3	D.Oxygen	6.8	6.4	...
4	BOD	2.8	2.2	...
5	COD	20	16	...
6	Turbidity	11.5	52.4	...
7	Conductivity	428	426	...
8	Chromium	ND	ND	...
9	Lead	ND	NA	...
10	Zinc	ND	ND	...
11	Copper	ND	ND	...

River Narmada 500 d/s near jain mandir nemawar,disst.Dewas.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.66	7.74	7.74
3	Dissolved Solids	242	246	216
4	D.Oxygen	7	6.9	7.1
5	BOD	1.9	2	2
6	COD	12	14	14
7	Turbidity	7.4	9.2	7.3
8	Conductivity	347	352	310
9	Lead	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	ND	ND	ND

Idol immersion temporary pond Aupper,disst. Anuppur.

	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.7	8
2	Total Solids	PREPARED	359	318
3	Dissolved Solids	-	324	294
4	D.Oxygen	-	5.3	5
5	BOD	-	2.8	2.5
6	COD	-	20.8	16.3
7	Turbidity	-	31.2	23.7
8	Conductivity	-	305.5	2.74
9	Chromium	-	ND	1.043
10	Lead	-	0.117	0.061
11	Zinc	-	ND	ND
12	Copper	-	ND	4.766

Idol immersion temporary pond Umaria,disst.Umariya.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	NOT	7.6	7.9
2	Total Solids	PREPARED	381	310
3	Dissolved Solids	-	342	271
4	D.Oxygen	-	5.1	5.1
5	BOD	-	2.9	2
6	COD	-	19.9	16.5
7	Turbidity	-	35.2	22
8	Conductivity	-	473	421
9	Chromium	-	ND	0.739
10	Lead	-	ND	ND
11	Zinc	-	ND	ND
12	Copper	-	ND	ND

Idol immersion pond Dindori disst.Dindori.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	POND NOT	8.2	8.1
2	Total Solids	PREPARED	359	298
3	Dissolved Solids	-	323	172
4	D.Oxygen	-	6.2	5.8
5	BOD	-	2.5	1.8
6	COD	-	20.1	17.1
7	Turbidity	-	33.8	22.1
8	Conductivity	-	475.1	383.9
9	Chromium	-	0.011	0.403
10	Lead	-	ND	0.071
11	Zinc	-	ND	ND
12	Copper	-	ND	7.159

Water Monitoring Report during Durga IDOL Immersion

Idol immersion pond Amarkantak disst.Auppur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	NOT	7.4	7.8
2	Total Solids	PREPARED	328	257
3	Dissolved Solids	-	297	235
4	D.Oxygen	-	6.9	6.3
5	BOD	-	2.8	2.1
6	COD	-	18.6	15.3
7	Turbidity	-	29.7	21
8	Conductivity	-	439.7	378.5
9	Chromium	-	ND	ND
10	Lead	-	ND	ND
11	Zinc	-	ND	ND
12	Copper	-	3.691	7.491

River Sarfa at Lalpur road bridge,shahdol

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.6	8.3	8
2	Total Solids	239	266	201
3	Dissolved Solids	219	242	182
4	D.Oxygen	7.9	8.1	7.5
5	BOD	2.2	2.7	2.4
6	COD	6.3	7.2	6.7
7	Turbidity	16.1	19.5	16.3
8	Conductivity	312.5	329.1	297.6
9	Chromium	ND	ND	ND
10	Lead	ND	0.147	0.14
11	Zinc	ND	ND	ND
12	Copper	ND	4.491	2.034

**River Umrar at umaria
distt.Umariya.**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	7.9	8.1
2	Total Solids	230	255	215
3	Dissolved Solids	211	234	198
4	D.Oxygen	8.2	8.3	7
5	BOD	2.5	2.6	2
6	COD	7.1	7	6.8
7	Turbidity	19.3	18.6	14.2
8	Conductivity	361	317.1	297.5

9	Chromium	ND	ND	0.602
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	1.066	3.7	0.404

River Narmada at Dindori distt.Dindori.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	8	8.3
2	Total Solids	202	217	201
3	Dissolved Solids	181	194	183
4	D.Oxygen	8	8	7.6
5	BOD	2	2.2	1.8
6	COD	4.9	5.6	5.3
7	Turbidity	20.6	23.7	19
8	Conductivity	381	388	310.5
9	Chromium	ND	ND	0.332
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	3.539	1.69	ND

Water Monitoring Report during Durga IDOL Immersion

**River Narmada at puskar dam amarkantak
.distt.Anuppur.**

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.8	7.5	7.3
2	Total Solids	221	227	197
3	Dissolved Solids	212	216	188
4	D.Oxygen	7.8	7.9	7.1
5	BOD	1.8	1.8	1.5
6	COD	6.9	7	6.1
7	Turbidity	9.8	10.2	9.5
8	Conductivity	205.1	215.8	199.8
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	1.118	2.391	4.949

River sone at Diyapeper near road bridge,dist.Shahdol.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.6	8	8.1
2	Total Solids	233	251	220
3	Dissolved Solids	210	223	200
4	D.Oxygen	7.3	7.9	7.2
5	BOD	2.7	3.3	2.8
6	COD	7.5	8.1	7.5
7	Turbidity	16.5	23.8	20.8
8	Conductivity	241	283	211.7
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	0.245

Sagar Tal, Shahdol.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.32	7.46	7.46
2	Total Solids	288	350	308
3	Dissolved Solids	240	308	338
4	D.Oxygen	6.8	6.2	6.6

5	BOD	2	2.4	2.2
6	COD	27.78	37.6	39.52
7	Turbidity	10.8	12.8	12
8	Conductivity	450	482	480
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	0.015	0.029
12	Copper	ND	ND	ND

Badokher talab,morena

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.44	7.82	7.68
2	Total Solids	604	620	654
3	Dissolved Solids	577	582	604
4	D.Oxygen	6.5	6.3	4.9
5	BOD	2	2.2	2
6	COD	37.03	37.6	39.52
7	Turbidity	18	19	16
8	Conductivity	944	909	1021
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Karan Sagar, Datia.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.53	7.66	7.76
2	Total Solids	456	489	508
3	Dissolved Solids	408	439	468
4	D.Oxygen	7.2	5	6
5	BOD	1.9	2.4	2.2
6	COD	37.03	47	49.4
7	Turbidity	13	20	18
8	Conductivity	638	764	794
9	Chromium	ND	ND	ND
10	Lead	0.04	0.02	0.08
11	Zinc	ND	0.007	ND
12	Copper	ND	ND	ND

Sita Sagar, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.42	7.52	7.48
2	Total Solids	446	483	490
3	Dissolved Solids	404	436	428
4	D.Oxygen	6.8	6.2	6.4
5	BOD	1.8	2	1.9
6	COD	27.72	37.6	39.52
7	Turbidity	11	9.8	11
8	Conductivity	618	680	668
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.008	0.011	0.099
12	Copper	ND	ND	ND

Lala Ka Tal, Datia.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.36	7.42	7.56

2	Total Solids	358	434	429
3	Dissolved Solids	320	392	380
4	D.Oxygen	5.2	5	5.8
5	BOD	1.9	2.4	2.2
6	COD	27.72	47	39.5
7	Turbidity	38	42	48
8	Conductivity	505	612	593
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Jaderua dam,Gwalior

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.98	8.07	8.02
2	Total Solids	1536	1882	1762
3	Dissolved Solids	1458	1841	1634
4	D.Oxygen	3	2.2	1.8
5	BOD	32	36	40
6	COD	101.85	113.2	118.56
7	Turbidity	120	148	164
8	Conductivity	2400	2864	2554
9	Chromium	ND	ND	ND
10	Lead	ND	0.06	ND
11	Zinc	0.035	0.015	0.009
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL
Immersion**

Pandit ghat ,Sheopur.

S. No.	Parameter	Pre Immersion	During Immersion	YEAR 2020
		2020	2020	2020
1	pH	7.72	7.82	7.92
2	Total Solids	570	628	616
3	Dissolved Solids	528	588	576
4	D.Oxygen	5.9	5.4	5.8
5	BOD	1.8	2.4	2
6	COD	27.7	37.6	39.5
7	Turbidity	8	12	14
8	Conductivity	825	920	900
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.187	0.074	ND
12	Copper	ND	ND	ND

Kwari river,Bhind.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.84	7.94	7.78
2	Total Solids	466	504	488
3	Dissolved Solids	424	460	448
4	D.Oxygen	6.8	6.4	6.2
5	BOD	2	2.8	2.3
6	COD	36.96	47	37.6
7	Turbidity	25	30	26
8	Conductivity	664	720	700
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.046	0.025	0.011

12	Copper	ND	ND	ND
----	--------	----	----	----

Gauri Sarover, Bhind.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	7.4	7.34
2	Total Solids	580	632	618
3	Dissolved Solids	538	588	576
4	D.Oxygen	6.4	6	5.8
5	BOD	2.2	2.3	2
6	COD	27.7	37	29.64
7	Turbidity	6	6.8	6
8	Conductivity	840	920	900
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Chonda pool .

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.12	7.42	7.28
2	Total Solids	578	726	684
3	Dissolved Solids	538	686	642
4	D.Oxygen	7.2	6.8	7
5	BOD	1.9	2.4	1.8
6	COD	27.7	37	29.6
7	Turbidity	5	4.8	7.6
8	Conductivity	840	1071	1003
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Narmada at Omkareshwar

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.62	7.5	7.68
2	Total Solids	179	183	181
3	Dissolved Solids	173	176	174
4	D.Oxygen	7.6	7.6	7.7
5	BOD	0.6	0.8	0.9
6	COD	5.93	7.9	8.72
7	Turbidity	7.4	9.3	8
8	Conductivity	288	292	284
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Nagchun talab at Kandwa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.6	7.52	7.68
2	Total Solids	177	182	179
3	Dissolved Solids	170	174	171
4	D.Oxygen	7.2	7.1	7.3
5	BOD	1	1.2	1.1
6	COD	11.86	12.84	12.58
7	Turbidity	3	3.2	2.8
8	Conductivity	290	304	296

9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Tapti river ,Burhanpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.01	7.9	8.14
2	Total Solids	267	283	274
3	Dissolved Solids	260	270	265
4	D.Oxygen	7.4	7.2	7.5
5	BOD	1.1	1.4	1.2
6	COD	15.81	19.76	19.36
7	Turbidity	3.5	4.4	3.8
8	Conductivity	421	489	462
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Maheshwar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	7.6	7.7
2	Total Solids	182	188	180
3	Dissolved Solids	177	180	173
4	D.Oxygen	7.6	7.5	7.7
5	BOD	1	1.2	1.1
6	COD	9.88	13.83	10.64
7	Turbidity	2.2	2.6	2.4
8	Conductivity	303	319	294
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

Narmada at Mortakka

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.82	7.7	7.8
2	Total Solids	180	190	176
3	Dissolved Solids	172	181	169
4	D.Oxygen	7.6	7.5	7.6
5	BOD	0.8	1	0.9
6	COD	7.9	9.88	9.68
7	Turbidity	8.6	10.4	8.2
8	Conductivity	292	322	288
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Kunda at Khargone

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	7.7	7.88
2	Total Solids	192	198	194
3	Dissolved Solids	184	189	185
4	D.Oxygen	7.2	6.9	7.5
5	BOD	1.1	1.3	1.2

6	COD	16.8	20.75	18.39
7	Turbidity	12	14.2	12.9
8	Conductivity	312	328	320
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Badwani

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.74	7.8	7.8
2	Total Solids	184	186	186
3	Dissolved Solids	179	180	179
4	D.Oxygen	7.4	7.3	7.5
5	BOD	1	1.1	1
6	COD	6.92	7.9	8.71
7	Turbidity	4	4.4	3.3
8	Conductivity	291	299	296
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Devi Sagar talab at Dhar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.4	7.6
2	Total Solids	228	232	231
3	Dissolved Solids	220	221	222
4	D.Oxygen	7.1	6.9	7.3
5	BOD	1.1	1.4	1.3
6	COD	13.83	14.82	13.72
7	Turbidity	2.9	5.2	3.4
8	Conductivity	377	408	384
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion

River Chambal at Ghatabillod

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.7	7.64	7.8
2	Total Solids	488	490	486
3	Dissolved Solids	476	476	473
4	D.Oxygen	6.9	6.8	7.2
5	BOD	1.2	1.3	1.2
6	COD	18.77	21.74	17.42
7	Turbidity	18	22.2	20
8	Conductivity	377	408	384
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Narmada at Dharampuri

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.74	7.78	8
2	Total Solids	185	189	184

3	Dissolved Solids	180	180	178
4	D.Oxygen	7.4	7.2	7.5
5	BOD	0.8	0.9	0.8
6	COD	7.9	7.9	7.74
7	Turbidity	2.2	2.4	2.3
8	Conductivity	294	302	298
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Anas at Jhabua

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	7.6	7.7
2	Total Solids	230	236	238
3	Dissolved Solids	222	227	230
4	D.Oxygen	7.4	7.3	7.5
5	BOD	1	1.2	1.1
6	COD	9.88	13.83	11.61
7	Turbidity	3.4	7.3	4.6
8	Conductivity	400	423	394
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

S. No.	Bukakhedi dam,Multai,Betul,Chhindwada.			
	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.14	8.39	7.73
2	Total Solids	594	619	523
3	Dissolved Solids	521	550	456
4	D.Oxygen	7.2	7.2	7.2
5	BOD	1.6	1.8	1.8
6	COD	8	16	8
7	Turbidity	2	10	3
8	Conductivity	711	810	710
9	Chromium	BDL	BDL	BDL
10	Lead	NA	NA	NA
11	Zinc	BDL	BDL	BDL
12	Copper	NA	NA	BDL

Water Monitoring Report during Durga IDOL Immersion

S. No.	Parameter	YEAR 2020		
		2020	2020	2020
1	pH	7.32	8.39	7.34
2	Total Solids	693	693	529
3	Dissolved Solids	627	605	563
4	D.Oxygen	7.2	7	7.2
5	BOD	1.4	1.6	1.4
6	COD	8	12	8
7	Turbidity	2	8	2
8	Conductivity	610	816	773
9	Chromium	BDL	NA	BDL
10	Lead	BDL	NA	NA
11	Zinc	BDL	BDL	BDL
12	Copper	NA	NA	NA

River
 Macha
 na
 D/S,ne
 ar
 amrav
 ati
 road
 bridge,
 Betul,c
 hhind
 wada.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.1	7.74	7.41
2	Total Solids	561	711	596
3	Dissolved Solids	506	711	525
4	D.Oxygen	7.2	7.2	7.2
5	BOD	1.4	1.6	1.8
6	COD	8	12	8
7	Turbidity	2	8	4
8	Conductivity	811	813	813
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	NA	NA
11	Zinc	BDL	BDL	BDL
12	Copper	NA	NA	NA

River Pench near singori road bridge,chhindwada.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.73	8.13	7.43
2	Total Solids	566	611	566
3	Dissolved Solids	513	518	481
4	D.Oxygen	7.2	7.2	7.2
5	BOD	1.6	1.8	1.4
6	COD	8	16	8
7	Turbidity	2	10	3
8	Conductivity	693	719	710
9	Chromium	NA	NA	NA
10	Lead	NA	NA	NA
11	Zinc	NA	NA	NA
12	Copper	NA	NA	NA

River Machana U/S,Betul,Chhindwada.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.79	8.14	8.14
2	Total Solids	693	693	556
3	Dissolved Solids	616	693	487
4	D.Oxygen	7.2	7	7.2
5	BOD	1.6	1.8	1.8
6	COD	8	12	8
7	Turbidity	2	8	3
8	Conductivity	713	799	790
9	Chromium	BDL	BDL	NA
10	Lead	BDL	BDL	NA
11	Zinc	BDL	BDL	BDL
12	Copper	NA	NA	NA

Water Monitoring Report during Durga IDOL Immersion

Futera lake,Damoh

YEAR 2020

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.68	6.56	7.76
2	Total Solids	266	324	278
3	Dissolved Solids	238	272	242
4	D.Oxygen	6.27	4.68	5.19
5	BOD	3.3	7.9	4.7
6	COD	7.27	18.18	11.64
7	Turbidity	12	22	16
8	Conductivity	357.1	408.2	363.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Mahendra sagar lake,Tikamgarh

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.62	6.67	7.71
2	Total Solids	204	270	210
3	Dissolved Solids	184	192	186
4	D.Oxygen	6.82	3.62	3.42
5	BOD	1.66	9.76	8.08
6	COD	3.63	29.08	23.08
7	Turbidity	10	28	18
8	Conductivity	275.4	289.3	279.1
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Budha Bandh,Chhatarpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.31	7.85	7.56
2	Total Solids	168	204	176
3	Dissolved Solids	136	152	140
4	D.Oxygen	6.48	4.61	6.28
5	BOD	0.82	1.52	1.02
6	COD	3.63	7.27	3.88
7	Turbidity	4	16	10
8	Conductivity	204.8	222.4	209.6
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Amanvi,at Lahendra naka,sagar

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.33	6.94	7.41
2	Total Solids	266	332	288
3	Dissolved Solids	248	292	254
4	D.Oxygen	6.44	4.58	6.14
5	BOD	1.18	2.72	1.31
6	COD	3.63	7.27	3.88
7	Turbidity	12	18	14
8	Conductivity	372.1	438	381.2
9	Chromium	ND	0.029	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND

12	Copper	ND	0.008	ND
----	--------	----	-------	----

Water Monitoring Report during Durga IDOL Immersion

River Bebus at road bridge ,Chitora,Sagar.

YEAR 2020

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.22	7.19	7.28
2	Total Solids	264	326	296
3	Dissolved Solids	246	258	252
4	D.Oxygen	7.42	6.23	6.57
5	BOD	1.04	3.46	2.32
6	COD	3.63	7.27	3.88
7	Turbidity	6	18	10
8	Conductivity	369.1	387.2	378.1
9	Chromium	ND	0.006	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	0.009	ND

Durga idol immersion kund ,Itarsi,Mandideep.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.38	7.38	KUND
2	Dissolved Solids	626	578	DISMANTELED
3	D.Oxygen	9.4	7.7	...
4	BOD	5.4	1.4	...
5	COD	19.2	9.6	...
6	Turbidity	37.2	15	...
7	Conductivity	878.8	778.1	...
8	Chromium	0.027	BDL	...
9	Lead	0.051	BDL	...
10	Zinc	0.205	BDL	...
11	Copper	0.394	BDL	...

**Durga idol immersion kund ,Harbal park
,Hoshangabad,Mandideep.**

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.18	7.62	7.08
2	Dissolved Solids	650	458	832
3	D.Oxygen	5	6.7	0.3
4	BOD	2.5	1.2	22
5	COD	19.2	9.6	101.64
6	Turbidity	82.6	23	16.2
7	Conductivity	891.8	686.1	1015
8	Chromium	0.016	BDL	0.006
9	Lead	0.015	BDL	0.016
10	Zinc	0.064	BDL	0.094
11	Copper	0.201	BDL	0.197

River Narmada Swami vivekanand ghat,Hoshangabad.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.92	7.82	7.92
2	Total Solids	-	192	-
3	Dissolved Solids	162	164	162
4	D.Oxygen	4.6	8.4	4.6
5	BOD	1	1	1
6	COD	9.24	19.04	9.24
7	Turbidity	4.7	3.7	4.7

8	Conductivity	261.2	252.9	261.2
9	Chromium	BDL	0.005	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	0.019	BDL	0.019
12	Copper	0.035	BDL	0.035

Water Monitoring Report during Durga IDOL Immersion

River Narmada near Korighat at Hoshangabad.

YEAR 2020

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.73	7.86	7.73
2	Total Solids	—	802	—
3	Dissolved Solids	218	764	218
4	D.Oxygen	5.5	8.3	5.5
5	BOD	1.1	1	1.1
6	COD	9.24	28.56	9.24
7	Turbidity	3.5	9.4	3.5
8	Conductivity	339.3	1214	339.3
9	Chromium	BDL	0.009	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Water Monitoring Report during Durga IDOL Immersion

River Narmada near Sethanighat at Hoshangabad.

YEAR 2020

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2020	2020	2020
1	pH	7.43	7.58	7.43
2	Total Solids	—	204	—
3	Dissolved Solids	146	172	146
4	D.Oxygen	5	8	5
5	BOD	1.2	1	1.2
6	COD	9.24	19.04	9.24
7	Turbidity	3.9	3.8	3.9
8	Conductivity	284.5	272.4	284.5
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	0.016	BDL	0.016
12	Copper	BDL	BDL	BDL

विसर्जन स्थल से
मूर्ति विसर्जन पूर्व, विसर्जन के दौरान
एवं विसर्जन के पश्चात् एकत्रित
जल गुणवत्ता मापन परिणाम
वर्ष -2019

Ganesh Idol Immersion
Water Monitoring Report during Ganesha IDOL Immersion
River Narmada 50 meter D/s near Sethanighat

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.24	7.56	8.1
2	Total Solids	220	380	238
3	Dissolved Solids	188	312	202
4	suspended-solids	32	68	36
5	D.Oxygen	7.6	6.8	7.7
6	BOD	1.6	2.9	1.7
7	COD	9.6	29.4	9.6
8	Turbidity	15.4	18.3	15.9
9	Conductivity	286.4	358.2	309.3
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.2	ND	ND
13	Copper	0.008	0.016	0.016

River Betwa near Charantirthghat, Vidisha.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.45	7.61	7.29
2	Total Solids	288	396	284
3	Dissolved Solids	190	324	228
4	suspended-solids	38	72	56
5	D.Oxygen	7.1	6.1	7.4
6	BOD	1.8	3.6	2.1
7	COD	29.4	49	19.6
8	Turbidity	21.9	36.2	22.1
9	Conductivity	242.2	469.2	344.3
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.01	0.01	ND
13	Copper	0.09	0.02	0.015

Khatlapura Visarjanghat, Bhopal.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.02	7.23	6.9
2	Total Solids	296	418	322
3	Dissolved Solids	268	352	278
4	suspended-solids	28	66	44
5	D.Oxygen	8	5	7.7
6	BOD	7.3	12	7.7
7	COD	39.2	58.8	39.2
8	Turbidity	9.3	14.6	13.1
9	Conductivity	411.7	517.3	404.6
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.02	ND	0.02
13	Copper	0.014	0.015	0.008

Bairagrah Visarjanghat, Bhopal.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.19	7.81	7.84
2	Total Solids	204	278	244
3	Dissolved Solids	178	226	212
4	suspended-solids	26	62	32
5	D.Oxygen	7.8	5.8	7.2

6	BOD	1.6	3.7	2.2
7	COD	29.4	37.28	29.4
8	Turbidity	11.2	18.9	14.6
9	Conductivity	267.9	315.6	336.5
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.02	0.01	0.06
13	Copper	0.015	0.021	0.012

Prempura Visarjanghat, Bhopal.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.24	7.56	7.38
2	Total Solids	208	292	234
3	Dissolved Solids	170	228	188
4	suspended-solids	38	64	46
5	D.Oxygen	7.8	4.8	7.2
6	BOD	3.2	5.5	4.2
7	COD	20	37.28	19.6
8	Turbidity	4	16.3	14.6
9	Conductivity	262	307.7	295.1
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	ND	ND	0.05
13	Copper	0.008	0.01	0.011

Shahpura lake, Visarjan Pond, Bhopal.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.86	7.64	7.16
2	Total Solids	480	766	634
3	Dissolved Solids	426	684	568
4	suspended-solids	54	82	66
5	D.Oxygen	6.8	4.2	6.5
6	BOD	5.3	8.5	5.9
7	COD	39.2	58.8	39.2
8	Turbidity	14.3	22.6	19.6
9	Conductivity	653.9	1035	884.3
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.03	0.11	ND
13	Copper	0.013	0.02	0.007

kaliyasot dam,bhopal

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.32	7.48	7.31
2	Total Solids	186	288	236
3	Dissolved Solids	162	236	204
4	suspended-solids	24	52	32
5	D.Oxygen	7.5	6.1	7.7
6	BOD	2.6	2.9	2.4
7	COD	10	18.64	9.8
8	Turbidity	12	26.1	17.3
9	Conductivity	240	318.9	314.6
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.003	ND	0.01
13	Copper	0.13	0.012	0.02

River Narmada near korighat, Hoshangabad

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.46	7.48	8.14
2	Total Solids	176	332	196
3	Dissolved Solids	152	286	168
4	suspended-solids	24	46	28
5	D.Oxygen	7.2	6.6	7.6
6	BOD	1.4	2.6	1.6
7	COD	9.8	29.4	9.8
8	Turbidity	13.2	26.1	16.3
9	Conductivity	264.8	318.9	278.2
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.23	ND	ND
13	Copper	0.014	0.014	0.01

River Narmada vivekanand ghat, Hoshangabad

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.24	7.79	8.04
2	Total Solids	192	244	212
3	Dissolved Solids	164	198	178
4	suspended-solids	28	46	34
5	D.Oxygen	7.8	6.9	7.7
6	BOD	1.3	2.5	1.5
7	COD	9.8	27.96	9.8
8	Turbidity	10.6	21.3	12.2
9	Conductivity	266.3	286.4	272.8
10	Chromium	ND	ND	ND
11	Lead	ND	ND	ND
12	Zinc	0.3	ND	ND
13	Copper	0.022	0.015	0.008

River Amanvi, at Lahedara naka, Sagar.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.17	6.78	7.24
2	Total Solids	256	322	268
3	Dissolved Solids	224	268	230
4	D.Oxygen	6.32	4.46	6.02
5	BOD	1.16	2.68	1.27
6	COD	4	8	4
7	Turbidity	8	14	10
8	Conductivity	336.2	402.1	344.8
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Futera Lake, Damoh.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.38	6.7	7.5
2	Total Solids	312	344	284
3	Dissolved Solids	280	288	244
4	D.Oxygen	6.2	4.7	5.24
5	BOD	3.6	8.8	4.8
6	COD	8	20	12
7	Turbidity	10	19	12
8	Conductivity	368	385	372
9	Chromium	ND	ND	ND

10	Lead	0.01	0.04	0.05
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Mahendra Sagar Lake, Tikamgarh.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.58	8.1	7.67
2	Total Solids	206	272	212
3	Dissolved Solids	186	194	188
4	D.Oxygen	6.73	3.53	3.48
5	BOD	1.42	9.5	8.32
6	COD	4	32	28
7	Turbidity	12	24	18
8	Conductivity	278.6	292.4	282.8
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Budha Bandh, Chhattarpur.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.34	7.88	7.59
2	Total Solids	166	192	168
3	Dissolved Solids	138	150	142
4	D.Oxygen	6.54	4.67	6.36
5	BOD	0.76	1.62	1.1
6	COD	4	8	4
7	Turbidity	6	14	8
8	Conductivity	208.2	225.4	212.6
9	Chromium	ND	ND	ND
10	Lead	ND	0.02	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kamla Bai, Panna.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.19	7.05	7.28
2	Total Solids	124	236	188
3	Dissolved Solids	102	200	164
4	D.Oxygen	6.47	4.44	6.27
5	BOD	1.04	1.82	1.26
6	COD	4	8	4
7	Turbidity	5	12	8
8	Conductivity	148.2	302.6	246.1
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

At Satna River, Satna.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	6.9	7.3
2	Total Solids	940	1170	1030
3	Dissolved Solids	830	960	895
4	D.Oxygen	7.2	6.5	6.9
5	BOD	2.2	2.8	2.4
6	COD	44	70	64
7	Chromium	0.129	0.059	0.138

8	Lead	0.081	ND	ND
9	Zinc	0.044	0.014	ND
10	Copper	0.854	2.283	2.434

River Tomus at Madhavagardh.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.3	7.9	7.5
2	Total Solids	985	1275	1085
3	Dissolved Solids	870	1060	975
4	D.Oxygen	7.5	6.9	7.2
5	BOD	2.1	2.6	7.2
6	COD	48	64	54
7	Chromium	0.108	0.196	0.048
8	Lead	ND	ND	ND
9	Zinc	0.176	0.053	0.077
10	Copper	1.356	1.29	2.096

Jawahar Tekri Indore

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.81	7.41	7.7
2	Total Solids	307	443	450
3	Dissolved Solids	298	430	440
4	D.Oxygen	6.8	6.6	6.5
5	BOD	1	1.5	1.8
6	COD	8.82	12.58	14
7	Turbidity	18	12.5	20
8	Conductivity	428	615	712
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River narmada at mortakka

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.05	8.04	7.9
2	Total Solids	220	234	222
3	Dissolved Solids	206	218	210
4	D.Oxygen	7.3	7.1	7.2
5	BOD	1.5	1.6	1.2
6	COD	9.68	14.7	11
7	Turbidity	21	32	26
8	Conductivity	297.9	318	300
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River kunda at khargone

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.94	7.82	8
2	Total Solids	348	422	452
3	Dissolved Solids	326	396	436
4	D.Oxygen	7.3	5.6	4.3
5	BOD	2	2.5	2.9
6	COD	10.78	22.26	17
7	Turbidity	26	31.5	39
8	Conductivity	470	567	624
9	Chromium	ND	ND	ND

10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND

Yeshwant sagar talab

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.42	7.72	7.9
2	Total Solids	245	280	262
3	Dissolved Solids	231	269	248
4	D.Oxygen	6.5	6	6.9
5	BOD	1	1	1.2
6	COD	10.78	12.58	12
7	Turbidity	17.2	19.2	14
8	Conductivity	382	400	370
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Sirpur talab

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.6	7.6	7.78
2	Total Solids	294	289	300
3	Dissolved Solids	280	304	280
4	D.Oxygen	7.1	6.9	7
5	BOD	1.2	1.3	1.4
6	COD	12.58	14.7	16
7	Turbidity	19.1	29.1	22
8	Conductivity	401	451	430
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pipliya Pala

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.52	7.02	7.6
2	Total Solids	340	390	380
3	Dissolved Solids	324	372	363
4	D.Oxygen	6.9	5.5	5.9
5	BOD	1.4	1.6	1.5
6	COD	15.68	19.36	16
7	Turbidity	27.9	37.9	34
8	Conductivity	502	532	554
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Bilawali talab

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.4	7.51	7.8
2	Total Solids	397	396	386
3	Dissolved Solids	378	372	369
4	D.Oxygen	7.2	6.4	7
5	BOD	1.4	1.2	1.3
6	COD	15.68	17.64	18

7	Turbidity	15.6	6.4	20.6
8	Conductivity	551	539	540
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Visarjan kund badwani

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	7.71	7.9
2	Total Solids	280	284	341
3	Dissolved Solids	270	270	326
4	D.Oxygen	7	6.8	5.9
5	BOD	1.3	1.4	2
6	COD	13.72	15.48	16
7	Turbidity	24	17.6	20
8	Conductivity	394	388	467
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND

Tapti river burhanpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.22	8.01	7.9
2	Total Solids	266	222	255
3	Dissolved Solids	244	204	241
4	D.Oxygen	7.1	7.2	7.1
5	BOD	2	1.1	1.2
6	COD	15.48	14.52	17
7	Turbidity	39	24.3	32
8	Conductivity	364.5	291	310
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River narmada at omkareshwar

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.02	7.41	7.9
2	Total Solids	471	588	576
3	Dissolved Solids	332	558	576
4	D.Oxygen	6.7	5.7	4.3
5	BOD	1.8	3	3.6
6	COD	12.58	25.48	30
7	Turbidity	27	52.4	69
8	Conductivity	473.9	798	804
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Renuka Jheel, Burhanpur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.41	7.22	7.6
2	Total Solids	508	660	578
3	Dissolved Solids	490	635	560

4	D.Oxygen	7.3	6.1	6
5	BOD	1.9	2	2.2
6	COD	17.42	24.5	20
7	Turbidity	36	49	40
8	Conductivity	709.1	910	800
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Padma Talab, Khandwa.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.92	7.63	8.12
2	Total Solids	806	938	810
3	Dissolved Solids	788	914	794
4	D.Oxygen	6.8	6.2	6.6
5	BOD	1.6	1.7	1.8
6	COD	14.52	22.54	18
7	Turbidity	44	64	40
8	Conductivity	1255.6	1416	1326
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND

YEAR -2019

Devi Sagar Talab,Dhar

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.79	7.26	8
2	Total Solids	336	734	272
3	Dissolved Solids	322	716	260
4	D.Oxygen	7.3	6.2	6.9
5	BOD	1.2	2	1.2
6	COD	9.8	17.64	12
7	Turbidity	15.1	31.2	17
8	Conductivity	462	1024	390
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund Dhar,Dhar-

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.49	7.3	7.8
2	Total Solids	239	297	230
3	Dissolved Solids	204	278	220
4	D.Oxygen	7	6	6
5	BOD	1.8	1.4	1.2
6	COD	15.48	16.45	10
7	Turbidity	45	24.9	17.1
8	Conductivity	294.66	394	321
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund Pankeshwar, Alirajpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.08	7.5	7.9
2	Total Solids	442	756	692
3	Dissolved Solids	422	735	674
4	D.Oxygen	6.2	5.8	5
5	BOD	1.5	2	2.1
6	COD	10.64	18.39	15
7	Turbidity	20	41.8	16.6
8	Conductivity	602.1	1050	1145
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Do Mukh Bhavdi,Dharampuri-Dhar.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.08	8.03	7.7
2	Total Solids	379	364	324
3	Dissolved Solids	335	342	304
4	D.Oxygen	7.2	5.9	4.4
5	BOD	2	2.2	2.6
6	COD	16.45	20.32	15
7	Turbidity	44	20	14.8
8	Conductivity	499.6	488	464
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund water, Bagdun, Pithampur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.26	7.46	6.94
2	Total Solids	401	470	547
3	Dissolved Solids	356	441	524
4	D.Oxygen	5.7	5.2	4.4
5	BOD	2	2.5	2.8
6	COD	18.39	23.52	26
7	Turbidity	22	32	39
8	Conductivity	600	631	749
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Sanjay Jalashay, .Pithampur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.12	7.53	7.29
2	Total Solids	260	355	495
3	Dissolved Solids	245	338	472
4	D.Oxygen	7	6	4.1
5	BOD	1.5	2	2.9
6	COD	13.72	15.68	40
7	Turbidity	6.4	22.5	42

8	Conductivity	399	482	714
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund water ,Sagore, .Pithampur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.49	7.42	7.3
2	Total Solids	405	485	601
3	Dissolved Solids	370	456	580
4	D.Oxygen	6.5	6.2	3.9
5	BOD	1.5	1.8	3.4
6	COD	16.45	19.6	30
7	Turbidity	30	36.4	42.2
8	Conductivity	594	651	831
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Bicchiya, near road bridge ,Rewa

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.8	8.12	7.92
2	Total Solids	488	1420	503
3	Dissolved Solids	421	1255	428
4	Suspended solids	67	165	75
5	D.Oxygen	6.1	4.2	5.9
6	BOD	1.8	5.8	3
7	COD	9.6	39.26	9.82
8	Turbidity	28	119	32
9	Conductivity	0.491	1.46	508
10	Chromium	0.039	0.033	0.128
11	Lead	ND	ND	ND
12	Zinc	0.105	ND	ND
13	Copper	1.935	3.351	3.488

River Bihar at Babaghant, Rewa.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.82	8.47	8.05
2	Total Solids	429	1534	477
3	Dissolved Solids	386	1362	411
4	Suspended solids	43	172	66
5	D.Oxygen	6.8	5.7	6.9
6	BOD	1.7	3.7	2
7	COD	7.68	49.1	9.82
8	Turbidity	23	158	28
9	Conductivity	0.468	1.585	0.489
10	Chromium	ND	0.069	0.015
11	Lead	ND	ND	ND
12	Zinc	0.025	0.001	ND
13	Copper	2.879	3.102	4.015

**Water Monitoring Report during Ganesha IDOL Immersion
River Sone at Churhat, Distt. Sidhi.**

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	8.08	7.83
2	Total Solids	513	816	540
3	Dissolved Solids	438	658	460
4	Suspended solids	75	158	80
5	D.Oxygen	7.7	6.6	7.5
6	BOD	1.1	2.5	1.2
7	COD	4.8	19.64	3.92
8	Turbidity	26	72	30
9	Conductivity	0.53	0.832	0.549
10	Chromium	0.055	0.102	0.123
11	Lead	ND	ND	ND
12	Zinc	ND	0.013	ND
13	Copper	2.171	2.981	3.254

**Water Monitoring Report during Ganesha IDOL Immersion
River Sone at Gaughat, Distt. Sidhi.**

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.65	8.22	7.77
2	Total Solids	530	860	536
3	Dissolved Solids	462	698	465
4	Suspended solids	68	162	71
5	D.Oxygen	7.3	6.5	7.8
6	BOD	1.3	3.6	1.4
7	COD	4.8	29.46	4.91
8	Turbidity	25	83	29
9	Conductivity	0.544	0.896	0.536
10	Chromium	ND	0.158	0.065
11	Lead	ND	ND	ND
12	Zinc	ND	ND	ND
13	Copper	2.171	3.862	4.098

Temporary pond Mudna at Shahdol.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH		8.12	8.02
2	Total Solids	KUND NOT PREPARED	686	248
3	Dissolved Solids		565	343
4	D.Oxygen		4.6	6.8
5	BOD	—	2.5	3.8
6	COD	—	40	50
7	Turbidity	—	68.2	357
8	Conductivity	—	1425.6	528
9	Chromium	—	0.238	0.361
10	Lead	—	0.198	0.076
11	Zinc	—	0.026	ND
12	Copper	—	1.693	0.652

River Narmada at Dindori,distt.Dindori.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.81	7.92	7.89
2	Total Solids	589	516	311
3	Dissolved Solids	494	433	293
4	D.Oxygen	7.3	7.2	7.5
5	BOD	1.7	1.5	1.4
6	COD	15	15	10
7	Turbidity	50.2	62.3	16.8

8	Conductivity	712.6	715.2	629.3
9	Chromium	0.069	0.151	0.239
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	1.269	0.672	0.737

Temporary pond Sarfa at Lalpur Shahdol.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	—	8.26	8.2
2	Total Solids	—	603	332
3	Dissolved Solids	—	471	316
4	D.Oxygen	—	7.2	6.5
5	BOD	KUND NOT PREPARED	3.2	3.2
6	COD		30	40
7	Turbidity		78.2	332
8	Conductivity	—	1442	428
9	Chromium	—	0.105	0.28
10	Lead	—	ND	0.02
11	Zinc	—	ND	ND
12	Copper	—	0.84	0.286

Pond Amarkantak dist. Anuppur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.82	7.98	8.01
2	Total Solids	321	503	298
3	Dissolved Solids	207	434	285
4	D.Oxygen	7.1	6.4	6.7
5	BOD	1.2	2.5	2.2
6	COD	10	20	30
7	Turbidity	14.9	32.6	288
8	Conductivity	451.9	626.9	498.6
9	Chromium	0.032	0.112	0.23
10	Lead	0.04	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.784	1.642	0.514

River narmada at Pushkar Dam ,dist.anuppur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.79	8.01	7.82
2	Total Solids	223	302	241
3	Dissolved Solids	196	276	228
4	D.Oxygen	6.9	7.1	7.7
5	BOD	1.6	1.4	1.6
6	COD	15	10	10
7	Turbidity	18.2	28.6	241
8	Conductivity	497.2	516.3	449
9	Chromium	0.126	0.06	0.318
10	Lead	ND	ND	0.228
11	Zinc	ND	ND	ND
12	Copper	ND	1.041	0.823

Temporary pond Umaria dist. Umaria.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	—	8.21	8.1
2	Total Solids	—	819	298

3	Dissolved Solids	—	874	284
4	D.Oxygen	—	3.4	6.7
5	BOD	KUND NOT PREPARED	3.6	4
6	COD		40	40
7	Turbidity		82.6	298
8	Conductivity	—	1426	506.5
9	Chromium	—	0.074	0.302
10	Lead	—	ND	ND
11	Zinc	—	0.016	ND
12	Copper	—	1.56	0.678

River umarar at Umariya dist. Umariya.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.04	7.95	7.84
2	Total Solids	411	461	300
3	Dissolved Solids	370	422	293
4	D.Oxygen	6.5	6.5	6.4
5	BOD	2.2	2.1	2
6	COD	20	15	15
7	Turbidity	18.2	22.6	300
8	Conductivity	642.6	625.3	541.8
9	Chromium	ND	0.072	0.309
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.53	1.332	0.741

Idol immersion Pond anuppur dist. Anuppur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	—	8.16	6.26
2	Total Solids	—	626	271
3	Dissolved Solids	—	474	255
4	D.Oxygen	—	152	6.1
5	BOD	KUND NOT PREPARED	2.4	3.4
6	COD		20	30
7	Turbidity		79	271
8	Conductivity	—	1238	497.5
9	Chromium	—	ND	0.298
10	Lead	—	ND	ND
11	Zinc	—	ND	ND
12	Copper	—	1.253	0.953

River sone at diyapiper dist. Shahdol.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.8	7.86	7.89
2	Total Solids	431	542	332
3	Dissolved Solids	209	461	228
4	D.Oxygen	7.6	6.8	7.4
5	BOD	1.3	1	1.3
6	COD	10	10	5
7	Turbidity	22.3	48.6	248
8	Conductivity	569.3	846.2	429
9	Chromium	ND	0.078	0.28
10	Lead	ND	ND	ND
11	Zinc	ND	0.005	ND
12	Copper	1.817	2.626	0.911

Pond dindori dist.dindori

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.81	8.21	8.24
2	Total Solids	589	495	312
3	Dissolved Solids	494	417	297
4	D.Oxygen	7.3	4.9	6.5
5	BOD	1.7	2.7	3.2
6	COD	15	30	40
7	Turbidity	50.2	35.8	312
8	Conductivity	712.6	1029.3	541.6
9	Chromium	-	0.223	0.27
10	Lead	-	ND	0.395
11	Zinc	-	ND	ND
12	Copper	-	0.63	ND

River Narmada at Gwarighat, Jabalpur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.11	8.24	8.26
2	Total Solids	238	318	314
3	Dissolved Solids	215	282	304
4	D.Oxygen	7.4	7.3	7.2
5	BOD	1.3	1.6	1.5
6	COD	16	22	24
7	Turbidity	5	5	7
8	Conductivity	306	316	310
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

visarjan kund at gwarighat,jabalpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.22	8.19	8.13
2	Total Solids	336	352	424
3	Dissolved Solids	294	306	366
4	D.Oxygen	7.1	7	5.2
5	BOD	1.7	1.8	12
6	COD	26	28	72
7	Turbidity	8	10	14
8	Conductivity	343	346	390
9	Chromium	0.064	0.021	0.014
10	Lead	0.014	0.026	0.046
11	Zinc	BDL	BDL	BDL
12	Copper	0.061	0.041	0.032

Visarjan kund at tilwaraghat,jabalpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.28	7.68	7.86
2	Total Solids	382	392	372
3	Dissolved Solids	310	346	338
4	D.Oxygen	7.6	7.2	6.6
5	BOD	2.6	3	4.8
6	COD	16	34	48
7	Turbidity	3	8	12

8	Conductivity	406	365	360
9	Chromium	BDL	0.018	0.016
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.044	0.034

River Narmada at Tilwaraghat, Jabalpur.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.18	8.29	8.31
2	Total Solids	268	364	342
3	Dissolved Solids	239	336	324
4	D.Oxygen	7.3	7.1	7
5	BOD	1.6	1.8	1.6
6	COD	21	24	32
7	Turbidity	3	4	3
8	Conductivity	342	361	330
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada near road bridge at Mandla

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.29	8.31	8.34
2	Total Solids	338	342	338
3	Dissolved Solids	314	318	312
4	D.Oxygen	7.2	7.3	7.4
5	BOD	1.8	1.8	1.7
6	COD	32	30	26
7	Turbidity	4	5	5
8	Conductivity	320	321	318
9	Chromium	0.019	0.028	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	0.046	0.068	0.054
12	Copper	0.059	0.014	0.061

River Narmada at Chinkighat, Narsinghpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.84	8.14	8.19
2	Total Solids	248	262	253
3	Dissolved Solids	222	226	223
4	D.Oxygen	7.6	7.5	7.6
5	BOD	1.8	1.3	1.6
6	COD	17	18	17
7	Turbidity	3	4	3
8	Conductivity	317	321	319
9	Chromium	0.018	0.019	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.014	0.021	0.016

River Wainganga at Lakhwanwada, Seoni.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.92	7.91	7.89
2	Total Solids	352	356	362

3	Dissolved Solids	324	326	332
4	D.Oxygen	7.3	7.3	7.2
5	BOD	1.7	1.8	1.6
6	COD	28	32	28
7	Turbidity	5	5	6
8	Conductivity	306	368	358
9	Chromium	0.013	0.018	0.015
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.075	0.081	0.068

River Wainganga near road bridge at Balaghat

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.43	7.61	7.86
2	Total Solids	253	294	354
3	Dissolved Solids	224	269	320
4	D.Oxygen	7.8	7.1	7.4
5	BOD	1.8	1.7	1.6
6	COD	26	28	26
7	Turbidity	3	7	5
8	Conductivity	319	384	362
9	Chromium	0.011	0.016	0.014
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.068	0.071	0.069

Hanumantal, Jabalpur

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.86	8.69	8.18
2	Total Solids	492	616	610
3	Dissolved Solids	408	573	568
4	D.Oxygen	6.9	4.7	5.2
5	BOD	5	16	13
6	COD	24	38	27
7	Turbidity	12	14	12
8	Conductivity	172	734	712
9	Chromium	BDL	0.03	0.021
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.064	0.011

Visarjan kund at Adhartal, Jabalpur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.91	8.44	7.83
2	Total Solids	498	558	550
3	Dissolved Solids	412	510	511
4	D.Oxygen	7.1	7	7
5	BOD	4.1	18.6	9
6	COD	16	36	23
7	Turbidity	4	6	8
8	Conductivity	479	638	569
9	Chromium	BDL	0.02	0.011
10	Lead	BDL	0.041	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.065	0.016

**Water Monitoring Report during Ganesha IDOL Immersion
Gokalpurtal, Jabalpur**

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.73	7.68	8.19
2	Total Solids	522	478	362
3	Dissolved Solids	440	412	334
4	D.Oxygen	7.1	6.7	6
5	BOD	3.8	5	12
6	COD	16	40	26
7	Turbidity	10	8	6
8	Conductivity	462	472	350
9	Chromium	BDL	0.031	0.026
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.061	0.017

Dal sagar at seoni

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.17	8.86	8.19
2	Total Solids	394	434	409
3	Dissolved Solids	363	395	371
4	D.Oxygen	6.1	5.9	6
5	BOD	16	21	18
6	COD	26	36	27
7	Turbidity	10	13	11
8	Conductivity	518	563	529
9	Chromium	0.068	0.199	0.069
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.036	0.084	0.069

Devi Talab at Balaghat

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.6	7.8	7.64
2	Total Solids	416	464	472
3	Dissolved Solids	365	405	408
4	D.Oxygen	7.8	7.7	7.1
5	BOD	2.5	2.7	3
6	COD	16	24	28
7	Turbidity	22	24	18
8	Conductivity	509	517	503
9	Chromium	0.022	0.024	0.021
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.073	0.043	0.036

Katni river ,gatar ghat

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.67	7.69	6
2	Total Solids	—	—	384
3	Dissolved Solids	378	394	358
4	D.Oxygen	7.6	7.2	6.8
5	BOD	1.5	3	1.8
6	COD	12	34	32
7	Turbidity	6	7	6

8	Conductivity	408	463	370
9	Chromium	0.207	0.049	ND
10	Iron	ND	ND	—
11	Zinc	0.304	ND	ND
12	Copper	0.665	ND	1.676
13	Lead	0.003	1.28	ND

Gatar ghat,kund near katni river,

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	—	7.98	
2	Total Solids	—	682	
3	Dissolved Solids	KUND NOT PREPARED	520	KUND WAS DISMANTLED
4	D.Oxygen		6.3	
5	BOD		6	
6	COD	—	32	
7	Turbidity	—	22	
8	Conductivity	—	756	
9	Chromium	—	0.097	
10	Iron	—	ND	
11	Zinc	—	0.003	
12	Copper	—	0.018	

River Katni at Mahanghat Katni. M.P.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.64	7.83	8.31
2	Total Solids	—	—	—
3	Dissolved Solids	368	396	366
4	D.Oxygen	7.7	7.1	7.2
5	BOD	1.6	2.8	1.5
6	COD	12	34	32
7	Turbidity	6	8	5
8	Conductivity	412	467	350
9	Chromium	0.119	0.164	0.038
10	Iron	ND	ND	—
11	Zinc	0.306	0.003	ND
12	Lead	0.095	1.042	ND
13	Copper	0.068	0.623	0.786

Visarjan kund at Mahanghat Katni. M.P.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	—	7.86	
2	Total Solids	—	668	
3	Dissolved Solids	—	522	
4	D.Oxygen	—	6.2	
5	BOD	KUND NOT PREPARED	6.4	KUND WAS DISMANTLED
6	COD		34	
7	Turbidity		18	
8	Conductivity	—	722	
9	Chromium	—	0.306	
10	Iron	—	ND	
11	Zinc	—	0.001	
12	Copper	—	ND	

River Simrar at Babaghant Katni.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.28	7.72	8.36
2	Total Solids	—		386

3	Dissolved Solids	382	396	362
4	D.Oxygen	7.8	72	7
5	BOD	1.9	2.6	1.6
6	COD	16	32	32
7	Turbidity	6	7	6
8	Conductivity	446	458	370
9	Nickle	ND	0.113	—
10	Iron	ND	ND	—
11	Zinc	0.264	ND	0.039
12	Copper	ND	ND	ND
13	Chromium	0.073	0.103	0.004
14	Lead	ND	0.858	ND

Visarjan kund at Babaghat , Katni.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	—	7.83	
2	Total Solids	—		
3	Dissolved Solids	—	672	
4	D.Oxygen	KUND NOT PREPARED	6.4	
5	BOD		5.6	
6	COD		30	
7	Turbidity	—	16	
8	Conductivity	—	638	
9	Nickle	—	ND	
10	Iron	—	ND	
11	Zinc	—	ND	
12	Copper	—	ND	
13	Chromium	—	0.174	
14	Lead	—	1.262	

Jaderua Dam Gwalior.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.04	7.34	7.37
2	Total Solids	657	663	718
3	Dissolved Solids	600	600	670
4	D.Oxygen	nil	nil	1.5
5	BOD	nil	nil	nil
6	COD	87.84	95.58	109.74
7	Turbidity	—	120	41.4
8	Conductivity	982	991	1073
9	Chromium	ND	—	1.929
10	Lead	ND	—	ND
11	Zinc	ND	—	ND
12	Copper	ND	—	ND

Sagar Taal, Gwalior

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.12	7.22	7.38
2	Total Solids	596	1012	984
3	Dissolved Solids	544	678	659
4	D.Oxygen	4.5	nil	nil
5	BOD	2.2	0	0
6	COD	20	29.41	176.82
7	Turbidity	10	18	39.5
8	Conductivity	890	1012	984
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND

11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Katora Taal, Gwalior.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.33	7.54	7.23
2	Total Solids	387	564	946
3	Dissolved Solids	323	500	900
4	D.Oxygen	5.8	5	6
5	BOD	2.8	2.6	2.5
6	COD	70.99	36.6	121.6
7	Turbidity	14.8	2.9	1.1
8	Conductivity	578	842	1412
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pandit Ghat ,Sheopur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.73	7.87	7.87
2	Total Solids	672	683	698
3	Dissolved Solids	600	610	600
4	D.Oxygen	7.3	7	6.8
5	BOD	2.7	2.9	2.6
6	COD	76.92	80.52	88.23
7	Turbidity	107.9	120	98
8	Conductivity	1003	1020	1043
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.03	ND	0.003

Badolkar Talab, Morena.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.32	7.65	7.85
2	Total Solids	690	680	470
3	Dissolved Solids	622	600	400
4	D.Oxygen	3	2.5	3.3
5	BOD	2	2.4	2.2
6	COD	36.76	58.82	109.44
7	Turbidity	27.5	38.8	42.7
8	Conductivity	1031	1016	702
9	Chromium	0.022	0.212	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.127	0.011	ND

Kwari River,disst. Morena

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.3	7.72	7.88
2	Total Solids	262	147	268
3	Dissolved Solids	200	108	204
4	D.Oxygen	7.4	7	6.8
5	BOD	2.8	2.8	2.8
6	COD	14.8	21.73	30

7	Turbidity	7.5	8.5	9.2
8	Conductivity	392	220	400
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Asan Cheda Pool ,Morena.

S. No.	parameter	Pre Immersion	During Immersion	After one week
	parameter	2019	2019	2019
1	pH	7.3	7.5	7.78
2	Total Solids	932	975	398
3	Dissolved Solids	864	900	346
4	D.Oxygen	6.8	6	6
5	BOD	2.2	2.5	2.3
6	COD	22.05	44.11	115.5
7	Turbidity	7.5	19.8	23.7
8	Conductivity	1392	1456	595
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	0.041	ND	ND
12	Copper	0.031	0.088	ND

Gauri Sarover, Bhind.

S. No.	parameter	Pre Immersion	During Immersion	After one week
	parameter	2019	2019	2019
1	pH	7.88	7.66	7.73
2	Total Solids	412	767	344
3	Dissolved Solids	364	700	300
4	D.Oxygen	6.2	5.7	3.8
5	BOD	2.4	3.4	3.5
6	COD	40	73.52	67.07
7	Turbidity	5.8	16.2	6.1
8	Conductivity	644	1146	514
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	0.03	0.008

Lala Ka Taal, Datia.

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.54	7.56	7.69
2	Total Solids	397	426	390
3	Dissolved Solids	369	372	332
4	D.Oxygen	2.9	2.2	6
5	BOD	2	2.1	2.4
6	COD	14.7	58.82	85.36
7	Turbidity	66.6	78	19.6
8	Conductivity	578	636	583
9	Chromium	ND	0.146	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	0.017	ND

Sita Sagar, Datia.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.22	7.52	7.56
2	Total Solids	494	540	408

3	Dissolved Solids	424	488	356
4	D.Oxygen	2	2.8	2
5	BOD	2	2.4	1.8
6	COD	14.64	36.76	79.04
7	Turbidity	15.5	19.4	24
8	Conductivity	664	606	610
9	Chromium	8.044	ND	0.285
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	0.016

Karan Tal, Datia.

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.34	7.52	7.75
2	Total Solids	391	420	387
3	Dissolved Solids	336	371	300
4	D.Oxygen	4.6	4.2	4
5	BOD	2.5	2.8	2.6
6	COD	15.8	29.41	103.6
7	Turbidity	11.4	18.8	11
8	Conductivity	525	580	578
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Barjara Dam, Sheopur

YEAR -2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.55	8.32	8.22
2	Total Solids	204	288	280
3	Dissolved Solids	165	190	170
4	D.Oxygen	7.5	4.7	4
5	BOD	1.8	2.3	2
6	COD	46.3	52.17	55.16
7	Turbidity	7.5	12	8.2
8	Conductivity	410	430	417
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	0.003
12	Copper	0.003	ND	ND

River Shivghat at Jaisinghpura, Neemuch.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.21	7.56	7.28
2	Total Solids	742	722	734
3	Dissolved Solids	650	640	656
4	D.Oxygen	7.1	7.2	7
5	BOD	2	2.2	2.1
6	COD	16	18	14
7	Turbidity	76	72.5	68
8	Conductivity	816	799	818
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Maleni at road bridge, Jaora.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.36	7.58	7.41
2	Total Solids	460	500	404
3	Dissolved Solids	292	288	282
4	D.Oxygen	7.3	7.4	7.4
5	BOD	1.8	2	2.2
6	COD	14	12	12
7	Turbidity	146	198	104
8	Conductivity	364	356	350
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Chambal near Khachrod Road Chamundamata Mandir, Nagda.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.92	7.8	7.9
2	Total Solids	468	612	436
7	Dissolved Solids	280	304	246
4	D.Oxygen	6.2	6.2	6.4
5	BOD	1.8	2	1.7
6	COD	20	22	20
7	Turbidity	178	286	172
8	Conductivity	362	380	310
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Hira mill talab near zero point bridge,ujjain

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	6.91	7.2	6.49
2	Total Solids	820	998	1162
7	Dissolved Solids	780	910	1094
4	D.Oxygen	6	7.2	6.1
5	BOD	1	1.8	2
6	COD	10	12	11
7	Turbidity	28	78	50
8	Conductivity	981	1125	1250
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River kshipra at kalyadeh palace,ujjain

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.6	7.71	7.64
2	Total Solids	922	1008	838
7	Dissolved Solids	704	690	648
4	D.Oxygen	7.1	7.6	7.2
5	BOD	3.3	3.4	3.2
6	COD	20	24	22
7	Turbidity	188	298	156

8	Conductivity	877	864	800
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Parshukhedi talab at Agar

YEAR -2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.1	6.94	7.5
2	Total Solids	288	272	278
7	Dissolved Solids	248	240	256
4	D.Oxygen	7.6	7.4	7.3
5	BOD	1	1.1	1
6	COD	10	10	10
7	Turbidity	24	26.8	20.4
8	Conductivity	306	299	319
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Shri hanuman tal,Ratlam

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.29	7.17	7.28
2	Total Solids	442	504	422
7	Dissolved Solids	406	422	384
4	D.Oxygen	7.2	7.3	6
5	BOD	1.2	1.4	1.1
6	COD	12	14	12
7	Turbidity	24.9	68	26
8	Conductivity	510	524	478
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Shail mining multanpura,mandsaur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.25	6.94	6.5
2	Total Solids	488	552	490
7	Dissolved Solids	420	454	470
4	D.Oxygen	6.6	6.7	6.1
5	BOD	1.2	1.8	1.6
6	COD	14	13	12
7	Turbidity	48	78	20
8	Conductivity	532	567	590
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Narmada River at Nemawar, Dewas

YEAR -2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.1	7.26	7.51
2	Total Solids	298	298	280

3	Dissolved Solids	158	148	140
4	D.Oxygen	7.1	7.2	7
5	BOD	1.8	1.9	1.7
6	COD	10	10	10
7	Turbidity	126	138	120
8	Conductivity	196	184	179
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond Water at Kalukhedi Talab, Dewas.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.7	7.8	7.2
2	Total Solids	354	402	290
3	Dissolved Solids	308	304	260
4	D.Oxygen	6.3	7.2	6.6
5	BOD	1.8	2	2
6	COD	10	10	10
7	Turbidity	26	74	28
8	Conductivity	382	380	325
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Temporary Kund near jail at Shajapur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	6.94	6.86	6.96
2	Total Solids	428	396	440
3	Dissolved Solids	388	338	398
4	D.Oxygen	7.1	7.1	6.8
5	BOD	1.2	1.2	1.3
6	COD	12	11	13
7	Turbidity	20.6	46	26.4
8	Conductivity	473	418	498
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Singwasa Pond at Guna

YEAR -2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.1	7.65	8.02
2	Total Solids	172	702	716
3	Dissolved Solids	112	624	620
4	D.Oxygen	7.8	6.2	7.5
5	BOD	1.8	2.2	2.5
6	COD	29.12	29.18	39.68
7	Turbidity	34.7	48	49.8
8	Conductivity	257	1048	1068
9	Chromium	N.D.	N.D.	N.D.
10	Lead	0.03	0.07	N.D.
11	Zinc	N.D.	N.D.	N.D.
12	Copper	N.D.	N.D.	N.D.

**Water Monitoring Report during Ganesha IDOL Immersion
Tulsi Pond at Ashoknagar**

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.25	7.05	7.98
2	Total Solids	174	958	388
3	Dissolved Solids	128	900	280
4	D.Oxygen	6.2	6	6.8
5	BOD	2.3	3	2.9
6	COD	36.48	29.18	39.68
7	Turbidity	3.1	12	16.8
8	Conductivity	260	1431	580
9	Chromium	N.D.	N.D.	N.D.
10	Lead	0.02	0.05	0.05
11	Zinc	N.D.	N.D.	N.D.
12	Copper	N.D.	N.D.	N.D.

Gauri ganesh kund,shivpuri

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7	7.6	8
2	Total Solids	482	673	715
3	Dissolved Solids	424	625	680
4	D.Oxygen	6	5.7	6.8
5	BOD	2.2	2.6	2.3
6	COD	14	14.59	47.6
7	Turbidity	0.8	10	9.8
8	Conductivity	720	1005	1068
9	Chromium	N.D.	N.D.	N.D.
10	Lead	0.04	0.09	0.07
11	Zinc	N.D.	N.D.	N.D.
12	Copper	0.01	N.D.	N.D.

Pond near Neewaj River u/s. At Rajgarh.

YEAR -2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	8.09	8.16
2	Total Solids	268	280	361
3	Dissolved Solids	208	216	300
4	D.Oxygen	6.4	6.2	6.5
5	BOD	1.8	2	1.9
6	COD	14.59	36.48	47.61
7	Turbidity	3.5	26	30
8	Conductivity	400	418	540
9	Chromium	N.D.	N.D.	N.D.
10	Lead	0.03	0.1	0.02
11	Zinc	N.D.	N.D.	N.D.
12	Copper	N.D.	0.07	N.D.

Morwa Nalla Stop Dam Near Railway Station

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.4	7.5
2	Total Solids	286	296	297
3	Dissolved Solids	194	201	207
4	D.Oxygen	6.9	6.7	6.8
5	COD	35	39	37
6	Conductivity	7.5	7.4	310
7	Chromium	N.D.	N.D.	N.D.
8	Lead	N.D.	N.D.	N.D.
9	Zinc	N.D.	N.D.	N.D.
10	Copper	N.D.	N.D.	2.316

Mudawani Dam, Jayant

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.3	7.2	7.3
2	Total Solids	352	356	358
3	Dissolved Solids	255	261	268
4	D.Oxygen	7.2	7.1	7.2
5	COD	33	35	34
6	Conductivity	380	7.2	400
7	Chromium	N.D.	N.D.	N.D.
8	Lead	N.D.	N.D.	N.D.
9	Zinc	N.D.	N.D.	N.D.
10	Copper	0.99	0.162	2.208

YEAR -2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.91	8.21	8.34
2	Total Solids	719	723	723
3	Dissolved Solids	622	626	534
4	D.Oxygen	6.9	7	6.8
5	BOD	2.8	3.8	2.8
6	COD	20	20	28
7	Turbidity	6	12	12
8	Conductivity	746	821	714
9	Chromium	BDL	BDL	—
10	Lead	BDL	BDL	—
11	Zinc	BDL	BDL	—

YEAR -2019

Mayar River near mayar road bridge Vill. Toasakhand.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.4	7.5
2	Total Solids	299	307	297
3	Dissolved Solids	154	167	207
4	D.Oxygen	7.1	6.9	6.8
5	COD	32	40	37
6	Conductivity	230	250	310
7	Chromium	N.D.	N.D.	N.D.
8	Lead	N.D.	N.D.	N.D.
9	Zinc	N.D.	N.D.	N.D.
10	Copper	N.D.	N.D.	N.D.

Pench river at chhidwara ,near singori road bridge

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.49	8.24	7.71
2	Total Solids	645	811	711
3	Dissolved Solids	459	713	624
4	D.Oxygen	7	6.8	7.2
5	BOD	2.8	2.8	2.8
6	COD	16	20	12
7	Turbidity	8	16	6
8	Conductivity	893	833	811
9	Chromium	BDL	BDL	—
10	Lead	N.A.	BDL	—
11	Zinc	BDL	N.A.	—

River Kulbahra chhindwara ,near nagpur road bridge

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.35	7.93	7.39
2	Total Solids	621	733	671
3	Dissolved Solids	555	639	582
4	D.Oxygen	7.2	6.8	7
5	BOD	2.8	3.2	2.8
6	COD	16	20	12
7	Turbidity	2	12	8
8	Conductivity	710	883	661
9	Chromium	BDL	BDL	—
10	Lead	N.A.	BDL	—
11	Zinc	BDL	BDL	—

Kanhan river at damua ,Chhindwara,after mixing Nandan Coal Wash waste

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.93	6.93	7.71
2	Total Solids	661	821	611
3	Dissolved Solids	588	632	542
4	D.Oxygen	7.2	6.8	7
5	BOD	2.6	3.8	2.8
6	COD	16	28	12
7	Turbidity	6	20	6
8	Conductivity	693	833	661
9	Chromium	BDL	BDL	—
10	Lead	BDL	BDL	—
11	Zinc	BDL	BDL	—

.....

Durga IDOL Immersion

Water Monitoring Report during Durga IDOL Immersion

Devi talab at Balaghat

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.39	7.6	7.5
2	Total Solids	510	530	518
3	Dissolved Solids	469	477	472
4	D.Oxygen	7.6	7	7.2
5	BOD	2.1	2.8	2.5
6	COD	30	32	30
7	Turbidity	24	28	26
8	Conductivity	583	592	588
9	Chromium	0.028	0.037	0.033
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.069	0.071	0.07

River narmada at Gwarighat , Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.14	8.36	8.24
2	Total Solids	273	280	278
3	Dissolved Solids	242	253	248
4	D.Oxygen	7.6	7.5	7.7
5	BOD	1.3	1.2	1.2
6	COD	17	19	18
7	Turbidity	3	4	3
8	Conductivity	301	318	310
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Tilwaraghata Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	8.53	8.19
2	Total Solids	281	293	287
3	Dissolved Solids	252	261	259
4	D.Oxygen	7.8	7.7	7.8
5	BOD	1.2	1.4	1.3
6	COD	20	22	21
7	Turbidity	3	3	3
8	Conductivity	314	321	318
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Visarjan kund at Adhartal, Jabalpur.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.41	7.71	7.71
2	Total Solids	377	390	458
3	Dissolved Solids	345	335	416
4	D.Oxygen	6.9	6.5	7
5	BOD	3.1	3	2.2
6	COD	29	34	20
7	Turbidity	16	18	15
8	Conductivity	431	481	448

9	Chromium	0.068	0.073	0.071
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.024	0.031	0.03

Hanumantal, Jabalpur

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.19	7.83	7.21
2	Total Solids	661	672	667
3	Dissolved Solids	626	635	633
4	D.Oxygen	6.1	6	6
5	BOD	4.8	5	3.2
6	COD	36	38	35
7	Turbidity	17	18	17
8	Conductivity	783	794	791
9	Chromium	BDL	0.024	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.063	0.054

Gokalpurtal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.44	7.21	7.18
2	Total Solids	467	526	510
3	Dissolved Solids	431	484	478
4	D.Oxygen	6.2	5	5.4
5	BOD	7	13	12
6	COD	32	34	35
7	Turbidity	16	19	17
8	Conductivity	530	549	534
9	Chromium	BDL	0.034	0.028
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.074	0.068

River Narmada near road bridge at Mandla

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.32	8.44	8.36
2	Total Solids	299	314	296
3	Dissolved Solids	261	266	264
4	D.Oxygen	7.8	7.6	7.7
5	BOD	1.2	1.3	1.2
6	COD	26	27	25
7	Turbidity	4	5	5
8	Conductivity	324	326	325
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Chinkighat, Narsinghpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	8.43	8.54
2	Total Solids	267	299	298
3	Dissolved Solids	255	260	256
4	D.Oxygen	7.8	7.8	7.6
5	BOD	1.3	1.2	1.2
6	COD	24	25	25
7	Turbidity	4	5	4

8	Conductivity	318	324	320
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Wainganga at Lakhwanwada, Seoni.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.34	7.5	7.45
2	Total Solids	279	377	315
3	Dissolved Solids	255	323	267
4	D.Oxygen	7.2	7	7.1
5	BOD	1.8	2.2	1.9
6	COD	28	32	27
7	Turbidity	6	7	6
8	Conductivity	319	328	324
9	Chromium	0.014	0.022	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.069	0.073	0.071

Wainganga river near road bridge at Balaghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	7.5	7.4
2	Total Solids	294	362	318
3	Dissolved Solids	260	314	276
4	D.Oxygen	7.4	7	7.1
5	BOD	1.8	2	1.6
6	COD	32	30	31
7	Turbidity	6	7	7
8	Conductivity	321	338	326
9	Chromium	0.019	0.032	0.021
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.044	0.056	0.048

Visarjan kund at gwarighat ,jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.43	8.61	8.64
2	Total Solids	324	350	336
3	Dissolved Solids	289	303	296
4	D.Oxygen	7	6	6.2
5	BOD	2.1	2.6	2.2
6	COD	28	32	30
7	Turbidity	10	14	11
8	Conductivity	361	378	370
9	Chromium	0.069	0.071	0.066
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.049	0.058	0.052

Visarjan kund at tilwaraghata ,jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.39	8.41	8.66
2	Total Solids	341	358	347
3	Dissolved Solids	301	316	314
4	D.Oxygen	7.4	6.8	6.9
5	BOD	2.8	2.9	2.9
6	COD	32	46	38

7	Turbidity	11	16	13
8	Conductivity	394	398	397
9	Chromium	0.018	0.021	0.019
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.044	0.053	0.049

Adhartal,jabalpur.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.81	7.68	7.31
2	Total Solids	447	461	458
3	Dissolved Solids	408	423	416
4	D.Oxygen	6	5.8	5.9
5	BOD	4.8	5.1	3
6	COD	31	33	32
7	Turbidity	18	19	18
8	Conductivity	510	528	520
9	Chromium	BDL	0.043	0.036
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.088	0.074

Katni river ,gatar ghat

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.38	8.39	8.34
2	Total Solids	—	—	—
3	Dissolved Solids	366	394	356
4	D.Oxygen	6.6	6.2	6.7
5	BOD	1.8	4	2
6	COD	32	80	30
7	Turbidity	8	14	4
8	Conductivity	390	410	443
9	Chromium	0.125	ND	0.052
10	Iron	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	0.949	1.206	1.136
13	Manganese	ND	ND	ND
14	Nickle	ND	ND	ND

River Betwa Charantirthghat, Vidisha

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.02	7.94	8.04
2	Total Solids	262	406	292
3	Dissolved Solids	216	338	238
4	D.Oxygen	8.3	5.8	—
5	BOD	1.4	3.8	—
6	COD	19.6	30	—
7	Turbidity	19.6	34.8	24.8
8	Conductivity	318.8	482.4	342.6
9	Chromium	ND	ND	—
10	Lead	ND	ND	—
11	Zinc	ND	0.01	—
12	Copper	0.01	0.02	—
13	suspended-solids	46	68	54

Water Monitoring Report during Durga IDOL Immersion
Bairagarh Visarjan ghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.98	7.53	7.88
2	Total Solids	226	314	252
3	Dissolved Solids	204	258	216
4	D.Oxygen	8.4	5.2	—
5	BOD	1.4	3.6	—
6	COD	19.6	30	—
7	Turbidity	12.6	22.3	15.5
8	Conductivity	314.4	396.7	333.4
9	Chromium	ND	ND	—
10	Lead	ND	0.05	—
11	Zinc	0.01	0.03	—
12	Copper	0.02	0.03	—
13	suspended-solids	22	56	36

Khatalapura ghat, Bhopal.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.18	7.39	7.89
2	Total Solids	298	428	352
3	Dissolved Solids	272	360	298
4	D.Oxygen	8	4.7	—
5	BOD	6.3	14	—
6	COD	29.4	60	—
7	Turbidity	12.6	22.9	17.3
8	Conductivity	416.8	524.6	474.3
9	Chromium	ND	ND	—
10	Lead	ND	ND	—
11	Zinc	ND	0.2	—
12	Copper	0.01	0.14	—
13	Suspended-solids	36	68	54

Narmada river near korighat,hoshangabad

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.09	7.55	7.98
2	Total Solids	200	274	220
3	Dissolved Solids	176	238	192
4	D.Oxygen	8	6.1	—
5	BOD	1.2	2.8	—
6	COD	9.8	20	—
7	Turbidity	14.2	31.2	21.9
8	Conductivity	272.6	338.8	296.7
9	Chromium	ND	ND	—
10	Lead	ND	ND	—
11	Zinc	ND	0.06	—
12	Copper	0.01	0.12	—
13	suspended-solids	24	26	28

River Narmada vivekanand ghat,Hoshangabad

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.33	7.6	7.99
2	Total Solids	202	284	234
3	Dissolved Solids	172	232	190
4	D.Oxygen	7.9	5.3	—
5	BOD	1.5	2.5	—
6	COD	9.8	20	—
7	Turbidity	9.9	18.6	12

8	Conductivity	287.9	328.5	295.9
9	Chromium	ND	ND	-
10	Lead	ND	ND	-
11	Zinc	ND	0.01	-
12	Copper	0.01	0.13	-
13	suspended-solids	30	52	44

Prempura ghat, Bhopal.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.42	7.93	8.01
2	Total Solids	220	322	252
3	Dissolved Solids	178	244	194
4	D.Oxygen	8.2	5.2	-
5	BOD	2.3	5.2	-
6	COD	19.6	30	-
7	Turbidity	8.4	19.8	10.2
8	Conductivity	294.3	348.2	308.6
9	Chromium	ND	ND	-
10	Lead	ND	ND	-
11	Zinc	ND	0.04	-
12	Copper	0.02	0.15	-
13	suspended-solids	42	78	58

Shahpura Visarjan ghat, Bhopal.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.28	7.72	7.94
2	Total Solids	568	762	596
3	Dissolved Solids	516	674	528
4	D.Oxygen	6.9	4.7	-
5	BOD	5.7	16	-
6	COD	29.4	60	-
7	Turbidity	16.8	28.3	19.2
8	Conductivity	794.8	996.8	812.8
9	Chromium	ND	ND	-
10	Lead	ND	0.02	-
11	Zinc	0.04	0.1	-
12	Copper	0.02	0.09	-
13	suspended-solids	52	88	68

River Narmada near 50m D/S Sethanighat, Hoshangabad.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.13	7.78	7.85
2	Total Solids	224	342	254
3	Dissolved Solids	196	268	212
4	D.Oxygen	8.1	6.2	-
5	BOD	1.3	2.9	-
6	COD	9.8	30	-
7	Turbidity	15.1	21.2	17.7
8	Conductivity	294.8	377.9	319.7
9	Chromium	ND	ND	-
10	Lead	ND	ND	-
11	Zinc	ND	0.04	-
12	Copper	0.01	0.09	-
13	Suspended-solids	28	74	42

Water Monitoring Report during Durga IDOL Immersion
Dal sagar at seoni

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.21	8.33	7.24
2	Total Solids	484	517	510
3	Dissolved Solids	449	467	458
4	D.Oxygen	6.8	6.1	6.5
5	BOD	13	18	15
6	COD	24	28	26
7	Turbidity	11	14	12
8	Conductivity	561	583	572
9	Chromium	0.026	0.031	0.03
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.048	0.054	0.05

Devi talab at Balaghat

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.39	7.6	7.5
2	Total Solids	510	530	518
3	Dissolved Solids	469	477	472
4	D.Oxygen	7.6	7	7.2
5	BOD	2.1	2.8	2.5
6	COD	30	32	30
7	Turbidity	24	28	26
8	Conductivity	583	592	588
9	Chromium	0.028	0.037	0.033
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.069	0.071	0.07

River narmada at Gwarighat ,jabalpur

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.14	8.36	8.24
2	Total Solids	273	280	278
3	Dissolved Solids	242	253	248
4	D.Oxygen	7.6	7.5	7.7
5	BOD	1.3	1.2	1.2
6	COD	17	19	18
7	Turbidity	3	4	3
8	Conductivity	301	318	310
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Tilwaraghata jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	8.53	8.19
2	Total Solids	281	293	287
3	Dissolved Solids	252	261	259
4	D.Oxygen	7.8	7.7	7.8
5	BOD	1.2	1.4	1.3
6	COD	20	22	21
7	Turbidity	3	3	3
8	Conductivity	314	321	318
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL

11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

Visarjan kund at Adhartal, Jabalpur.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.41	7.71	7.71
2	Total Solids	377	390	458
3	Dissolved Solids	345	335	416
4	D.Oxygen	6.9	6.5	7
5	BOD	3.1	3	2.2
6	COD	29	34	20
7	Turbidity	16	18	15
8	Conductivity	431	481	448
9	Chromium	0.068	0.073	0.071
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.024	0.031	0.03

Hanumantal, Jabalpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.19	7.83	7.21
2	Total Solids	661	672	667
3	Dissolved Solids	626	635	633
4	D.Oxygen	6.1	6	6
5	BOD	4.8	5	3.2
6	COD	36	38	35
7	Turbidity	17	18	17
8	Conductivity	783	794	791
9	Chromium	BDL	0.024	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.063	0.054

Gokalpurtal, Jabalpur

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.44	7.21	7.18
2	Total Solids	467	526	510
3	Dissolved Solids	431	484	478
4	D.Oxygen	6.2	5	5.4
5	BOD	7	13	12
6	COD	32	34	35
7	Turbidity	16	19	17
8	Conductivity	530	549	534
9	Chromium	BDL	0.034	0.028
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.074	0.068

River Narmada near road bridge at Mandla

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.32	8.44	8.36
2	Total Solids	299	314	296
3	Dissolved Solids	261	266	264
4	D.Oxygen	7.8	7.6	7.7
5	BOD	1.2	1.3	1.2
6	COD	26	27	25
7	Turbidity	4	5	5
8	Conductivity	324	326	325
9	Chromium	BDL	BDL	BDL

10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Narmada at Chinkighat, Narsinghpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	8.43	8.54
2	Total Solids	267	299	298
3	Dissolved Solids	255	260	256
4	D.Oxygen	7.8	7.8	7.6
5	BOD	1.3	1.2	1.2
6	COD	24	25	25
7	Turbidity	4	5	4
8	Conductivity	318	324	320
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	BDL	BDL

River Wainganga at Lakhawada, Seoni

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.34	7.5	7.45
2	Total Solids	279	377	315
3	Dissolved Solids	255	323	267
4	D.Oxygen	7.2	7	7.1
5	BOD	1.8	2.2	1.9
6	COD	28	32	27
7	Turbidity	6	7	6
8	Conductivity	319	328	324
9	Chromium	0.014	0.022	0.018
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.069	0.073	0.071

Wainganga river near road bridge at Balaghat

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.61	7.5	7.4
2	Total Solids	294	362	318
3	Dissolved Solids	260	314	276
4	D.Oxygen	7.4	7	7.1
5	BOD	1.8	2	1.6
6	COD	32	30	31
7	Turbidity	6	7	7
8	Conductivity	321	338	326
9	Chromium	0.019	0.032	0.021
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.044	0.056	0.048

Visarjan kund at gwarighat jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.43	8.61	8.64
2	Total Solids	324	350	336
3	Dissolved Solids	289	303	296
4	D.Oxygen	7	6	6.2
5	BOD	2.1	2.6	2.2
6	COD	28	32	30
7	Turbidity	10	14	11
8	Conductivity	361	378	370

9	Chromium	0.069	0.071	0.066
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.049	0.058	0.052

Visarjan kund at tilwaraghat jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.39	8.41	8.66
2	Total Solids	341	358	347
3	Dissolved Solids	301	316	314
4	D.Oxygen	7.4	6.8	6.9
5	BOD	2.8	2.9	2.9
6	COD	32	46	38
7	Turbidity	11	16	13
8	Conductivity	394	398	397
9	Chromium	0.018	0.021	0.019
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	0.044	0.053	0.049

Adhartal,jabalpur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.81	7.68	7.31
2	Total Solids	447	461	458
3	Dissolved Solids	408	423	416
4	D.Oxygen	6	5.8	5.9
5	BOD	4.8	5.1	3
6	COD	31	33	32
7	Turbidity	18	19	18
8	Conductivity	510	528	520
9	Chromium	BDL	0.043	0.036
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	BDL	0.088	0.074

Katni river , Gatar ghat

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.38	8.39	8.34
2	Dissolved Solids	366	394	356
3	D.Oxygen	6.6	6.2	6.7
4	BOD	1.8	4	2
5	COD	32	80	30
6	Turbidity	8	14	4
7	Conductivity	390	410	443
8	Chromium	0.125	ND	0.052
9	Iron	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	0.949	1.206	1.136
12	Manganese	ND	ND	ND
13	Nickle	ND	ND	ND

Gatar ghat,kund near katni river,

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH		8.41	
2	Dissolved Solids		394	
3	D.Oxygen	NOT PREPARED	6	
4	BOD		4.4	KUND DISMANTELED
5	COD		80	
6	Turbidity		20	

7	Conductivity		430	
8	Chromium		0.042	
9	Iron		ND	
10	Zinc		ND	
11	Copper		0.025	
12	Manganese		ND	
13	Nickle		ND	

River Katni at Mahanghat Katni. M.P.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.32	8.36	7.89
2	Dissolved Solids	344	388	342
3	D.Oxygen	7.2	7	7.5
4	BOD	1.6	3	1.9
5	COD	32	72	28
6	Turbidity	6	12	5
7	Conductivity	360	410	402
8	Chromium	0.146	ND	0.118
9	Iron	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	2.53	3.684	2.789
12	Manganese	ND	ND	ND
13	Nickle	ND	ND	ND

Visarjan kund at Mahanghat Katni. M.P.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH		8.38	
2	Total Solids		—	
3	Dissolved Solids		386	
4	D.Oxygen		6.8	
5	BOD	KUND NOT PREPARED	4	KUND DISMANTELED
6	COD		80	
7	Turbidity		12	
8	Conductivity		410	
9	Chromium		ND	
10	Iron		ND	
11	Zinc		ND	
12	Copper		ND	
13	Manganese		ND	
14	Nickle		ND	

River Simrar at Babaghat Katni.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.35	-	7.81
2	Dissolved Solids	362	418	328
3	D.Oxygen	7.2	6.8	7.4
4	BOD	1.8	3	1.8
5	COD	32	40	26
6	Turbidity	8	7	6
7	Conductivity	370	516	386
8	Nickle	ND	ND	ND
9	Iron	ND	ND	ND
10	Zinc	ND	ND	ND
11	Copper	1.55	1.834	1.663
12	Chromium	0.087	ND	ND
13	Manganese	ND	ND	ND
14	Nickle	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
Visarjan kund at Babaghata, Katni.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH		8.39	KUND DISMANTELED
2	Dissolved Solids		404	
3	D.Oxygen	NOT PREPARED	6.8	
4	BOD		3.2	
5	COD		64	
6	Turbidity		10	
7	Conductivity		430	
8	Nickle		ND	
9	Iron		ND	
10	Zinc		ND	
11	Copper		ND	
12	Chromium		ND	
13	Manganese		ND	

Singwasa Pond at Guna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.17	7.28	7.65
2	Total Solids	677	189	227
3	Dissolved Solids	619	125	200
4	D.Oxygen	6.8	3.9	1.5
5	BOD	3	2.5	-
6	COD	50	57	66.6
7	Turbidity	1.1	5.7	13.8
8	Conductivity	1011	283	339
9	Chromium	0.05	0.06	0.21
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Tulsi Pond at Ashoknagar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.85	7.15	7.86
2	Total Solids	152	330	232
3	Dissolved Solids	100	282	200
4	D.Oxygen	5	4.4	4
5	BOD	2.5	3	2.9
6	COD	40	47	63.6
7	Turbidity	19.9	4.6	14.6
8	Conductivity	227	494	347
9	Chromium	0.04	0.08	0.12
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond near Neewaj river, rajgarh

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.64	7.17	7.73
2	Total Solids	603	196	213
3	Dissolved Solids	555	156	165
4	D.Oxygen	4.8	7.6	5.9
5	BOD	2	2.2	2.1
6	COD	40	47.6	54.48
7	Turbidity	2	3.2	8.5
8	Conductivity	906	293	319

9	Chromium	0.08	0.03	0.14
10	Lead	ND	ND	ND
11	Zinc	ND	ND	0.287
12	Copper	ND	ND	ND

Shri Gauri Ganesh Kund near Jadshivpuri

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.2	7.07	7.38
2	Total Solids	622	289	282
3	Dissolved Solids	566	229	214
4	D.Oxygen	5.6	5	4.5
5	BOD	2.2	2.6	2.4
6	COD	50	57.12	63.6
7	Turbidity	1	1.5	3.3
8	Conductivity	929	432	421
9	Chromium	0.05	0.04	0.15
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Morwa Nalla Stop Dam Near Railway Station

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.6	7.5
2	Total Solids	286	317	298
3	Dissolved Solids	201	207	208
4	D.Oxygen	6.8	6.7	6.8
5	COD	35	37	32
6	Conductivity	300	310	310
7	Chromium	0.073	0.015	0.091
8	Lead	ND	ND	0.54
9	Zinc	ND	ND	ND
10	Copper	ND	ND	1.792

Mudawani Dam, Jayant

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.4	7.5	7.5
2	Total Solids	356	388	319
3	Dissolved Solids	261	268	221
4	D.Oxygen	7.1	7	7.1
5	COD	33	38	35
6	Conductivity	390	400	330
7	Chromium	ND	ND	0.044
8	Lead	ND	ND	0.367
9	Zinc	ND	ND	ND
10	Copper	ND	ND	1.815

Mayar River near Mayar road bridge Vill. Toasakhand.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.5	7.6	7.5
2	Total Solids	280	308	323
3	Dissolved Solids	160	168	228
4	D.Oxygen	7	6.9	7
5	COD	34	36	34
6	Conductivity	240	250	340
7	Chromium	0.007	0.006	0.068
8	Lead	ND	ND	0.066
9	Zinc	ND	ND	ND
10	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
Kund water near Bagdun Talab, Pithampur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.24	8.2	8.37
2	Total Solids	439	553	491
3	Dissolved Solids	422	530	472
4	D.Oxygen	6.5	5.6	6.2
5	BOD	1.4	2	1.7
6	COD	10	20.74	14.82
7	Turbidity	8.7	18.56	9.7
8	Conductivity	604	816	720
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund water near Sanjay Jalashay, Pithampur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	8.2	8.34	8.18
2	Total Solids	273	429	390
3	Dissolved Solids	258	404	374
4	D.Oxygen	7.3	5.2	6.6
5	BOD	1.3	2.2	1.2
6	COD	12	24	17.78
7	Turbidity	4.5	6.9	3.8
8	Conductivity	380	704	570
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Satna river satna near bridge, Distt Satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.5	6.9	7.3
2	Total Solids	940	1170	1030
3	Dissolved Solids	830	960	895
4	D.Oxygen	7.2	6.5	6.9
5	BOD	2.2	2.8	2.4
6	COD	44	70	64
7	Chromium	ND	ND	ND
8	Lead	0.097	ND	ND
9	Zinc	ND	ND	ND
10	Copper	0.108	0.038	0.878

Satna river satna near bridge, Distt Satna

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	8.1	7.7
2	Total Solids	640	1078	930
3	Dissolved Solids	570	780	710
4	D.Oxygen	7.1	6.2	6.8
5	BOD	2.4	2.7	2.5
6	COD	36	80	54
7	Chromium	ND	ND	ND
8	Lead	0.097	ND	ND
9	Zinc	ND	ND	ND
10	Copper	0.108	0.038	0.878

Water Monitoring Report during Durga IDOL Immersion
River Tomus at madhavgarh near bridge , distt-satna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.4	7.9	7.8
2	Total Solids	730	1270	1040
3	Dissolved Solids	640	989	890
4	D.Oxygen	7.3	6.6	7
5	BOD	2.2	2.8	2.5
6	COD	40	70	48
7	Chromium	ND	ND	ND
8	Lead	0.089	ND	ND
9	Zinc	ND	ND	ND
10	Copper	1.259	0.681	ND

River Bicchiya near, Road bridge Rewa.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.79	8.21	7.84
2	Total Solids	411	1508	410
3	Dissolved Solids	368	1348	362
4	D.Oxygen	6.3	4	6.1
5	BOD	1.8	6	2
6	COD	9.82	49.1	10.8
7	Turbidity	20	115	19
8	Conductivity	415	1.554	424

River Bihar at Baba Ghat (Designated site), Temporary Bund Rewa

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	8.46	7.94
2	Total Solids	319	1498	380
3	Dissolved Solids	280	1334	338
4	D.Oxygen	7.1	5.9	6.7
5	BOD	1.6	4	1.7
6	COD	7.85	39.28	9.82
7	Turbidity	18	124	16
8	Conductivity	342	1.572	388

River Sone near Rd, Bridge at Churhat distt. Sidhi

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
		2019	2019	2019
1	pH	7.59	8.1	7.68
2	Total Solids	268	813	295
3	Dissolved Solids	222	662	252
4	D.Oxygen	7.5	6.3	7.1
5	BOD	0.8	2.8	1
6	COD	4.91	19.64	5.89
7	Turbidity	14	76	9
8	Conductivity	277	848	311

River Sone at Gaughat vill. Patpara. Distt. Sidhi

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.65	8.13	7.7
2	Total Solids	260	883	288
3	Dissolved Solids	219	729	248
4	D.Oxygen	7.4	6.1	7.3
5	BOD	1	3.2	1.2
6	COD	3.92	19.64	4.91
7	Turbidity	13	72	10
8	Conductivity	269	896	298

Water Monitoring Report during Durga IDOL Immersion
River Kshipra at Kaliyadeh Palace, Ujjain.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.36	7.4	7.3
2	Total Solids	654	648	704
3	Dissolved Solids	516	504	640
4	D.Oxygen	7.6	7.2	7
5	BOD	3.6	4.6	3.8
6	COD	14	12	14
7	Turbidity	88.6	84.4	24.8
8	Conductivity	874	872.5	910
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Shivghat at Jaisinghpura, Neemuch.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.09	7.14	7.63
2	Total Solids	668	674	704
3	Dissolved Solids	638	640	660
4	D.Oxygen	7.1	7.2	6.4
5	BOD	2.9	2.9	3.2
6	COD	12	14	18
7	Turbidity	16.4	21.7	20.6
8	Conductivity	814	898	819
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Parshukhedi Talab at Agar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.51	7.46	7.63
2	Total Solids	190	198	142
3	Dissolved Solids	140	148	104
4	D.Oxygen	7.4	7.1	7.1
5	BOD	1.6	1.8	2
6	COD	10	12	10
7	Turbidity	10.6	12.8	12.8
8	Conductivity	238	244	248
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

shail mining multanpura,mandsaur

YEAR- 2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.56	7.4	7.56
2	Total Solids	360	378	368
3	Dissolved Solids	340	348	346
4	D.Oxygen	5.9	6	5.6
5	BOD	2.6	2.8	3
6	COD	16	24	26
7	Turbidity	10.7	18.8	14.7
8	Conductivity	540	567	544.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND

11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Hira Mill Talab near point bridge, Ujjain

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.61	7.46	7.5
2	Total Solids	708	768	788
3	Dissolved Solids	688	710	740
4	D.Oxygen	6.9	6.4	7.1
5	BOD	4.6	5	8.8
6	COD	22	26	24
7	Turbidity	10.8	12.8	18.4
8	Conductivity	868	960	964.2
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Chambal near Khachrod road Chamundamata Mandir, Nagda.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.05	8.1	8.2
2	Total Solids	304	348	318
3	Dissolved Solids	280	300	278
4	D.Oxygen	6.7	6.6	7.2
5	BOD	1.8	2.3	1.8
6	COD	10	12	10
7	Turbidity	10.9	14.8	10.5
8	Conductivity	504	564	498.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Shri hanuman tal,ratlam

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.36	8.38	8.26
2	Total Solids	314	368	360
3	Dissolved Solids	314	368	360
4	D.Oxygen	7.1	7.2	7
5	BOD	2.6	3	2.8
6	COD	16	18	12
7	Turbidity	10.5	12.8	8.6
8	Conductivity	468	498	490.6
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River maleni at road bridge, jaora

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.2	8.21	8.21
2	Total Solids	498	490	490
3	Dissolved Solids	480	470	480
4	D.Oxygen	7.1	7.1	7.1
5	BOD	1.8	2	1.8
6	COD	10	12	8
7	Turbidity	1.94	3.68	4.68
8	Conductivity	560	540	594
9	Chromium	ND	ND	ND

10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Narmada river at nemawar,dewas

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.36	7.72	7.9
2	Total Solids	210	312	204
3	Dissolved Solids	200	192	184
4	D.Oxygen	7	7	7.1
5	BOD	2	1.8	1.9
6	COD	14	10	10
7	Turbidity	4.6	6.1	8.4
8	Conductivity	280	276	256
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Temporary kund near jail at Shajapur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.5	7.6	7.64
2	Total Solids	198	204	198
3	Dissolved Solids	168	170	170
4	D.Oxygen	7	6.8	7.1
5	BOD	1.6	1.8	2
6	COD	10	12	10
7	Turbidity	10.5	18.6	11.8
8	Conductivity	286	296	270
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Pond Water at Kalukhedi talab,Dewas

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.64	7.46	7.94
2	Total Solids	288	292	298
3	Dissolved Solids	252	254	278
4	D.Oxygen	6.8	6.7	7
5	BOD	2.9	2.8	3
6	COD	13	14	12
7	Turbidity	24.94	23.4	8.64
8	Conductivity	360	367	348
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Temporary Pond Surfa at Lalpur Distt. Shahdol.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	—	8.34	8.12
2	Total Solids	KUND NOT PREPARED	546	246
3	Dissolved Solids		431	232
4	D.Oxygen		4.8	6.4
5	BOD		2.3	3.4
6	COD		28.8	24
7	Turbidity		55.6	12.9
8	Conductivity		1136.4	436.9

9	Chromium		0.18	0.279
10	Lead		1.363	1.302
11	Zinc		ND	ND
12	Copper		0.76	0.27

Pond Amarkantak, dist. Anuppur.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH		8.23	8.17
2	Total Solids		536	209
3	Dissolved Solids	KUND NOT PREPARED	461	197
4	D.Oxygen		6.3	6.9
5	BOD		2.6	2.1
6	COD		24	19.6
7	Turbidity		42.4	12.3
8	Conductivity		898.3	397.2
9	Chromium		0.154	0.388
10	Lead		1.084	1.368
11	Zinc		ND	ND
12	Copper		1.038	0.946

Pond Dindori, dist. Dindori.

s.no	Parameter	Pre Immersion	During Immersion	After one week
1	pH	—	8.26	8.09
2	Total Solids	—	678	225
3	Dissolved Solids	—	611	211
4	D.Oxygen	KUND NOT PREPARED	5.4	6.4
5	BOD		2.3	2.8
6	COD		28.8	28.8
7	Turbidity		49.3	14.6
8	Conductivity		969.1	319.6
9	Chromium		0.261	0.338
10	Lead		1.18	0.884
11	Zinc		ND	ND
12	Copper		0.64	0.99

Temporary Pond Umaria dist. Umaria.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	—	8.4	8.34
2	Total Solids	—	614	305
3	Dissolved Solids	KUND NOT PREPARED	466	291
4	D.Oxygen		4.4	6.1
5	BOD		3.4	3.4
6	COD	—	24	24
7	Turbidity		60.3	11.4
8	Conductivity		1242.3	512.4
9	Chromium		0.218	0.418
10	Lead	—	1.169	0.719
11	Zinc	—	ND	ND
12	Copper	—	1.72	0.75

River Sarfa at lalpur road bridge,shahdol

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.96	7.96	7.85
2	Total Solids	342	312	231
3	Dissolved Solids	324	295	221
4	D.Oxygen	7.2	7	7.6
5	BOD	1.4	1.7	1.3
6	COD	9.6	14.4	9.6
7	Turbidity	18.4	16.7	10.9

8	Conductivity	489.7	485.6	345.3
9	Chromium	0.074	0.105	0.294
10	Lead	0.17	1.28	1.205
11	Zinc	ND	ND	ND
12	Copper	ND	0.456	ND

River narmada at Pushkar Dam at amarkantak,anuppur

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.81	7.98	7.9
2	Total Solids	312	312	192
3	Dissolved Solids	297	296	181
4	D.Oxygen	6.9	7.2	7.4
5	BOD	1.8	1.8	1.8
6	COD	14.4	14.4	9.6
7	Turbidity	20.5	16.2	7.5
8	Conductivity	411.2	412.6	296.3
9	Chromium	0.134	0.243	0.395
10	Lead	0.884	1.089	0.983
11	Zinc	ND	ND	ND
12	Copper	ND	1.142	0.645

River narmada at dindori,dindori

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.01	8.07	7.95
2	Total Solids	329	308	192
3	Dissolved Solids	313	295	182
4	D.Oxygen	7.6	7.8	8.2
5	BOD	1.2	1.3	1.2
6	COD	9.6	9.6	9.6
7	Turbidity	21.3	14.9	8.2
8	Conductivity	491.6	469.3	306.5
9	Chromium	0.169	0.201	0.363
10	Lead	0.268	1.421	0.888
11	Zinc	ND	ND	ND
12	Copper	1.23	1.237	0.275

River umarar at umariya,umariya

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	8.21	8.01	8.1
2	Total Solids	302	321	234
3	Dissolved Solids	280	307	219
4	D.Oxygen	6.7	6.2	6.6
5	BOD	1.8	2.1	2.2
6	COD	14.4	19.6	19.6
7	Turbidity	27.8	19.6	10.9
8	Conductivity	597.4	548.3	436.8
9	Chromium	0.211	0.272	0.429
10	Lead	0.974	1.636	1.036
11	Zinc	ND	ND	ND
12	Copper	1.028	1.341	0.386

Idol Immersion Pond anuppur ,disst.anuppur

YEAR- 2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH		8.2	8.19
2	Total Solids		712	231
3	Dissolved Solids		570	218
4	D.Oxygen		4.1	6.5
5	BOD	KUND NOT PREPARED	2.5	2.8
6	COD		24	28.8

7	Turbidity		55.8	12.3
8	Conductivity		1065.9	496.3
9	Chromium		0.15	0.441
10	Lead		1.343	1.374
11	Zinc		ND	ND
12	Copper		0.914	0.737

River sone at Diyapiper near road bridge distt.Shahdol

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	8.18	7.92
2	Total Solids	331	516	221
3	Dissolved Solids	314	451	209
4	D.Oxygen	7.2	6.6	7.7
5	BOD	1.4	1.8	1.2
6	COD	9.6	24	9.6
7	Turbidity	18.5	34.2	8.2
8	Conductivity	456.2	812.9	315.3
9	Chromium	0.153	0.324	0.167
10	Lead	ND	0.846	0.999
11	Zinc	ND	ND	ND
12	Copper	0.153	0.872	0.582

Sagar Tal.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.97	7.5	7.34
2	Total Solids	511	615	728
3	Dissolved Solids	451	549	656
4	D.Oxygen	3.2	3	2
5	BOD	2.3	2.8	2
6	COD	96	160	180
7	Turbidity	26.5	60.6	41.1
8	Conductivity	799	919	1087
9	Chromium	0.161	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Jaderua Dam,Gwalior

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.85	7.68	7.2
2	Total Solids	522	675	692
3	Dissolved Solids	454	600	600
4	D.Oxygen	3	2.9	0.7
5	BOD	2.8	2.9	nil
6	COD	104	140	180
7	Turbidity	19.9	62.6	53.2
8	Conductivity	780	1008	1033
9	Chromium	ND	ND	ND
10	Lead	ND	0.02	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Karan Sagar, Datia.

YEAR- 2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.83	8.59	7.35
2	Total Solids	392	706	452
3	Dissolved Solids	312	650	400
4	D.Oxygen	3	2.6	6.3
5	BOD	2.8	2.5	2.8

6	COD	152	160	180
7	Turbidity	28.4	120	4.7
8	Conductivity	613	1054	676
9	Chromium	0.145	0.156	0.069
10	Lead	0.04	0.07	0.03
11	Zinc	ND	0.046	ND
12	Copper	ND	0.015	ND

Sita Sagar, Datia.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.45	5.66	7.18
2	Total Solids	405	739	491
3	Dissolved Solids	357	683	400
4	D.Oxygen	2	3.4	3
5	BOD	1.9	2.2	2.1
6	COD	144	160	180
7	Turbidity	11	13.5	75.5
8	Conductivity	634	1103	733
9	Chromium	0.247	0.127	0.131
10	Lead	0.04	0.08	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Lala Ka Tal, Datia.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.46	7.76	7.54
2	Total Solids	387	836	480
3	Dissolved Solids	331	772	412
4	D.Oxygen	5.8	4.7	6.7
5	BOD	2.9	3	2.8
6	COD	224	240	220
7	Turbidity	13.9	128	87.1
8	Conductivity	606	1249	717
9	Chromium	0.839	0.065	ND
10	Lead	ND	0.01	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Banjara Dam, Sheopur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.33	8.32	8.42
2	Total Solids	866	288	627
3	Dissolved Solids	800	190	579
4	D.Oxygen	7.6	4.7	6.4
5	BOD	2.6	2.3	2.9
6	COD	60	52.17	70
7	Turbidity	184	12	180
8	Conductivity	1294	430	980
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kuwari River, Near road bridge, Morena.

YEAR- 2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.45	7.84	7.96
2	Total Solids	157	145	160
3	Dissolved Solids	100	100	105
4	D.Oxygen	7.2	7	7.4

5	BOD	2.8	2.9	3
6	COD	30	30	40
7	Turbidity	1.2	2.3	2.8
8	Conductivity	235	217	240

Pandit Ghat Sheopur,Sheopur.

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.38	6.96	7.56
2	Total Solids	708	1370	1295
3	Dissolved Solids	640	1300	1225
4	D.Oxygen	6.5	6	6.2
5	BOD	2.8	2.9	2.6
6	COD	80	100	80
7	Turbidity	6.4	8.4	9.2
8	Conductivity	1057	2045	2024
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Badokher Talab,Morena,Morena.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.27	7.46	7.38
2	Total Solids	593	854	907
3	Dissolved Solids	519	787	839
4	D.Oxygen	3.4	3	3.2
5	BOD	2.8	2.6	2.6
6	COD	104	140	160
7	Turbidity	180	121.7	180
8	Conductivity	927	1276	1355
9	Chromium	0.106	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Gauri Sarover, Bhind.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.66	7.35	7.94
2	Total Solids	767	220	388
3	Dissolved Solids	700	162	309
4	D.Oxygen	5.7	5	4.2
5	BOD	3.4	3.8	3
6	COD	73.52	30	40
7	Turbidity	16.2	4.9	8
8	Conductivity	1146	329	580
9	Chromium	ND	ND	0.053
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Asan Cheda Pool,Gwalior.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.19	7.85	7.3
2	Total Solids	884	741	942
3	Dissolved Solids	820	700	900
4	D.Oxygen	6.8	6.6	6.4
5	BOD	2.2	2.4	2.2
6	COD	80	80	90
7	Turbidity	1.3	8.3	1.4

8	Conductivity	1382	1107	1406
9	Chromium	0.063	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Katora Tal,Gwalior.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.45	7.84	7.4
2	Total Solids	912	145	205
3	Dissolved Solids	863	100	163
4	D.Oxygen	5.8	7	7
5	BOD	2.8	2.9	2.4
6	COD	112	30	40
7	Turbidity	15.3	2.3	2.5
8	Conductivity	1426	217	306
9	Chromium	0.058	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Jawahar Tekri, Indore

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.14	8.2	8.1
2	Total Solids	333	478	350
3	Dissolved Solids	323	442	338
4	D.Oxygen	7.6	6.2	7.64
5	BOD	1.1	2.6	1.4
6	COD	8	26	10.86
7	Turbidity	7.6	22.7	9.9
8	Conductivity	462	775.98	483
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Burhanpur renuka jheel

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.9	8.1	8
2	Total Solids	389	421	401
3	Dissolved Solids	378	407	389
4	D.Oxygen	6.9	5.5	6.8
5	BOD	1.6	2.2	1.7
6	COD	16	22	18.77
7	Turbidity	9.2	12.8	11.7
8	Conductivity	496	621	562
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Padam Kund, Khandwa.

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.74	7.1	6.84
2	Total Solids	1160	1572	1042
3	Dissolved Solids	1144	1547	1024
4	D.Oxygen	6.7	4.2	6
5	BOD	1.6	2.8	2.6
6	COD	14	24.7	20

7	Turbidity	18.7	26.7	30.4
8	Conductivity	1706	2380	2015
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Barwaha**

Kund water, Mortakka.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.8	7.5	7.6
2	Total Solids	278	880	487
3	Dissolved Solids	266	854	471
4	D.Oxygen	7.3	4.6	5.8
5	BOD	1.1	1.8	1.4
6	COD	10	22	16
7	Turbidity	4.6	22.9	18
8	Conductivity	380	1364	673
9	Chromium	ND	0.155	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Visarjan kund omkareshwar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.54	7.3	7.22
2	Total Solids	594	621	580
3	Dissolved Solids	583	604	567
4	D.Oxygen	7	5.6	6.58
5	BOD	1.2	1.8	1.7
6	COD	12	19	16.79
7	Turbidity	3.3	8.6	6.2
8	Conductivity	972	1084	869
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Tapti river ,burhanpur

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.4	8.32	8.36
2	Total Solids	326	353	318
3	Dissolved Solids	314	329	307
4	D.Oxygen	7.7	7.6	7.6
5	BOD	1.2	1.3	1.2
6	COD	10	14	10.86
7	Turbidity	4.6	8.5	4.9
8	Conductivity	484	512	470
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
Visarjan kund ,Khargone. YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	7.8	7.6
2	Total Solids	317	409	321
3	Dissolved Solids	304	382	310
4	D.Oxygen	7.3	6.2	7.1
5	BOD	1.4	2.2	1.3
6	COD	16	24	18
7	Turbidity	12.4	17.9	9.4
8	Conductivity	567	668.7	589
9	Chromium	ND	ND	ND
10	Lead	ND	0.01	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Visarjan kund ,Barwani.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.94	7.7	7.8
2	Total Solids	286	354	268
3	Dissolved Solids	274	339	255
4	D.Oxygen	7.2	5.9	7.3
5	BOD	1.1	1.7	1.2
6	COD	10	18	12
7	Turbidity	8.4	14.6	12.8
8	Conductivity	392	485.8	376
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Devi Sagar Talab,Dhar.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.7	7.2	7.5
2	Total Solids	396	468	397
3	Dissolved Solids	384	455	387
4	D.Oxygen	7.2	5.6	6.7
5	BOD	1.1	2.1	1.7
6	COD	14	20	16.79
7	Turbidity	8.8	10.2	7.6
8	Conductivity	582	735	617
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Kund Pankeshwar,Alirajpur,Dhar.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.6	7.4	7.1
2	Total Solids	491	522	508
3	Dissolved Solids	482	506	496
4	D.Oxygen	6.8	5.8	6.6
5	BOD	0.6	1	0.8
6	COD	8	14	12.84
7	Turbidity	13.5	17.2	14.6
8	Conductivity	53	724	594
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND

11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

**Water Monitoring Report during Durga IDOL Immersion
Do Mukh Bavdi ,Dharampuri,Dhar.**

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.1	6.9	7.3
2	Total Solids	409	488	421
3	Dissolved Solids	396	470	404
4	D.Oxygen	7.2	5.4	6.8
5	BOD	1.4	2.2	1.8
6	COD	16	20	17.78
7	Turbidity	8.5	12	10.4
8	Conductivity	7.1	6.9	7.3
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River pench river at Chhindwara

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.13	7.91	8.21
2	Total Solids	362	891	610
3	Dissolved Solids	328	793	558
4	D.Oxygen	7.5	6.9	7.1
5	BOD	1.7	2.8	2.2
6	COD	30	16	12
7	Turbidity	4	12	2
8	Conductivity	386	813	819
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL
12	Copper	—	—	—

Chhota talab ,main road Chhindwada

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.68	6.89	7.3
2	Total Solids	468	911	810
3	Dissolved Solids	416	693	698
4	D.Oxygen	7.1	6.8	—
5	BOD	4	3.8	3.2
6	COD	32	24	20
7	Turbidity	7	16	—
8	Conductivity	485	1130	883
9	Chromium	—	BDL	BDL
10	Lead	—	N.A.	N.A.
11	Zinc	—	BDL	BDL
12	Copper	—	N.A.	N.A.

Kanhan river,damua,Chhindwada.

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.91	6.93	7.34
2	Total Solids	384	837	711
3	Dissolved Solids	348	739	645

4	D.Oxygen	7.4	6.9	6.9
5	BOD	1.8	2.8	2.8
6	COD	26	20	16
7	Turbidity	5	12	6
8	Conductivity	411	831	819
9	Chromium		BDL	—
10	Lead	—	BDL	—
11	Zinc	—	BDL	BDL
12	Copper	—	—	—

**Water Monitoring Report during Durga IDOL Immersion
River Kulbahra , Chhindwara**

YEAR- 2019

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	8.18	8.31	7.73
2	Total Solids	384	819	717
3	Dissolved Solids	342	726	639
4	D.Oxygen	7.4	6.8	7
5	BOD	1.4	3.2	2.8
6	COD	20	24	20
7	Turbidity	3	16	—
8	Conductivity	428	913	810
9	Chromium	BDL	BDL	BDL
10	Lead	BDL	BDL	BDL
11	Zinc	BDL	BDL	BDL

Kamla bai, Panna

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.22	6.93	7.32
2	Total Solids	138	252	204
3	Dissolved Solids	112	210	174
4	D.Oxygen	6.56	5.12	6.36
5	BOD	1.66	2.86	2.02
6	COD	4	12	4
7	Turbidity	6	24	12
8	Conductivity	168.2	316.1	261.8
9	Chromium	ND	ND	ND
10	Lead	0.01	0.03	0.02
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Futera lake,Damoh

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	6.86	6.68	6.56
2	Total Solids	282	394	336
3	Dissolved Solids	248	332	312
4	D.Oxygen	6.28	5.48	6.02
5	BOD	2.15	7.5	3.34
6	COD	8	24	12
7	Turbidity	12	28	18
8	Conductivity	372.1	498.2	468.1
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Water Monitoring Report during Durga IDOL Immersion
Mahendra sagar lake,Tikamgarh

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.48	8.08	7.65
2	Total Solids	212	288	228
3	Dissolved Solids	178	188	182
4	D.Oxygen	6.76	3.48	3.42
5	BOD	1.24	8.5	7
6	COD	4	32	24
7	Turbidity	10	32	18
8	Conductivity	267.1	282.3	273.4
9	Chromium	ND	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

Budha Bandh,Chhatarpur

YEAR- 2019

S. No.	parameter	Pre Immersion	During Immersion	After one week
1	pH	7.44	7.94	7.65
2	Total Solids	172	198	174
3	Dissolved Solids	140	152	144
4	D.Oxygen	6.52	4.65	6.32
5	BOD	0.87	1.68	1.12
6	COD	4	8	4
7	Turbidity	8	24	12
8	Conductivity	210.2	288.4	213.6
9	Chromium	ND	ND	ND
10	Lead	ND	ND	0.04
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

River Amanvi,at Lahendra naka,sagar

S. No.	Parameter	Pre Immersion	During Immersion	After one week
1	pH	7.48	6.66	7.55
2	Total Solids	272	342	288
3	Dissolved Solids	236	280	242
4	D.Oxygen	6.68	5.62	6.36
5	BOD	1.24	2.76	1.35
6	COD	4	12	4
7	Turbidity	10	28	16
8	Conductivity	354.1	418.9	362.8
9	Chromium	0.002	ND	ND
10	Lead	ND	ND	ND
11	Zinc	ND	ND	ND
12	Copper	ND	ND	ND

.....